Analytical Resources, Incorporated
Analytical Chemists and Consultants

07 September 2021

Cindy Fields
Anchor QEA, LLC
1201 3rd Ave, Suite 2600
Seattle, WA 98101

RE: Lower Duwamish AOC4

Please find enclosed sample receipt documentation and analytical results for samples from the project referenced above.

Sample analyses were performed according to ARI's Quality Assurance Plan and any provided project specific Quality Assurance Plan. Each analytical section of this report has been approved and reviewed by an analytical peer, the appropriate Laboratory Supervisor or qualified substitute, and a technical reviewer.

Should you have any questions or problems, please feel free to contact us at your convenience.

Associated Work Order(s)	Associated SDG ID(s)
21G0330	N/A

Susan Dunnihoo
Digitally signed by Susan Dunnihoo
Date: 2021.09.07 12:52:53 -07'00'

I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed in the enclosed Narrative. ARI, an accredited laboratory, certifies that the report results for which ARI is accredited meets all the requirements of the accrediting body. A list of certified analyses, accreditations, and expiration dates is included in this report.

Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature.

Analytical Resources, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Susan Dunnihoo, Director, Client Services

Cert# 100006-012

1 of 1 21G0330

CHAIN-OF-CUSTODY/TEST REQUEST FORM

№ 4130

Project/Client Name: Duwamish AOC4
Project Number: 180067-02.02
Contact Name: Amara Vandenhoff
Sampled By: Windward

Ship to: ARI
Attn: Sue Dunnihoo
Shipper: Hand delivered
Form filled out by: Brandi Quinlisk

Shipping Date: 7/27/21
Airbill Number: —
Turnaround requested: STD

Sample Collection Date (m/d/y)	Time	Sample Identification	Volume of Sample / # of Containers	Matrix	Test(s) Requested (check test(s) required) PCB	TOC/Total Solids	Archive					Comments / Instructions [Jar tag number(s)]
7/26/21	18:10	LDW21-IT701B •	3	Sediment	X	X	X					
7/26/21	18:10	LDW21-IT701C •	3	"	X	X	X					
7/26/21	18:10	LDW21-IT701E •	3	Sediment	X	X	X					
		Total Number of Containers	9	Purchase Order / Statement of Work #	CLF-052021-ARI							

1) Released by:	1) Rec'd by:	2) Released by:	2) Rec'd by:
Print name: Brandi Quinlisk	D. Sonnen	Print name:	
Signature: Brandi Quinlisk	Company: ARI	Signature:	Company:
Company: Windward		Company:	
Date/Time: 7/27/21 11:54	Date/Time: 07/27/21 1154	Date/Time:	Date/Time:

* Distribution: White copies accompany shipment; yellow retained by consignor.

To be completed by Laboratory upon sample receipt:

Date of receipt::	Laboratory W.O. #:
Condition upon receipt:	Time of receipt:
Cooler temperature:	Received by:

Windward environmental LLC
200 1st Ave W, Suite 500
Seattle, WA 98119
206.378.1364

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Cooler Receipt Form

ARI Client: Anchor QEA

Project Name: AOC4

COC No(s): _____ NA

Delivered by: Fed-Ex UPS Courier Hand Delivered Other: _____

Assigned ARI Job No: 21G0330

Tracking No: _____ NA

Preliminary Examination Phase:

Were intact, properly signed and dated custody seals attached to the outside of the cooler?	YES	NO
Were custody papers included with the cooler?	YES	NO
Were custody papers properly filled out (ink, signed, etc.)	YES	NO

Temperature of Cooler(s) (°C) (recommended 2.0-6.0 °C for chemistry)

Time 1154 | 21 | | | | | |

If cooler temperature is out of compliance fill out form 00070F

Temp Gun ID#: DOO 520C

Cooler Accepted by: DL Date: 07/27/21 Time: 1154

Complete custody forms and attach all shipping documents

Log-In Phase:

Was a temperature blank included in the cooler?		YES	NO
What kind of packing material was used? ... Bubble Wrap Wet Ice Gel Packs Baggies Foam Block Paper Other: _____			
Was sufficient ice used (if appropriate)?	NA	YES	NO
How were bottles sealed in plastic bags?	Individually	Grouped	Not
Did all bottles arrive in good condition (unbroken)?		YES	NO
Were all bottle labels complete and legible?		YES	NO
Did the number of containers listed on COC match with the number of containers received?		YES	NO
Did all bottle labels and tags agree with custody papers?		YES	NO
Were all bottles used correct for the requested analyses?		YES	NO
Do any of the analyses (bottles) require preservation? (attach preservation sheet, excluding VOCs) ...	NA	YES	NO
Were all VOC vials free of air bubbles?	NA	YES	NO
Was sufficient amount of sample sent in each bottle?		YES	NO
Date VOC Trip Blank was made at ARI	NA	_____	

Were the sample(s) split by ARI? NA YES Date/Time: _____ Equipment: _____ Split by: _____

Samples Logged by: SC Date: 7/27/21 Time: 1559 Labels checked by: SC

***** Notify Project Manager of discrepancies or concerns *****

Sample ID on Bottle	Sample ID on COC	Sample ID on Bottle	Sample ID on COC

Additional Notes, Discrepancies, & Resolutions:

By: Date:

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Anchor QEA, LLC	Project:	Lower Duwamish AOC4	
1201 3rd Ave, Suite 2600	Project Number:	180067-02.02	**Reported:**
Seattle, WA 98101	Project Manager:	Cindy Fields	09/07/2021 12:36

ANALYTICAL REPORT FOR SAMPLES

Laboratory ID	Sample ID	Matrix	Date Sampled	Date Received
21G0330-01	LDW21-IT701B	Solid	07/26/21 18:10	07/27/21 11:54
21G0330-02	LDW21-IT701C	Solid	07/26/21 18:10	07/27/21 11:54
21G0330-03	LDW21-IT701E	Solid	07/26/21 18:10	07/27/21 11:54

Anchor QEA, LLC	Project: Lower Duwamish AOC4	
1201 3rd Ave, Suite 2600	Project Number: 180067-02.02	**Reported:**
Seattle WA, 98101	Project Manager: Cindy Fields	07-Sep-2021 12:36

Case Narrative

Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Work Order: 21G0330

Sample receipt

Samples as listed on the preceding page were received 27-Jul-2021 11:54 under ARI work order 21G0330. For details regarding sample receipt, please refer to the Cooler Receipt Form. Mercury aliquots were frozen to meet QAPP requirements.

PCB Aroclors - EPA Method SW8082A

The sample(s) were extracted and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

Internal standard areas were within limits.

The surrogate percent recoveries were within control limits.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The matrix spike/matrix spike duplicate (MS/MSD) percent recoveries and relative percent difference (RPD) were within advisory control limits.

The reference material (SRM) percent recoveries were within control limits.

Wet Chemistry

The sample(s) were prepared and analyzed within the recommended holding times.

Initial and continuing calibrations were within method requirements.

The method blank(s) were clean at the reporting limits.

The blank spike (BS/LCS) percent recoveries were within control limits.

The reference material (SRM) percent recoveries were within control limits.

The matrix spike (MS) percent recoveries and the duplicate (DUP) relative percent difference (RPD) were within advisory control limits.

QUALIFIERS AND NOTES

Qualifier	Definition
U	This analyte is not detected above the reporting limit (RL) or if noted, not detected above the limit of detection (LOD).
P1	The reported value is greater than 40% difference between the concentrations determined on two GC columns where applicable.
J	Estimated concentration value detected below the reporting limit.
H	Hold time violation - Hold time was exceeded.
D	The reported value is from a dilution
*	Flagged value is not within established control limits.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

Dual Column

ORGANIC ANALYSIS DATA SHEET
EPA 8082A

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Solid	Laboratory ID:	21G0330-01RE1 B	File ID:	08272128ECD7.D
Sampled:	07/26/21 18:10	Prepared:	08/25/21 13:40	Analyzed:	08/28/21 01:11
% Solids:	78.28	Preparation:	EPA 3546 (Microwave)	Initial/Final:	15.97 g Wet / 2.5 mL
Batch:	BJH0604	Sequence:	SJH0396	Calibration:	EH00034
Instrument:	ECD7	Column 1:	ZB5	Column 2:	ZB35

CAS NO.	COMPOUND	Col #	DILUTION	CONC. (ug/kg dry)	MDL	MRL	Q
12674-11-2	Aroclor 1016	1	1	4.0	1.6	4.0	U
11104-28-2	Aroclor 1221	1	1	4.0	1.6	4.0	U
11141-16-5	Aroclor 1232	1	1	4.0	1.6	4.0	U
53469-21-9	Aroclor 1242	1	1	4.0	1.6	4.0	U
12672-29-6	Aroclor 1248	1	1	23.9	1.6	4.0	
11097-69-1	Aroclor 1254	1	1	14.3	1.6	4.0	
11096-82-5	Aroclor 1260	1	1	2.2	0.6	4.0	J

SURROGATES	Col #	ADDED (ug/kg dry)	CONC (ug/kg dry)	% REC	QC LIMITS	Q
Decachlorobiphenyl	*1*	*7.9992*	*6.24*	*78.0*	*40 - 126*	
Tetrachlorometaxylene	*1*	*7.9992*	*5.82*	*72.8*	*44 - 120*	

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272128ECD7.D
Data file 2: /2108127.b/2108127.b/08272128ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: 21G0330-01RE1
Client ID:
Injection Date: 28-AUG-2021 01:11
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.002	100488	5.411	-0.003	248019	29.1	26.1	10.9	Tetrachloro-m-xylene
13.160	-0.007	123075	13.840	-0.004	625674	31.2	24.7	23.3	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	285510	10.3
Hexabromobiphenyl	425681	434423	2.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	739456	2.6
Hexabromobiphenyl	863111	1139874	32.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.652	-0.010	11854	117.1	1	7.054	-0.002	16910	40.1
Aroclor-1016	2	7.027	-0.011	38650	124.8	2	7.642	-0.011	103428	109.7
Aroclor-1016	3	7.185	0.003	7869	56.6	3	7.901	0.043	16026	43.3
Aroclor-1016	4	7.281	-0.011	4689	53.8	4	8.100	-0.005	77416	345.6
Total Col1Ave (4 peaks):					88.1	Total Col2Ave (4 peaks):				134.7 RPD = 42*
Corrected Ave (3 peaks):					75.8	Corrected Ave (3 peaks):				64.4 RPD = 16
Aroclor-1221	1	---			0.0	1	4.636	-0.040	3893	70.1
Aroclor-1221	2	5.395	-0.056	1783	50.4	2	6.088	0.016	11468	90.3
Aroclor-1221	3	5.724	-0.000	2412	25.3	3	6.410	0.001	11655	52.6
Col1Ave: <3 Quant Peaks						Col2Ave:			71.0	
Aroclor-1232	1	4.117	0.099	550	39.7	1	4.636	-0.043	3893	117.8
Aroclor-1232	2	5.724	-0.002	2412	32.0	2	7.054	-0.004	16910	87.6
Aroclor-1232	3	7.027	-0.007	38650	336.5	3	7.642	-0.009	103428	267.6
Aroclor-1232	4	7.957	-0.015	24829	525.4	4	8.514	-0.008	34974	347.4
Total Col1Ave (4 peaks):					233.4	Total Col2Ave (4 peaks):				205.1 RPD = 13
Corrected Ave (3 peaks):					136.1	Corrected Ave (3 peaks):				157.7 RPD = 15
Aroclor-1242	1	6.652	-0.010	11854	150.7	1	7.054	-0.002	16910	49.7
Aroclor-1242	2	7.027	-0.011	38650	164.8	2	7.642	-0.011	103428	140.0
Aroclor-1242	3	8.374	-0.011	20781	156.4	3	8.940	-0.016	28197	81.7
Aroclor-1242	4	8.670	-0.005	15808	291.2	4	9.016	-0.022	30257	77.3
Total Col1Ave (4 peaks):					190.8	Total Col2Ave (4 peaks):				87.2 RPD = 75*
Corrected Ave (3 peaks):					157.3	Corrected Ave (3 peaks):				69.6 RPD = 77*
Aroclor-1248	1	7.797	-0.006	12784	106.8	1	8.100	-0.005	77416	252.6
Aroclor-1248	2	7.957	-0.017	24829	159.0	2	8.514	-0.007	34974	93.8
Aroclor-1248	3	8.374	-0.009	20781	90.9	3	8.940	-0.014	28197	47.5
Aroclor-1248	4	8.670	-0.006	15808	121.1	4	9.364	-0.018	19978	39.6
Total Col1Ave (4 peaks):					119.4	Total Col2Ave (4 peaks):				108.4 RPD = 10
Corrected Ave (3 peaks):					106.3	Corrected Ave (3 peaks):				60.3 RPD = 55*
Aroclor-1254	1	8.670	-0.008	15808	64.2	1	9.232	-0.006	35710	56.8
Aroclor-1254	2	8.742	-0.007	9269	81.3	2	9.322	-0.010	15686	42.5
Aroclor-1254	3	9.038	-0.007	9108	56.7	3	9.754	-0.008	17672	36.8
Aroclor-1254	4	9.170	-0.011	27488	89.6	4	9.902	-0.011	65234	61.4
Aroclor-1254	5	9.861	-0.009	12865	66.8	5	10.130	-0.021	79145	73.4
Total Col1Ave (5 peaks):					71.7	Total Col2Ave (5 peaks):				54.2 RPD = 28
Corrected Ave (4 peaks):					67.2	Corrected Ave (4 peaks):				49.4 RPD = 31
Aroclor-1260	1	10.380	-0.007	2506	12.8	1	11.426	0.002	16403	17.3
Aroclor-1260	2	10.699	-0.005	2426	12.6	2	11.671	-0.006	18661	6.8
Aroclor-1260	3	11.046	-0.009	4504	8.7	3	12.252	-0.007	12396	7.0
Aroclor-1260	4	11.446	-0.010	2872	12.4	4	12.963	-0.007	4675	5.5
Aroclor-1260	5	11.549	-0.008	1014	8.8	NS	---			----
Total Col1Ave (5 peaks):					11.1	Total Col2Ave (4 peaks):				9.2 RPD = 19
Corrected Ave (4 peaks):					10.6	Corrected Ave (3 peaks):				6.4 RPD = 49*
Aroclor-1262	1	10.380	-0.003	2506	9.5	1	10.960	-0.010	6632	4.8
Aroclor-1262	2	11.446	-0.008	2872	16.7	2	11.671	-0.014	18661	6.3
Aroclor-1262	3	11.632	0.005	2507	10.1	3	12.176	-0.012	11532	8.8
Aroclor-1262	4	12.270	-0.004	782	3.8	4	12.963	-0.010	4675	3.8
Total Col1Ave (4 peaks):					10.0	Total Col2Ave (4 peaks):				5.9 RPD = 51*
Corrected Ave (3 peaks):					7.9	Corrected Ave (3 peaks):				5.0 RPD = 44*
Aroclor-1268	1	11.549	-0.008	1014	1.7	1	12.176	-0.024	11532	3.5
Aroclor-1268	2	11.632	0.006	2507	4.1	2	12.252	-0.015	12396	3.5
Aroclor-1268	3	12.098	0.098	378	0.8	3	12.637	-0.007	2132	0.7
Aroclor-1268	4	12.760	-0.012	1435	0.9	4	12.781	-0.002	2932	3.8
Total Col1Ave (4 peaks):					1.9	Total Col2Ave (4 peaks):				2.9 RPD = 42*
Corrected Ave (3 peaks):					1.2	Corrected Ave (3 peaks):				2.6 RPD = 76*

Total PCB Area Col1 (5.170 - 13.066) = 521395 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 1603190 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 21G0330-01RE1 28-AUG-2021 01:11, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 21G0330-01RE1 28-AUG-2021 01:11, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701C

Dual Column

ORGANIC ANALYSIS DATA SHEET
EPA 8082A

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Solid	Laboratory ID:	21G0330-02RE1 B	File ID:	08272131ECD7.D
Sampled:	07/26/21 18:10	Prepared:	08/25/21 13:40	Analyzed:	08/28/21 02:12
% Solids:	78.12	Preparation:	EPA 3546 (Microwave)	Initial/Final:	16 g Wet / 2.5 mL
Batch:	BJH0604	Sequence:	SJH0396	Calibration:	EH00034
Instrument:	ECD7	Column 1:	ZB5	Column 2:	ZB35

CAS NO.	COMPOUND	Col #	DILUTION	CONC. (ug/kg dry)	MDL	MRL	Q
12674-11-2	Aroclor 1016	1	1	4.0	1.6	4.0	U
11104-28-2	Aroclor 1221	1	1	4.0	1.6	4.0	U
11141-16-5	Aroclor 1232	1	1	4.0	1.6	4.0	U
53469-21-9	Aroclor 1242	1	1	4.0	1.6	4.0	U
12672-29-6	Aroclor 1248	1	1	14.2	1.6	4.0	P1
11097-69-1	Aroclor 1254	1	1	9.7	1.6	4.0	
11096-82-5	Aroclor 1260	2	1	1.9	0.6	4.0	J

SURROGATES	Col #	ADDED (ug/kg dry)	CONC (ug/kg dry)	% REC	QC LIMITS	Q
Decachlorobiphenyl	*1*	*8.0005*	*6.80*	*85.0*	*40 - 126*	
Tetrachlorometaxylene	*1*	*8.0005*	*6.46*	*80.7*	*44 - 120*	
Decachlorobiphenyl	*2*	*8.0005*	*5.48*	*68.4*	*40 - 126*	
Tetrachlorometaxylene	*2*	*8.0005*	*5.79*	*72.3*	*44 - 120*	

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272131ECD7.D
Data file 2: /2108127.b/2108127.b/08272131ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: 21G0330-02RE1
Client ID:
Injection Date: 28-AUG-2021 02:12
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.001	107241	5.411	-0.002	266443	32.3	28.9	10.9	Tetrachloro-m-xylene
13.160	-0.006	132461	13.841	-0.002	676875	34.0	27.4	21.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	274899	6.2
Hexabromobiphenyl	425681	429427	0.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	716736	-0.6
Hexabromobiphenyl	863111	1112677	28.9

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1016	1	6.652	-0.010	6216	63.8	1	7.054	-0.001	9019	22.1
Aroclor-1016	2	7.030	-0.008	15285	51.3	2	7.645	-0.008	47054	51.5
Aroclor-1016	3	7.185	0.004	4360	32.6	3	7.902	0.044	11214	31.3
Aroclor-1016	4	7.279	-0.013	2237	26.7	4	8.102	-0.003	45541	209.7
Total Col1Ave (4 peaks):				43.6		Total Col2Ave (4 peaks):			78.6	RPD = 57*
Corrected Ave (3 peaks):				36.8		Corrected Ave (3 peaks):			34.9	RPD = 5
Aroclor-1221	1	4.092	0.077	1006	46.3	1	4.637	-0.040	3841	71.4
Aroclor-1221	2	5.381	-0.070	2297	67.5	2	6.091	0.019	16881	137.1
Aroclor-1221	3	5.718	-0.006	817	8.9	3	6.412	0.003	14146	65.9
Total Col1Ave (3 peaks):				40.9		Total Col2Ave (3 peaks):			91.5	RPD = 76*
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.092	0.074	1006	75.5	1	4.637	-0.042	3841	119.9
Aroclor-1232	2	5.718	-0.009	817	11.3	2	7.054	-0.004	9019	48.2
Aroclor-1232	3	7.030	-0.003	15285	138.2	3	7.645	-0.006	47054	125.6
Aroclor-1232	4	7.960	-0.012	13850	304.4	4	8.516	-0.006	19833	203.2
Total Col1Ave (4 peaks):				132.3		Total Col2Ave (4 peaks):			124.2	RPD = 6
Corrected Ave (3 peaks):				75.0		Corrected Ave (3 peaks):			97.9	RPD = 27
Aroclor-1242	1	6.652	-0.010	6216	82.1	1	7.054	-0.001	9019	27.4
Aroclor-1242	2	7.030	-0.007	15285	67.7	2	7.645	-0.008	47054	65.7
Aroclor-1242	3	8.375	-0.010	11719	91.6	3	8.943	-0.014	12654	37.8
Aroclor-1242	4	8.671	-0.004	9754	186.6	4	9.019	-0.019	17229	45.4
Total Col1Ave (4 peaks):				107.0		Total Col2Ave (4 peaks):			44.1	RPD = 83*
Corrected Ave (3 peaks):				80.5		Corrected Ave (3 peaks):			36.9	RPD = 74*
Aroclor-1248	1	7.798	-0.005	6951	60.3	1	8.102	-0.004	45541	153.3
Aroclor-1248	2	7.960	-0.013	13850	92.1	2	8.516	-0.005	19833	54.9
Aroclor-1248	3	8.375	-0.008	11719	53.2	3	8.943	-0.011	12654	22.0
Aroclor-1248	4	8.671	-0.005	9754	77.6	4	9.363	-0.019	8730	17.9
Total Col1Ave (4 peaks):				70.8		Total Col2Ave (4 peaks):			60.0	RPD = 13
Corrected Ave (3 peaks):				63.7		Corrected Ave (3 peaks):			31.6	RPD = 68*
Aroclor-1254	1	8.671	-0.007	9754	41.1	1	9.235	-0.003	26140	42.9
Aroclor-1254	2	8.744	-0.005	5476	49.9	2	9.325	-0.006	12803	35.8
Aroclor-1254	3	9.044	-0.002	7944	51.4	3	9.756	-0.006	9962	21.4
Aroclor-1254	4	9.173	-0.008	18402	62.3	4	9.905	-0.008	49440	48.0
Aroclor-1254	5	9.862	-0.008	7231	39.0	5	10.137	-0.014	53926	51.6
Total Col1Ave (5 peaks):				48.7		Total Col2Ave (5 peaks):			39.9	RPD = 20
Corrected Ave (4 peaks):				45.3		Corrected Ave (4 peaks):			37.0	RPD = 20
Aroclor-1260	1	10.379	-0.009	1492	7.7	1	11.428	0.003	14385	15.6
Aroclor-1260	2	10.700	-0.004	1515	8.0	2	11.672	-0.005	18069	6.7
Aroclor-1260	3	11.048	-0.007	3655	7.1	3	12.254	-0.005	13844	8.0
Aroclor-1260	4	11.445	-0.010	2203	9.6	4	12.964	-0.006	6060	7.3
Aroclor-1260	5	11.546	-0.011	810	7.1	NS	---			----
Total Col1Ave (5 peaks):				7.9		Total Col2Ave (4 peaks):			9.4	RPD = 17
Corrected Ave (4 peaks):				7.5		Corrected Ave (3 peaks):			7.4	RPD = 2
Aroclor-1262	1	10.379	-0.005	1492	5.7	1	10.962	-0.008	6540	4.8
Aroclor-1262	2	11.445	-0.009	2203	13.0	2	11.672	-0.013	18069	6.3
Aroclor-1262	3	11.630	0.004	2249	9.2	3	12.180	-0.008	14968	11.7
Aroclor-1262	4	12.272	-0.003	903	4.5	4	12.964	-0.009	6060	5.1
Total Col1Ave (4 peaks):				8.1		Total Col2Ave (4 peaks):			7.0	RPD = 15
Corrected Ave (3 peaks):				6.5		Corrected Ave (3 peaks):			5.4	RPD = 18
Aroclor-1268	1	11.546	-0.011	810	1.4	1	12.180	-0.020	14968	4.7
Aroclor-1268	2	11.630	0.005	2249	3.7	2	12.254	-0.013	13844	4.0
Aroclor-1268	3	11.980	-0.020	1054	2.2	3	12.643	-0.001	4100	1.4
Aroclor-1268	4	12.761	-0.011	1317	0.9	4	12.782	-0.001	7356	9.9
Total Col1Ave (4 peaks):				2.1		Total Col2Ave (4 peaks):			5.0	RPD = 83*

Corrected Ave (3 peaks): 1.5 Corrected Ave (3 peaks): 3.3 RPD = 76*

Total PCB Area Col1 (5.170 - 13.066) = 316612 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 1228896 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 21G0330-02RE1 28-AUG-2021 02:12, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 21G0330-02RE1 28-AUG-2021 02:12, 2ul



ZB-35 Manual Integration: NO

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/2108127.b/08272131ECD7.D Injection Date: 28-AUG-2021 02:12

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701E

Dual Column

ORGANIC ANALYSIS DATA SHEET
EPA 8082A

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Solid	Laboratory ID:	21G0330-03RE1 B	File ID:	08272132ECD7.D
Sampled:	07/26/21 18:10	Prepared:	08/25/21 13:40	Analyzed:	08/28/21 02:32
% Solids:	77.61	Preparation:	EPA 3546 (Microwave)	Initial/Final:	16.11 g Wet / 2.5 mL
Batch:	BJH0604	Sequence:	SJH0396	Calibration:	EH00034
Instrument:	ECD7	Column 1:	ZB5	Column 2:	ZB35

CAS NO.	COMPOUND	Col #	DILUTION	CONC. (ug/kg dry)	MDL	MRL	Q
12674-11-2	Aroclor 1016	1	1	4.0	1.6	4.0	U
11104-28-2	Aroclor 1221	1	1	4.0	1.6	4.0	U
11141-16-5	Aroclor 1232	1	1	4.0	1.6	4.0	U
53469-21-9	Aroclor 1242	1	1	4.0	1.6	4.0	U
12672-29-6	Aroclor 1248	1	1	4.0	1.6	4.0	U
11097-69-1	Aroclor 1254	1	1	4.0	1.6	4.0	U
11096-82-5	Aroclor 1260	1	1	4.0	0.6	4.0	U

SURROGATES	Col #	ADDED (ug/kg dry)	CONC (ug/kg dry)	% REC	QC LIMITS	Q
Decachlorobiphenyl	*1*	*7.9981*	*6.15*	*76.9*	*40 - 126*	
Tetrachlorometaxylene	*1*	*7.9981*	*5.89*	*73.6*	*44 - 120*	

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272132ECD7.D
Data file 2: /2108127.b/2108127.b/08272132ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: 21G0330-03RE1
Client ID:
Injection Date: 28-AUG-2021 02:32
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.069	-0.001	98045	5.411	-0.003	252832	29.4	26.9	8.8	Tetrachloro-m-xylene
13.161	-0.005	118745	13.840	-0.004	635169	30.8	25.6	18.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	275580	6.5
Hexabromobiphenyl	425681	425155	-0.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	730254	1.3
Hexabromobiphenyl	863111	1117889	29.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.610	-0.052	2969	30.4	1	7.057	0.001	5740	13.8
Aroclor-1016	2	7.078	0.039	1965	6.6	2	7.683	0.030	10189	10.9
Aroclor-1016	3	7.183	0.002	626	4.7	3	7.894	0.036	2522	6.9
Aroclor-1016	4	7.285	-0.007	352	4.2	4	8.098	-0.007	1566	7.1
Total Col1Ave (4 peaks):					11.5	Total Col2Ave (4 peaks):				9.7 RPD = 17
Corrected Ave (3 peaks):					5.1	Corrected Ave (3 peaks):				8.3 RPD = 47*
Aroclor-1221	1	4.107	0.091	398	18.3	1	4.732	0.055	5368	97.9
Aroclor-1221	2	5.381	-0.070	1500	44.0	2	6.105	0.033	17811	141.9
Aroclor-1221	3	5.728	0.003	268	2.9	3	6.401	-0.008	7582	34.7
Total Col1Ave (3 peaks):					21.7	Total Col2Ave (3 peaks):				91.5 RPD = 123*
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.107	0.089	398	29.8	1	4.732	0.053	5368	164.5
Aroclor-1232	2	5.728	0.001	268	3.7	2	7.057	-0.001	5740	30.1
Aroclor-1232	3	7.078	0.044	1965	17.7	3	7.683	0.032	10189	26.7
Aroclor-1232	4	7.965	-0.007	433	9.5	4	8.561	0.039	1763	17.7
Total Col1Ave (4 peaks):					15.2	Total Col2Ave (4 peaks):				59.7 RPD = 119*
Corrected Ave (3 peaks):					10.3	Corrected Ave (3 peaks):				24.8 RPD = 83*
Aroclor-1242	1	6.610	-0.051	2969	39.1	1	7.057	0.002	5740	17.1
Aroclor-1242	2	7.078	0.040	1965	8.7	2	7.683	0.030	10189	14.0
Aroclor-1242	3	8.470	0.085	258	2.0	3	8.947	-0.009	3238	9.5
Aroclor-1242	4	8.670	-0.005	430	8.2	4	9.012	-0.026	2271	5.9
Total Col1Ave (4 peaks):					14.5	Total Col2Ave (4 peaks):				11.6 RPD = 22
Corrected Ave (3 peaks):					6.3	Corrected Ave (3 peaks):				9.8 RPD = 43*
Aroclor-1248	1	7.802	-0.001	554	4.8	1	8.098	-0.007	1566	5.2
Aroclor-1248	2	7.965	-0.009	433	2.9	2	8.561	0.040	1763	4.8
Aroclor-1248	3	8.470	0.087	258	1.2	3	8.947	-0.006	3238	5.5
Aroclor-1248	4	8.670	-0.007	430	3.4	4	9.380	-0.002	4641	9.3
Total Col1Ave (4 peaks):					3.1	Total Col2Ave (4 peaks):				6.2 RPD = 68*
Corrected Ave (3 peaks):					2.5	Corrected Ave (3 peaks):				5.2 RPD = 70*
Aroclor-1254	1	8.670	-0.008	430	1.8	1	9.233	-0.005	8283	13.3
Aroclor-1254	2	---			0.0	2	9.318	-0.014	3105	8.5
Aroclor-1254	3	---			0.0	3	9.742	-0.021	5680	12.0
Aroclor-1254	4	9.174	-0.007	383	1.3	4	9.826	-0.087	16160	15.4
Aroclor-1254	5	9.863	-0.007	759	4.1	5	10.146	-0.005	16596	15.6
Total Col1Ave (3 peaks):					2.4	Total Col2Ave (5 peaks):				13.0 RPD = 138*
Corrected Ave: < 3 Peaks						Corrected Ave (4 peaks):				12.3
Aroclor-1260	1	---			0.0	1	---			0.0
Aroclor-1260	2	10.750	0.046	134	0.7	2	11.671	-0.007	2458	0.9
Aroclor-1260	3	11.102	0.047	1853	3.7	3	12.271	0.012	1566	0.9
Aroclor-1260	4	---			0.0	4	13.038	0.069	8901	10.7
Aroclor-1260	5	11.655	0.098	137	1.2	NS	---			----
Total Col1Ave (3 peaks):					1.9	Total Col2Ave (3 peaks):				4.2 RPD = 77*
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	---			0.0	1	10.896	-0.074	13528	9.9
Aroclor-1262	2	---			0.0	2	11.671	-0.015	2458	0.9
Aroclor-1262	3	11.655	0.028	137	0.6	3	12.170	-0.018	12842	10.0
Aroclor-1262	4	12.264	-0.010	465	2.3	4	13.038	0.066	8901	7.5
Col1Ave: <3 Quant Peaks						Col2Ave: 7.1				
Aroclor-1268	1	11.655	0.098	137	0.2	1	12.170	-0.030	12842	4.0
Aroclor-1268	2	---			0.0	2	12.271	0.004	1566	0.4
Aroclor-1268	3	11.902	-0.099	1701	3.6	3	12.686	0.042	3478	1.1
Aroclor-1268	4	12.761	-0.011	1213	0.8	4	12.779	-0.004	3124	4.2
Total Col1Ave (3 peaks):					1.6	Total Col2Ave (4 peaks):				2.4 RPD = 45*
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks):				1.9

Total PCB Area Col1 (5.170 - 13.066) = 69136 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 571483 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 21G0330-03RE1 28-AUG-2021 02:32, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 21G0330-03RE1 28-AUG-2021 02:32, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

PREPARATION BATCH SUMMARY

Laboratory: SDG:

Client: Project:

Batch: Batch Matrix: Preparation:

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS

Analytical Resources, Incorporated
Analytical Chemists and Consultants

PREPARATION BATCH SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Batch:	BJH0604 Batch Matrix: Solid	Preparation:	EPA 3546 (Microwave)

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
LDW21-IT701B	21G0330-01RE1	08272128ECD7.D	08/25/21 13:40	From BJH0179 by JGR on 24-Aug-2021
LDW21-IT701C	21G0330-02RE1	08272131ECD7.D	08/25/21 13:40	From BJH0179 by JGR on 24-Aug-2021
LDW21-IT701E	21G0330-03RE1	08272132ECD7.D	08/25/21 13:40	From BJH0179 by JGR on 24-Aug-2021
Blank	BJH0604-BLK1	08272121ECD7.D	08/25/21 13:40	
LCS	BJH0604-BS1	08272122ECD7.D	08/25/21 13:40	
LCS Dup	BJH0604-BSD1	08272123ECD7.D	08/25/21 13:40	
LDW21-IT701B	BJH0604-MS1	08272129ECD7.D	08/25/21 13:40	
LDW21-IT701B	BJH0604-MSD1	08272130ECD7.D	08/25/21 13:40	
Reference	BJH0604-SRM1	08272124ECD7.D	08/25/21 13:40	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Rush

ORGANICS PREPARATION BENCH SHEET

Batch: BJH0604 RE

Prepared using: EPA 3546 (Microwave)

8082A PCB Solid 4 in Solid (Version:7 Aroclors)

Matrix: Solid **Date Prepared:** 8/25/21 **Balance ID:** B139298002 **Set Up By:** GTO 8/24/21

From BJH0179 on 8/24/2021 by JGR

re-ext due to lcs contaminated with ms extract at kd

WO Comments

21G0321: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H>BPR J006840-43, Dup </H>
TOC done at KC Lab
21G0330: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H> J006840-43, Dup </H>

The following standards may be missing from this batch!

Designator	Description
QLS 5	QLS Spike

Analysis: 8082A PCB Solid 4

Lab Number & Container	% Solids	Initial (g) Target Dry: 12.5 (Wet)	Actual	(REQ) Acid C/U (5mL)	(REQ) Sulfur C/U (5mL) 1 2 3	(REQ) Silica Gel C/U (2:5)	Final Effective Vol (mL)	Vol (mL) to Lab	Extraction Comments
21G0321-01RE1 A	97.4	(12.83)	12.83	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021
21G0321-02RE1 A	98.0	(12.76)	12.76	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021
21G0321-03RE1 A	97.7	(12.79)	12.84	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021
21G0330-01RE1 B	78.3	(15.97)	15.97	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021
21G0330-02RE1 B	78.1	(16.00)	16.00	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021
21G0330-03RE1 B	77.6	(16.11)	16.11	5mL	5mL	2mL	2.5	1.0	From BJH0179 by JGR on 24-Aug-2021

Batch QC

Lab Number	% Solids	Initial (g) Target Dry: 12.5 (Wet)	Actual	(REQ) Acid C/U (5mL)	(REQ) Sulfur C/U (5mL) 1 2 3	(REQ) Silica Gel C/U (2:5)	Final Effective Vol (mL)	Vol (mL) to Lab	Extraction Comments
BJH0604-BLK1	100.0	(12.50)	12.50	5mL	5mL	2mL	2.5	1.0	(10g Actual Wt.)
BJH0604-BS1	100.0	(12.50)	12.50	5mL	5mL	2mL	2.5	1.0	(10g Actual Wt.)
BJH0604-BSD1	100.0	(12.50)	12.50	5mL	5mL	2mL	2.5	1.0	(10g Actual Wt.)
BJH0604-MS1	97.4	~~(12.83)~~	15.97	5mL	5mL	2mL	2.5	1.0	Use 21G0330-01RE1
BJH0604-MSD1	97.4	~~(12.83)~~	15.97	5mL	5mL	2mL	2.5	1.0	Use 21G0330-01RE1
BJH0604-SRM1	100.0	~~(12.50)~~ (2.50)	2.50	5mL	5mL	2mL	2.5	1.0	Use J007935

+1g DI H2O

D 15.97g

TW 8/25/21 — Client ID verified By, Date

CLS 8/25/21 — Preparation Reviewed By, Date

8/25/21 13:46 — Extraction Date and Time

Printed: 8/24/2021 1:44:33PM

3099F
Page 1 of 2

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ORGANICS PREPARATION BENCH SHEET

Batch: BJH0604

Prepared using: EPA 3546 (Microwave)

8082A PCB Solid 4 in Solid (Version:7 Aroclors)

WO Comments

21G0321: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H>BPR J006840-43, Dup </H>
TOC done at KC Lab
21G0330: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H> J006840-43, Dup </H>

Prep Steps

Microwave
1 2 3
TW 8/25/21
Analyst/Date

KD 100°C Hexane Exchange (2 X 20 mL)
1 2 3 4 5 6
AA 082521
Analyst/Date

TurboVap Pre Cleanups
1 2 3 4 5
CW 8/25/21
Analyst/Date

TurboVap Post Cleanups
1 2 3 4 5
CW 8/25/21
Analyst/Date

Vialing
CW 8/25/21
Analyst/Date

Reagents Used

Station/Reagent	Standard ID
Microwave Analyst: TW Date: 8/25/21	
Anhydrous Sodium Sulfate	J008900
Neutral Glass Wool	J006339
1:1 Hexane/Acetone	J007934
Hexane	J005194
KD Analyst: AA Date: 082521	
Hexane	J008160
Anhydrous Sodium Sulfate	J008511
Vialing Analyst: CW Date: 8/25/21	
Hexane	J008160
Concentrated Sulfuric Acid	J006313
Tetrabutylammonium hydrogensulfate (TBAS)	J007842
Sodium Sulfite	J007164
Silica Gel (SPE) Darts	J007859

Surrogates & Spike Standards Used

Type	Vial ID / Standard ID	Vol uL	Analyst	Witness
Surrogate 2µg/mL	N 1008146 Exp: 02/07/2022 TW	50µL	TW	
Spike 20µg/mL	1 1008330 Exp: 02/12/2022 TW	63µL	TW	

(V) indicates a virtual standard combining two or more physical standards. In these cases the Standard ID refers to the virtual standard, not the parent standards.

If a Standard ID is missing, but should be present, check the standard definition in Element LIMS to be sure Standard Info 6 has the correct letter or number designator matching the vial designator inthe Standard ID column. If it is correct, check the batch and bench sheet in Element LIMS to be sure the correct standards are selected for surrogate(s) and spike(s).

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ORGANICS PREPARATION BENCH SHEET

Batch: BJH0604

Prepared using: EPA 3546 (Microwave)

8082A PCB Solid 4 in Solid (Version:7 Aroclors)

WO Comments

21G0321: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H>BPR J006840-43, Dup </H>
TOC done at KC Lab
21G0330: <G> BPR Project batch as mcuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H> J006840-43, Dup </H>

Prep Instructions	
SPECIAL INSTRUCTIONS: 1. Weigh soil/sed into beakers-lightly dry with sodium sulfate. 2. Transfer to microwave vessel(s). Note: (do not fill vessels more than 2/3rd full. Some samples may require two vessels). 3. Add 1:1 Hexane/Acetone until the solvent layer is 3 inches above the soil layer after homogenization. 4. Add surr/spike. 5. Microwave on appropriate power setting determined by # of samples. 6. After microwave-Re-homogenize while hot then cool vessels in R-05 15 minutes. Re-homogenize while cool. 7. Decant 1:1 Hex/Ace into Erlenmeyer flask with sodium sulfate in bottom and funnel with neutral glasswool plug. 8. Re-homogenize and rinse with 1:1 Hexane/Acetone. 9. Let cool and decant solvent then empty the soil into the funnel and rinse with Hexane. 10. KD on 100° bath. 11. Exchange (2 X with 20mL) Hexane. 12. TurboVap. 13. Clean-ups. 14. TurboVap. 15. Vial with Hexane. A. Need Total Solids Y [N] B. Archive/Freeze [Y] N	

Printed: 8/24/2021 1:44:33PM

3099F

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Organic Extractions Laboratory Analyst Notes

Extraction Parameter: PCB RE Extraction Batch BJI0604RE

Total Solids Batch: BJ60692 Work Order(s): 21G0321, 330

Screens: Soil/Sediment/Solid/Other:	Analyst/Date
☐ No Anomalies (standard soil/wet sediment/sand/gravel)=	
☐ Standing Water Decanted (Not shared)=	
☐ Standing Water Homogenized (Shared samples)=	
☐ Clay/Clumps (Difficult to homogenize)=	
☐ Rocks (%+size)?	
☐ Organics (Leaves/sticks/grass)=	
☐ Oily, obvious fuel/sulfur odors=	
☐ Received in 32oz jar(s)=Homogenized in Pyrex dish=	
☐ Previously Frozen =	
☐ Other (Details)=	
Aqueous:	
☐ No Anomalies	
☐ Turbid/Color=	
☐ Particulates(%)=(Note: >5%=Notify Supervisor/Lead)	
☐ Emulsions (%)=	
☐ Oily, obvious fuel/sulfur odors=	
☐ Other (Details)=	
☐ Received in 1.0L Bottle(s)=No Bottle Rinse=	
☐ Other Notes/Comments= (Note problems, concerns, corrective actions).	
☐ Share Samples Y / N	
☐ Multiple Jars Y / N	
☐ Sample Pre-Screens indicate analyte activity=	
☐ Sample weights/volumes reduced based on Pre-Screen=	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Organic Extractions Laboratory Analyst Notes

Extraction Parameter: PCB Extraction Batch: BJ146179

Total Solids Batch: BJ0696 Work Order(s): 216033a

Screens: Soil/Sediment/Solid/Other:	Analyst/Date
☑ No Anomalies (standard soil/wet sediment/sand/gravel)= 01-03	08/06/21
☑ Standing Water Decanted (Not shared)= 02	08/03/21
☐ Standing Water Homogenized (Shared samples)=	
☐ Clay/Clumps (Difficult to homogenize)=	
☐ Rocks (%+size)?	
☐ Organics (Leaves/sticks/grass)=	
☐ Oily, obvious fuel/sulfur odors=	
☐ Received in 32oz jar(s)=Homogenized in Pyrex dish=	
☐ Previously Frozen =	
☐ Other (Details)=	
Aqueous:	
☐ No Anomalies	
☐ Turbid/Color=	
☐ Particulates(%)=(Note: >5%=Notify Supervisor/Lead)	
☐ Emulsions (%)=	
☐ Oily, obvious fuel/sulfur odors=	
☐ Other (Details)=	
☐ Received in 1.0L Bottle(s)=No Bottle Rinse=	
☑ Other Notes/Comments= (Note problems, concerns, corrective actions).	
Poured about 50% of MSI into BS at KD	08/17/21
☑ Share Samples Y / N	08/03/21
☑ Multiple Jars Y / N	08/03/21
☐ Sample Pre-Screens indicate analyte activity=	
☐ Sample weights/volumes reduced based on Pre-Screen=	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Organic Extractions Laboratory Analyst Notes

Extraction Parameter: FLB

Extraction Batch: ~~BJH0174 - BJH0179~~ BJH0179 VL 08/06/21

Total Solids Batch: ~~21G0321~~ BJG0694 CTO 7/29/21

Work Order(s): 21G0321

Screens: Soil/Sediment/Solid/Other:	Analyst/Date
☑ No Anomalies (standard soil/wet sediment/sand/gravel)= 01-03	08/06/21
☐ Standing Water Decanted (Not shared)=	
☐ Standing Water Homogenized (Shared samples)=	
☐ Clay/Clumps (Difficult to homogenize)=	
☐ Rocks (%+size)?	
☑ Organics (Leaves/sticks/grass)= 05	08/05/21
☐ Oily, obvious fuel/sulfur odors=	
☐ Received in 32oz jar(s)=Homogenized in Pyrex dish=	
☐ Previously Frozen =	
☑ Other (Details)=	
~2mm silver filaments found in 04 and 05 (< 1%)	08/05/21
Aqueous:	
☐ No Anomalies	
☐ Turbid/Color=	
☐ Particulates(%)=(Note: >5%=Notify Supervisor/Lead)	
☐ Emulsions (%)=	
☐ Oily, obvious fuel/sulfur odors=	
☐ Other (Details)=	
☐ Received in 1.0L Bottle(s)=No Bottle Rinse=	
☐ Other Notes/Comments= (Note problems, concerns, corrective actions).	
☑ Share Samples Y / (N)	08/05/21
☑ Multiple Jars Y / (N)	08/05/21
☐ Sample Pre-Screens indicate analyte activity=	
☐ Sample weights/volumes reduced based on Pre-Screen=	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ORGANICS PREPARATION BENCH SHEET

Batch: BJH0179

Prepared using: EPA 3546 (Microwave)

8082A PCB Solid 4 in Solid (Version:7 Aroclors)

WO Comments

21G0321: <G> BPR Project batch as meuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H>BPR J006840-43, Dup </H>

21G0330: <G> BPR Project batch as meuh as possible </G> <C>BPR SRM, MS, DUP </C> <M>BPR PS, MS/MSD </M> <E>BPR 8270E RM H002055, SIM RM H010158, PCB RM J006840-43, MS/MSD </E>
<H> J006840-43, Dup </H>

Prep Instructions	
SPECIAL INSTRUCTIONS: 1. Weigh soil/sed into beakers-lightly dry with sodium sulfate. 2. Transfer to microwave vessel(s). Note: (do not fill vessels more than 2/3rd full. Some samples may require two vessels). 3. Add 1:1 Hexane/Acetone until the solvent layer is 3 inches above the soil layer after homogenization. 4. Add surr/spike. 5. Microwave on appropriate power setting determined by # of samples. 6. After microwave-Re-homogenize while hot then cool vessels in R-05 15 minutes. Re-homogenize while cool. 7. Decant 1:1 Hex/Ace into Erlenmeyer flask with sodium sulfate in bottom and funnel with neutral glasswool plug. 8. Re-homogenize and rinse with 1:1 Hexane/Acetone. 9. Let cool and decant solvent then empty the soil into the funnel and rinse with Hexane. 10. KD on 100° bath. 11. Exchange (2 X with 20mL) Hexane. 12. TurboVap. 13. Clean-ups. 14. TurboVap. 15. Vial with Hexane. A. Need Total Solids Y / N B. Archive/Freeze Y / N	

Printed: 8/6/2021 8:37:51AM

3099F

Injection Date	: 8/3/2021 4:20:29 PM	Seq. Line :	24
Sample Name	: AR 1660 1PPM	Location :	Vial 3
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080321B.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/3/2021 4:34:42 PM	Seq. Line :	25
Sample Name	: 21G0330 1	Location :	Vial 22
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl

Sequence File : C:\HPCHEM\1\SEQUENCE\080321B.S
Method : C:\HPCHEM\1\METHODS\SCREEN.M
Last changed : 7/9/2021 3:37:33 AM by TW
SCREEN METHOD



*** End of Report ***

Injection Date	: 8/3/2021 4:48:17 PM	Seq. Line :	26
Sample Name	: 21G0330 2	Location :	Vial 23
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080321B.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/3/2021 5:02:35 PM	Seq. Line :	27
Sample Name	: 21G0330 3	Location :	Vial 24
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl

Sequence File : C:\HPCHEM\1\SEQUENCE\080321B.S
Method : C:\HPCHEM\1\METHODS\SCREEN.M
Last changed : 7/9/2021 3:37:33 AM by TW
SCREEN METHOD



*** End of Report ***

Injection Date	: 8/5/2021 10:28:27 AM	Seq. Line :	1
Sample Name	: DCM RINSE	Location :	Vial 1
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl

Sequence File : C:\HPCHEM\1\SEQUENCE\080521.S
Method : C:\HPCHEM\1\METHODS\SCREEN.M
Last changed : 7/9/2021 3:37:33 AM by TW
SCREEN METHOD



*** End of Report ***

Injection Date	: 8/5/2021 10:42:43 AM	Seq. Line :	2
Sample Name	: PNA STD 10PPM	Location :	Vial 2
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl

Sequence File : C:\HPCHEM\1\SEQUENCE\080521.S
Method : C:\HPCHEM\1\METHODS\SCREEN.M
Last changed : 7/9/2021 3:37:33 AM by TW
SCREEN METHOD



*** End of Report ***

Injection Date	: 8/5/2021 10:56:15 AM	Seq. Line :	3
Sample Name	: AR 1660 1PPM	Location :	Vial 3
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/5/2021 12:21:01 PM	Seq. Line :	9
Sample Name	: 21G0321 1	Location :	Vial 9
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/5/2021 12:35:04 PM	Seq. Line :	10
Sample Name	: 21G0321 2	Location :	Vial 10
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/5/2021 12:49:50 PM	Seq. Line :	11
Sample Name	: 21G0321 3	Location :	Vial 11
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/5/2021 1:03:26 PM	Seq. Line :	12
Sample Name	: 21G0321 4	Location :	Vial 12
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Injection Date	: 8/5/2021 1:17:36 PM	Seq. Line :	13
Sample Name	: 21G0321 5	Location :	Vial 13
Acq. Operator	: JL	Inj :	1
		Inj Volume :	1 µl
Sequence File	: C:\HPCHEM\1\SEQUENCE\080521.S		
Method	: C:\HPCHEM\1\METHODS\SCREEN.M		
Last changed	: 7/9/2021 3:37:33 AM by TW		
SCREEN METHOD			



*** End of Report ***

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BATCH SUMMARY

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Cleanup Batch:	CJH0250	Cleanup Type:	Sulfuric Acid
Cleanup Method:	EPA 3665A Sulfuric Acid Cleanup	Analysis:	EPA 8082A

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
Reference	BJH0604-SRM1	08272124ECD7.D	08/26/2021	
Matrix Spike Dup	BJH0604-MSD1	08272130ECD7.D	08/26/2021	
Matrix Spike	BJH0604-MS1	08272129ECD7.D	08/26/2021	
LCS Dup	BJH0604-BSD1	08272123ECD7.D	08/26/2021	
LCS	BJH0604-BS1	08272122ECD7.D	08/26/2021	
LDW21-IT701B	21G0330-01RE1	08272128ECD7.D	08/26/2021	
LDW21-IT701E	21G0330-03RE1	08272132ECD7.D	08/26/2021	
Blank	BJH0604-BLK1	08272121ECD7.D	08/26/2021	
LDW21-IT701C	21G0330-02RE1	08272131ECD7.D	08/26/2021	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BENCH SHEET

CJH0250

Matrix: Solid **Cleanup using: Organics - EPA 3665A Sulfuric Acid Cleanup** **Printed: 8/26/2021 12:17:01AM**

Lab Number	Sample Container	Sample Name	Extract Container	Initial (mL)	Final (mL)	Analysis	Clean Up Date	Cleaned By	Cleanup Comments
21G0330-03RE1	B	LDW21-IT701E	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-02RE1	B	LDW21-IT701C	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-03RE1	A	LDW21-IT618A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-01RE1	B	LDW21-IT701B	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-01RE1	A	LDW21-IT615A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-02RE1	A	LDW21-IT617A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
BJH0604-SRM1	-	Reference	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MSD1	-	Matrix Spike Dup	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BLK1	-	Blank	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BS1	-	LCS	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MS1	-	Matrix Spike	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BSD1	-	LCS Dup	-	2.5	2.5	-	8/26/2021	CCT	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BATCH SUMMARY

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Cleanup Batch:	CJH0251	Cleanup Type:	Sulfur
Cleanup Method:	EPA 3660B Sulfur Cleanup	Analysis:	EPA 8082A

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
Matrix Spike	BJH0604-MS1	08272129ECD7.D	08/26/2021	
LDW21-IT701E	21G0330-03RE1	08272132ECD7.D	08/26/2021	
LDW21-IT701C	21G0330-02RE1	08272131ECD7.D	08/26/2021	
LDW21-IT701B	21G0330-01RE1	08272128ECD7.D	08/26/2021	
LCS	BJH0604-BS1	08272122ECD7.D	08/26/2021	
Blank	BJH0604-BLK1	08272121ECD7.D	08/26/2021	
LCS Dup	BJH0604-BSD1	08272123ECD7.D	08/26/2021	
Matrix Spike Dup	BJH0604-MSD1	08272130ECD7.D	08/26/2021	
Reference	BJH0604-SRM1	08272124ECD7.D	08/26/2021	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BENCH SHEET

CJH0251

Matrix: Solid **Cleanup using: Organics - EPA 3660B Sulfur Cleanup** **Printed: 8/26/2021 12:17:32AM**

Lab Number	Sample Container	Sample Name	Extract Container	Initial (mL)	Final (mL)	Analysis	Clean Up Date	Cleaned By	Cleanup Comments
21G0330-03RE1	B	LDW21-IT701E	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-02RE1	B	LDW21-IT701C	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-03RE1	A	LDW21-IT618A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-01RE1	B	LDW21-IT701B	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-01RE1	A	LDW21-IT615A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-02RE1	A	LDW21-IT617A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
BJH0604-SRM1	-	Reference	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MSD1	-	Matrix Spike Dup	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BLK1	-	Blank	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BS1	-	LCS	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MS1	-	Matrix Spike	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BSD1	-	LCS Dup	-	2.5	2.5	-	8/26/2021	CCT	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BATCH SUMMARY

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Cleanup Batch:	CJH0252	Cleanup Type:	Silica Gel
Cleanup Method:	EPA 3630C Silica Gel Cleanup	Analysis:	EPA 8082A

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
LCS	BJH0604-BS1	08272122ECD7.D	08/26/2021	
Reference	BJH0604-SRM1	08272124ECD7.D	08/26/2021	
Blank	BJH0604-BLK1	08272121ECD7.D	08/26/2021	
LCS Dup	BJH0604-BSD1	08272123ECD7.D	08/26/2021	
Matrix Spike	BJH0604-MS1	08272129ECD7.D	08/26/2021	
Matrix Spike Dup	BJH0604-MSD1	08272130ECD7.D	08/26/2021	
LDW21-IT701E	21G0330-03RE1	08272132ECD7.D	08/26/2021	
LDW21-IT701C	21G0330-02RE1	08272131ECD7.D	08/26/2021	
LDW21-IT701B	21G0330-01RE1	08272128ECD7.D	08/26/2021	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CLEANUP BENCH SHEET

CJH0252

Matrix: Solid **Cleanup using: Organics - EPA 3630C Silica Gel Cleanup** **Printed: 8/26/2021 12:18:06AM**

Lab Number	Sample Container	Sample Name	Extract Container	Initial (mL)	Final (mL)	Analysis	Clean Up Date	Cleaned By	Cleanup Comments
21G0330-03RE1	B	LDW21-IT701E	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-02RE1	B	LDW21-IT701C	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-03RE1	A	LDW21-IT618A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0330-01RE1	B	LDW21-IT701B	B 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-01RE1	A	LDW21-IT615A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
21G0321-02RE1	A	LDW21-IT617A	A 02	2.5	2.5	8082A PCB Solid 4	8/26/2021	CCT	
BJH0604-SRM1	-	Reference	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MSD1	-	Matrix Spike Dup	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BLK1	-	Blank	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BS1	-	LCS	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-MS1	-	Matrix Spike	-	2.5	2.5	-	8/26/2021	CCT	
BJH0604-BSD1	-	LCS Dup	-	2.5	2.5	-	8/26/2021	CCT	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
METHOD BLANK DATA SHEET
EPA 8082A

Blank

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC			Project:	Lower Duwamish AOC4
Matrix:	Solid	Laboratory ID:	BJH0179-BLK1	File ID:	08192128ECD7.D
Sampled:	N/A	Prepared:	08/06/21 11:30	Analyzed:	08/19/21 21:45
Solids:		Preparation:	EPA 3546 (Microwave)	Initial/Final:	12.5 g / 2.5 mL
Batch:	BJH0179	Sequence:	SJH0254	Calibration:	EH00034
Instrument:	ECD7	Column:	ZB5	Cleanups:	Silica Gel, Sulfur, Sulfuric Acid

CAS NO.	COMPOUND	DILUTION	CONC: (ug/kg wet)	Q	DL	RL
12674-11-2	Aroclor 1016	1	4.0	U	1.6	4.0
11104-28-2	Aroclor 1221	1	4.0	U	1.6	4.0
11141-16-5	Aroclor 1232	1	4.0	U	1.6	4.0
53469-21-9	Aroclor 1242	1	4.0	U	1.6	4.0
12672-29-6	Aroclor 1248	1	4.0	U	1.6	4.0
11097-69-1	Aroclor 1254	1	4.0	U	1.6	4.0
11096-82-5	Aroclor 1260	1	4.0	U	0.6	4.0

SURROGATES	ADDED: (ug/kg wet)	FOUND: (ug/kg wet)	% REC	QC LIMITS	Q
Decachlorobiphenyl	8.0000	8.40	105	40 - 126	
Tetrachlorometaxylene	8.0000	8.01	100	44 - 120	
Decachlorobiphenyl [2C]	8.0000	8.12	101	40 - 126	
Tetrachlorometaxylene [2C]	8.0000	7.70	96.2	44 - 120	

[2C] indicates second-column analyte, present if quantification on any batch samples used second column data.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192128ECD7.D
Data file 2: /210819.b/210819.b/08192128ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0179-BLK1
Client ID:
Injection Date: 19-AUG-2021 21:45
Report Date: 08/30/2021 09:54
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.069	0.001	134017	5.412	0.000	385307	40.1	38.5	4.1	Tetrachloro-m-xylene
13.164	-0.002	195793	13.846	-0.003	1105404	42.0	40.6	3.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	276713	6.9
Hexabromobiphenyl	425681	513549	20.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	779279	8.1
Hexabromobiphenyl	863111	1225775	42.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
	ZB5 Col					ZB35 Col				
Aroclor-1016	1	---			0.0	1	---			0.0
Aroclor-1016	2	---			0.0	2	---			0.0
Aroclor-1016	3	---			0.0	3	---			0.0
Aroclor-1016	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	---			0.0	2	---			0.0
Aroclor-1221	3	---			0.0	3	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	---			0.0	2	---			0.0
Aroclor-1232	3	---			0.0	3	---			0.0
Aroclor-1232	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1242	1	---			0.0	1	---			0.0
Aroclor-1242	2	---			0.0	2	---			0.0
Aroclor-1242	3	---			0.0	3	---			0.0
Aroclor-1242	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1248	1	---			0.0	1	---			0.0
Aroclor-1248	2	---			0.0	2	---			0.0
Aroclor-1248	3	---			0.0	3	---			0.0
Aroclor-1248	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1254	1	---			0.0	1	---			0.0
Aroclor-1254	2	---			0.0	2	---			0.0
Aroclor-1254	3	---			0.0	3	---			0.0
Aroclor-1254	4	---			0.0	4	---			0.0
Aroclor-1254	5	---			0.0	5	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1260	1	---			0.0	1	---			0.0
Aroclor-1260	2	---			0.0	2	---			0.0
Aroclor-1260	3	---			0.0	3	---			0.0
Aroclor-1260	4	---			0.0	4	---			0.0
Aroclor-1260	5	---			0.0	NS	---			----
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1262	1	---			0.0	1	---			0.0
Aroclor-1262	2	---			0.0	2	---			0.0
Aroclor-1262	3	---			0.0	3	---			0.0
Aroclor-1262	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1268	1	---			0.0	1	---			0.0
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	---			0.0	3	---			0.0
Aroclor-1268	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				

Total PCB Area Col1 (5.168 - 13.065) = 120161 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 618127 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0179-BLK1 19-AUG-2021 21:45, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0179-BLK1 19-AUG-2021 21:45, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
METHOD BLANK DATA SHEET
EPA 8082A

Blank

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC			Project:	Lower Duwamish AOC4
Matrix:	Solid	Laboratory ID:	BJH0604-BLK1	File ID:	08272121ECD7.D
Sampled:	N/A	Prepared:	08/25/21 13:40	Analyzed:	08/27/21 22:47
Solids:		Preparation:	EPA 3546 (Microwave)	Initial/Final:	12.5 g / 2.5 mL
Batch:	BJH0604	Sequence:	SJH0396	Calibration:	EH00034
Instrument:	ECD7	Column:	ZB5	Cleanups:	Silica Gel, Sulfur, Sulfuric Acid

CAS NO.	COMPOUND	DILUTION	CONC: (ug/kg wet)	Q	DL	RL
12674-11-2	Aroclor 1016	1	4.0	U	1.6	4.0
11104-28-2	Aroclor 1221	1	4.0	U	1.6	4.0
11141-16-5	Aroclor 1232	1	4.0	U	1.6	4.0
53469-21-9	Aroclor 1242	1	4.0	U	1.6	4.0
12672-29-6	Aroclor 1248	1	4.0	U	1.6	4.0
11097-69-1	Aroclor 1254	1	4.0	U	1.6	4.0
11096-82-5	Aroclor 1260	1	4.0	U	0.6	4.0

SURROGATES	ADDED: (ug/kg wet)	FOUND: (ug/kg wet)	% REC	QC LIMITS	Q
Decachlorobiphenyl	8.0000	6.46	80.7	40 - 126	
Tetrachlorometaxylene	8.0000	6.19	77.4	44 - 120	
Decachlorobiphenyl [2C]	8.0000	5.96	74.6	40 - 126	
Tetrachlorometaxylene [2C]	8.0000	5.81	72.7	44 - 120	

[2C] indicates second-column analyte, present if quantification on any batch samples used second column data.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272121ECD7.D
Data file 2: /2108127.b/2108127.b/08272121ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-BLK1
Client ID:
Injection Date: 27-AUG-2021 22:47
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.001	96273	5.413	-0.001	260327	30.9	29.1	6.3	Tetrachloro-m-xylene
13.163	-0.003	134538	13.843	-0.000	720495	32.3	29.8	8.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	257413	-0.6
Hexabromobiphenyl	425681	458995	7.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	696987	-3.3
Hexabromobiphenyl	863111	1087353	26.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	---			0.0	1	---			0.0
Aroclor-1016	2	---			0.0	2	7.670	0.016	1199	1.3
Aroclor-1016	3	---			0.0	3	---			0.0
Aroclor-1016	4	---			0.0	4	8.104	-0.001	526	2.5
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1221	1	---			0.0	1	4.637	-0.040	437	8.4
Aroclor-1221	2	---			0.0	2	6.091	0.019	3170	26.5
Aroclor-1221	3	---			0.0	3	6.405	-0.004	874	4.2
	Col1Ave: <3 Quant Peaks					Col2Ave: 13.0				
Aroclor-1232	1	---			0.0	1	4.637	-0.042	437	14.0
Aroclor-1232	2	---			0.0	2	---			0.0
Aroclor-1232	3	---			0.0	3	7.670	0.019	1199	3.3
Aroclor-1232	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1242	1	---			0.0	1	---			0.0
Aroclor-1242	2	---			0.0	2	---			0.0
Aroclor-1242	3	---			0.0	3	---			0.0
Aroclor-1242	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1248	1	---			0.0	1	8.104	-0.002	526	1.8
Aroclor-1248	2	---			0.0	2	---			0.0
Aroclor-1248	3	---			0.0	3	---			0.0
Aroclor-1248	4	---			0.0	4	9.343	-0.039	742	1.6
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1254	1	---			0.0	1	9.261	0.023	3045	5.1
Aroclor-1254	2	---			0.0	2	9.343	0.011	742	2.1
Aroclor-1254	3	---			0.0	3	9.831	0.069	1978	4.4
Aroclor-1254	4	---			0.0	4	---			0.0
Aroclor-1254	5	---			0.0	5	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: 3.9				
Aroclor-1260	1	---			0.0	1	---			0.0
Aroclor-1260	2	---			0.0	2	---			0.0
Aroclor-1260	3	---			0.0	3	12.187	-0.072	2541	1.5
Aroclor-1260	4	---			0.0	4	13.047	0.077	5897	7.3
Aroclor-1260	5	---			0.0	NS	---			----
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1262	1	---			0.0	1	10.964	-0.006	603	0.5
Aroclor-1262	2	---			0.0	2	---			0.0
Aroclor-1262	3	---			0.0	3	12.187	-0.001	2541	2.0
Aroclor-1262	4	---			0.0	4	13.047	0.074	5897	5.1
	Col1Ave: <3 Quant Peaks					Col2Ave: 2.5				
Aroclor-1268	1	---			0.0	1	12.187	-0.013	2541	0.8
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	11.911	-0.090	2084	4.1	3	12.641	-0.003	263	0.1
Aroclor-1268	4	12.774	0.002	970	0.6	4	12.782	-0.001	593	0.8
	Col1Ave: <3 Quant Peaks					Col2Ave: 0.6				

Total PCB Area Col1 (5.170 - 13.066) = 13293 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 317795 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-BLK1 27-AUG-2021 22:47, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-BLK1 27-AUG-2021 22:47, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LCS / LCS DUPLICATE RECOVERY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/19/21 22:05
Batch:	BJH0179	Laboratory ID:	BJH0179-BS1
Preparation:	EPA 3546 (Microwave)	Sequence Name:	LCS
Initial/Final:	12.5 g / 2.5 mL		

COMPOUND	SPIKE ADDED (ug/kg wet)	LCS CONCENTRATION (ug/kg wet)	Q	LCS % REC. #		QC LIMITS REC.
Aroclor 1016	101	159	*	157	*	56 - 120
Aroclor 1260	101	147	*	145	*	58 - 120

* Indicates values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192129ECD7.D
Data file 2: /210819.b/210819.b/08192129ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0179-BS1
Client ID:
Injection Date: 19-AUG-2021 22:05
Report Date: 08/30/2021 09:54
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.067	-0.001	205280	5.410	-0.001	533731	60.8	53.6	12.6	Tetrachloro-m-xylene
13.161	-0.005	250707	13.843	-0.006	1421493	65.8	56.7	14.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	279255	7.9
Hexabromobiphenyl	425681	419772	-1.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	774764	7.5
Hexabromobiphenyl	863111	1129011	30.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.654	-0.005	79824	806.0	1	7.052	-0.003	286928	649.5
Aroclor-1016	2	7.026	-0.006	279994	924.5	2	7.643	-0.008	803812	813.4
Aroclor-1016	3	7.172	-0.006	92980	684.1	3	7.848	-0.009	262136	675.9
Aroclor-1016	4	7.280	-0.008	64389	755.6	4	8.100	-0.004	223117	950.6
Total Col1Ave (4 peaks):				792.5		Total Col2Ave (4 peaks):			772.4	RPD = 3
Corrected Ave (3 peaks):				748.6		Corrected Ave (3 peaks):			712.9	RPD = 5
Aroclor-1221	1	4.015	-0.000	467	21.2	1	4.678	0.001	2811	48.3
Aroclor-1221	2	5.446	-0.005	7451	215.5	2	6.071	-0.002	29959	225.0
Aroclor-1221	3	5.721	-0.003	42720	457.4	3	6.405	-0.004	116273	501.1
Total Col1Ave (3 peaks):				231.4		Total Col2Ave (3 peaks):			258.2	RPD = 11
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.015	-0.003	467	34.5	1	4.678	-0.001	2811	81.2
Aroclor-1232	2	5.721	-0.005	42720	580.3	2	7.052	-0.006	286928	1418.1
Aroclor-1232	3	7.026	-0.007	279994	2492.1	3	7.643	-0.008	803812	1985.0
Aroclor-1232	4	7.960	-0.012	101419	2194.3	4	8.514	-0.008	241368	2288.0
Total Col1Ave (4 peaks):				1325.3		Total Col2Ave (4 peaks):			1443.1	RPD = 9
Corrected Ave (3 peaks):				936.4		Corrected Ave (3 peaks):			1161.4	RPD = 21
Aroclor-1242	1	6.654	-0.006	79824	1037.5	1	7.052	-0.003	286928	805.5
Aroclor-1242	2	7.026	-0.008	279994	1220.7	2	7.643	-0.006	803812	1038.8
Aroclor-1242	3	8.377	-0.004	65956	507.6	3	8.935	-0.018	94092	260.3
Aroclor-1242	4	8.668	-0.007	61108	1150.8	4	9.015	-0.018	53505	130.4
Total Col1Ave (4 peaks):				979.2		Total Col2Ave (4 peaks):			558.8	RPD = 55*
Corrected Ave (3 peaks):				898.6		Corrected Ave (3 peaks):			398.7	RPD = 77*
Aroclor-1248	1	7.795	-0.005	75320	643.6	1	8.100	-0.005	223117	694.9
Aroclor-1248	2	7.960	-0.011	101419	663.9	2	8.514	-0.006	241368	617.6
Aroclor-1248	3	8.377	-0.004	65956	294.9	3	8.935	-0.017	94092	151.2
Aroclor-1248	4	8.668	-0.008	61108	478.6	4	9.365	-0.015	27153	51.4
Total Col1Ave (4 peaks):				520.2		Total Col2Ave (4 peaks):			378.8	RPD = 31
Corrected Ave (3 peaks):				472.3		Corrected Ave (3 peaks):			273.4	RPD = 53*
Aroclor-1254	1	8.668	-0.009	61108	253.6	1	9.231	-0.008	172673	262.0
Aroclor-1254	2	8.739	-0.009	9699	87.0	2	9.322	-0.010	17695	45.7
Aroclor-1254	3	9.036	-0.006	15731	100.2	3	9.755	-0.008	39364	78.3
Aroclor-1254	4	9.167	-0.013	77246	257.5	4	9.912	-0.003	339572	304.9
Aroclor-1254	5	9.852	-0.018	67766	359.7	5	10.151	-0.001	516467	457.3
Total Col1Ave (5 peaks):				211.6		Total Col2Ave (5 peaks):			229.7	RPD = 8
Corrected Ave (4 peaks):				174.6		Corrected Ave (4 peaks):			172.7	RPD = 1
Aroclor-1260	1	10.378	-0.007	136706	723.9	1	11.420	-0.004	514263	547.9
Aroclor-1260	2	10.696	-0.007	137842	743.7	2	11.673	-0.005	1592531	583.8
Aroclor-1260	3	11.045	-0.009	354304	707.2	3	12.253	-0.007	927337	528.7
Aroclor-1260	4	11.446	-0.009	174186	780.4	4	12.966	-0.005	481158	573.8
Aroclor-1260	5	11.549	-0.007	79214	708.8	NS	---			----
Total Col1Ave (5 peaks):				732.8		Total Col2Ave (4 peaks):			558.5	RPD = 27
Corrected Ave (4 peaks):				720.9		Corrected Ave (3 peaks):			550.1	RPD = 27
Aroclor-1262	1	10.378	-0.006	136706	533.7	1	10.962	-0.008	523805	379.4
Aroclor-1262	2	11.446	-0.009	174186	1050.1	2	11.673	-0.012	1592531	546.7
Aroclor-1262	3	11.621	-0.005	101483	424.4	3	12.184	-0.004	477304	369.1
Aroclor-1262	4	12.269	-0.006	92134	469.3	4	12.966	-0.007	481158	399.3
Total Col1Ave (4 peaks):				619.4		Total Col2Ave (4 peaks):			423.6	RPD = 38
Corrected Ave (3 peaks):				475.8		Corrected Ave (3 peaks):			382.6	RPD = 22
Aroclor-1268	1	11.549	-0.009	79214	140.7	1	12.184	-0.016	477304	147.1
Aroclor-1268	2	11.621	-0.004	101483	171.8	2	12.253	-0.014	927337	262.0
Aroclor-1268	3	12.022	0.021	41901	90.2	3	12.628	-0.016	21515	7.0
Aroclor-1268	4	12.762	-0.010	22543	15.0	4	12.776	-0.007	14855	19.6
Total Col1Ave (4 peaks):				104.4		Total Col2Ave (4 peaks):			108.9	RPD = 4

Corrected Ave (3 peaks): 82.0 Corrected Ave (3 peaks): 57.9 RPD = 34

Total PCB Area Col1 (5.168 - 13.065) = 4061388 Col1 Total PCB = 1.4 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 13945136 Col2 Total PCB = 1.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0179-BS1 19-AUG-2021 22:05, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0179-BS1 19-AUG-2021 22:05, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LCS / LCS DUPLICATE RECOVERY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/27/21 23:08
Batch:	BJH0604	Laboratory ID:	BJH0604-BS1
Preparation:	EPA 3546 (Microwave)	Sequence Name:	LCS
Initial/Final:	12.5 g / 2.5 mL		

COMPOUND	SPIKE ADDED (ug/kg wet)	LCS CONCENTRATION (ug/kg wet)	Q	LCS % REC. #	QC LIMITS REC.
Aroclor 1016	101	77.6		77.0	56 - 120
Aroclor 1260	101	71.1		70.5	58 - 120

* Indicates values outside of QC limits

COMPOUND	SPIKE ADDED (ug/kg wet)	LCSD CONCENTRATION (ug/kg wet)	Q	LCSD % REC. #	% RPD #	QC LIMITS	
						RPD	REC.
Aroclor 1016	101	83.3		82.6	7.01	30	56 - 120
Aroclor 1260	101	76.6		76.0	7.52	30	58 - 120

* Indicates values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272122ECD7.D
Data file 2: /2108127.b/2108127.b/08272122ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-BS1
Client ID:
Injection Date: 27-AUG-2021 23:08
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	97275	5.412	-0.002	263445	29.2	27.6	5.3	Tetrachloro-m-xylene
13.164	-0.002	138739	13.843	-0.001	749818	30.9	28.7	7.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	276037	6.6
Hexabromobiphenyl	425681	494947	16.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	741441	2.8
Hexabromobiphenyl	863111	1177166	36.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.660	-0.002	37323	381.2	1	7.054	-0.001	151360	358.0
Aroclor-1016	2	7.033	-0.005	118971	397.4	2	7.649	-0.004	357947	378.5
Aroclor-1016	3	7.179	-0.003	50639	376.9	3	7.855	-0.003	142960	385.2
Aroclor-1016	4	7.289	-0.003	33470	397.4	4	8.103	-0.002	86041	383.1
Total Col1Ave (4 peaks):					388.2	Total Col2Ave (4 peaks):				376.2 RPD = 3
Corrected Ave (3 peaks):					385.2	Corrected Ave (3 peaks):				373.2 RPD = 3
Aroclor-1221	1	4.015	0.000	208	9.5	1	4.672	-0.005	809	14.5
Aroclor-1221	2	5.451	-0.000	3960	115.9	2	6.074	0.002	14209	111.5
Aroclor-1221	3	5.726	0.002	23826	258.1	3	6.410	0.001	66944	301.5
Total Col1Ave (3 peaks):					127.8	Total Col2Ave (3 peaks):				142.5 RPD = 11
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.015	-0.003	208	15.5	1	4.672	-0.007	809	24.4
Aroclor-1232	2	5.726	-0.000	23826	327.4	2	7.054	-0.004	151360	781.7
Aroclor-1232	3	7.033	-0.001	118971	1071.2	3	7.649	-0.002	357947	923.7
Aroclor-1232	4	7.971	-0.001	44262	968.8	4	8.517	-0.005	111330	1102.8
Total Col1Ave (4 peaks):					595.8	Total Col2Ave (4 peaks):				708.1 RPD = 17
Corrected Ave (3 peaks):					437.3	Corrected Ave (3 peaks):				576.6 RPD = 27
Aroclor-1242	1	6.660	-0.001	37323	490.7	1	7.054	-0.001	151360	444.0
Aroclor-1242	2	7.033	-0.005	118971	524.7	2	7.649	-0.004	357947	483.4
Aroclor-1242	3	8.384	-0.001	35398	275.6	3	8.932	-0.024	44114	127.5
Aroclor-1242	4	8.675	0.000	33748	643.0	4	9.032	-0.007	10735	27.3
Total Col1Ave (4 peaks):					483.5	Total Col2Ave (4 peaks):				270.6 RPD = 56*
Corrected Ave (3 peaks):					430.4	Corrected Ave (3 peaks):				199.6 RPD = 73*
Aroclor-1248	1	7.800	-0.003	34151	295.2	1	8.103	-0.003	86041	280.0
Aroclor-1248	2	7.971	-0.003	44262	293.1	2	8.517	-0.003	111330	297.7
Aroclor-1248	3	8.384	0.001	35398	160.1	3	8.932	-0.022	44114	74.1
Aroclor-1248	4	8.675	-0.001	33748	267.4	4	9.380	-0.003	7644	15.1
Total Col1Ave (4 peaks):					254.0	Total Col2Ave (4 peaks):				166.7 RPD = 41*
Corrected Ave (3 peaks):					240.2	Corrected Ave (3 peaks):				123.1 RPD = 64*
Aroclor-1254	1	8.675	-0.003	33748	141.7	1	9.237	-0.001	92742	147.0
Aroclor-1254	2	---			0.0	2	9.380	0.048	7644	20.6
Aroclor-1254	3	9.045	0.000	5698	36.7	3	9.762	-0.001	17753	36.9
Aroclor-1254	4	9.177	-0.004	19974	67.4	4	9.925	0.011	213286	200.1
Aroclor-1254	5	9.858	-0.012	39511	212.2	5	10.155	0.005	271429	251.2
Total Col1Ave (4 peaks):					114.5	Total Col2Ave (5 peaks):				131.2 RPD = 14
Corrected Ave (3 peaks):					81.9	Corrected Ave (4 peaks):				101.2 RPD = 21
Aroclor-1260	1	10.384	-0.003	76631	344.1	1	11.424	-0.001	292708	299.1
Aroclor-1260	2	10.702	-0.002	78165	357.7	2	11.676	-0.001	809365	284.6
Aroclor-1260	3	11.053	-0.003	208128	352.4	3	12.258	-0.001	543599	297.2
Aroclor-1260	4	11.454	-0.001	100012	380.0	4	12.969	-0.001	272974	312.2
Aroclor-1260	5	11.554	-0.003	45123	342.4	NS	---			----
Total Col1Ave (5 peaks):					355.3	Total Col2Ave (4 peaks):				298.3 RPD = 17
Corrected Ave (4 peaks):					349.1	Corrected Ave (3 peaks):				293.6 RPD = 17
Aroclor-1262	1	10.384	0.000	76631	253.7	1	10.966	-0.005	309875	215.3
Aroclor-1262	2	11.454	-0.000	100012	511.4	2	11.676	-0.009	809365	266.5
Aroclor-1262	3	11.628	0.001	57148	202.7	3	12.187	-0.001	248749	184.5
Aroclor-1262	4	12.275	0.001	55031	237.7	4	12.969	-0.004	272974	217.3
Total Col1Ave (4 peaks):					301.4	Total Col2Ave (4 peaks):				220.9 RPD = 31
Corrected Ave (3 peaks):					231.4	Corrected Ave (3 peaks):				205.7 RPD = 12
Aroclor-1268	1	11.554	-0.003	45123	68.0	1	12.187	-0.013	248749	73.5
Aroclor-1268	2	11.628	0.002	57148	82.0	2	12.258	-0.009	543599	147.3
Aroclor-1268	3	12.030	0.029	23570	43.0	3	12.631	-0.013	11538	3.6
Aroclor-1268	4	12.768	-0.004	13937	7.9	4	12.779	-0.004	6486	8.2
Total Col1Ave (4 peaks):					50.2	Total Col2Ave (4 peaks):				58.2 RPD = 15

Corrected Ave (3 peaks): 39.6 Corrected Ave (3 peaks): 28.5 RPD = 33

Total PCB Area Col1 (5.170 - 13.066) = 2119976 Col1 Total PCB = 0.8 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 7293333 Col2 Total PCB = 0.7 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-BS1 27-AUG-2021 23:08, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-BS1 27-AUG-2021 23:08, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272123ECD7.D
Data file 2: /2108127.b/2108127.b/08272123ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-BSD1
Client ID:
Injection Date: 27-AUG-2021 23:28
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.069	-0.000	102374	5.412	-0.002	275501	30.7	29.0	5.7	Tetrachloro-m-xylene
13.164	-0.003	147967	13.843	-0.001	795021	33.1	30.6	7.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	276178	6.7
Hexabromobiphenyl	425681	492904	15.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	739762	2.6
Hexabromobiphenyl	863111	1170091	35.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	-0.002	39816	406.5	1	7.055	-0.001	161134	382.0
Aroclor-1016	2	7.032	-0.006	127790	426.6	2	7.648	-0.005	382670	405.6
Aroclor-1016	3	7.178	-0.004	54115	402.6	3	7.854	-0.003	153049	413.3
Aroclor-1016	4	7.287	-0.004	36238	430.0	4	8.103	-0.002	91451	408.1
Total Col1Ave (4 peaks):				416.4		Total Col2Ave (4 peaks):			402.2	RPD = 3
Corrected Ave (3 peaks):				411.9		Corrected Ave (3 peaks):			398.5	RPD = 3
Aroclor-1221	1	4.017	0.002	220	10.1	1	4.669	-0.008	952	17.1
Aroclor-1221	2	5.450	-0.001	3723	108.9	2	6.073	0.001	14493	114.0
Aroclor-1221	3	5.725	0.001	23623	255.8	3	6.409	-0.000	71161	321.2
Total Col1Ave (3 peaks):				124.9		Total Col2Ave (3 peaks):			150.8	RPD = 19
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.001	220	16.4	1	4.669	-0.010	952	28.8
Aroclor-1232	2	5.725	-0.001	23623	324.5	2	7.055	-0.003	161134	834.1
Aroclor-1232	3	7.032	-0.002	127790	1150.1	3	7.648	-0.003	382670	989.7
Aroclor-1232	4	7.970	-0.002	47512	1039.4	4	8.517	-0.005	119079	1182.2
Total Col1Ave (4 peaks):				632.6		Total Col2Ave (4 peaks):			758.7	RPD = 18
Corrected Ave (3 peaks):				460.1		Corrected Ave (3 peaks):			617.5	RPD = 29
Aroclor-1242	1	6.660	-0.002	39816	523.3	1	7.055	-0.001	161134	473.8
Aroclor-1242	2	7.032	-0.006	127790	563.4	2	7.648	-0.005	382670	518.0
Aroclor-1242	3	8.384	-0.002	38292	298.0	3	8.930	-0.026	47004	136.2
Aroclor-1242	4	8.674	-0.001	36398	693.1	4	9.030	-0.009	11886	30.3
Total Col1Ave (4 peaks):				519.4		Total Col2Ave (4 peaks):			289.6	RPD = 57*
Corrected Ave (3 peaks):				461.5		Corrected Ave (3 peaks):			213.4	RPD = 74*
Aroclor-1248	1	7.800	-0.003	37187	321.3	1	8.103	-0.003	91451	298.3
Aroclor-1248	2	7.970	-0.003	47512	314.5	2	8.517	-0.003	119079	319.1
Aroclor-1248	3	8.384	0.000	38292	173.1	3	8.930	-0.023	47004	79.1
Aroclor-1248	4	8.674	-0.002	36398	288.2	4	9.379	-0.003	8067	16.0
Total Col1Ave (4 peaks):				274.3		Total Col2Ave (4 peaks):			178.1	RPD = 43*
Corrected Ave (3 peaks):				258.6		Corrected Ave (3 peaks):			131.1	RPD = 65*
Aroclor-1254	1	8.674	-0.004	36398	152.8	1	9.237	-0.001	96721	153.7
Aroclor-1254	2	---			0.0	2	9.379	0.047	8067	21.8
Aroclor-1254	3	9.044	-0.001	6247	40.2	3	9.761	-0.001	18871	39.3
Aroclor-1254	4	9.175	-0.006	32629	110.0	4	9.925	0.011	228653	215.1
Aroclor-1254	5	9.857	-0.013	42381	227.5	5	10.155	0.004	291040	269.9
Total Col1Ave (4 peaks):				132.6		Total Col2Ave (5 peaks):			140.0	RPD = 5
Corrected Ave (3 peaks):				101.0		Corrected Ave (4 peaks):			107.5	RPD = 6
Aroclor-1260	1	10.383	-0.004	82279	371.0	1	11.423	-0.001	312726	321.5
Aroclor-1260	2	10.701	-0.003	84056	386.2	2	11.678	0.001	896792	317.2
Aroclor-1260	3	11.052	-0.004	223619	380.1	3	12.259	0.001	588535	323.7
Aroclor-1260	4	11.454	-0.002	107666	410.8	4	12.968	-0.002	291743	335.7
Aroclor-1260	5	11.555	-0.002	48204	367.3	NS	---			----
Total Col1Ave (5 peaks):				383.1		Total Col2Ave (4 peaks):			324.5	RPD = 17
Corrected Ave (4 peaks):				376.2		Corrected Ave (3 peaks):			320.8	RPD = 16
Aroclor-1262	1	10.383	-0.001	82279	273.5	1	10.965	-0.005	331805	231.9
Aroclor-1262	2	11.454	-0.000	107666	552.8	2	11.678	-0.007	896792	297.0
Aroclor-1262	3	11.627	-0.000	61273	218.2	3	12.186	-0.002	269635	201.2
Aroclor-1262	4	12.276	0.002	59161	256.6	4	12.968	-0.005	291743	233.6
Total Col1Ave (4 peaks):				325.3		Total Col2Ave (4 peaks):			240.9	RPD = 30
Corrected Ave (3 peaks):				249.5		Corrected Ave (3 peaks):			222.2	RPD = 12
Aroclor-1268	1	11.555	-0.002	48204	72.9	1	12.186	-0.014	269635	80.2
Aroclor-1268	2	11.627	0.001	61273	88.3	2	12.259	-0.008	588535	160.4
Aroclor-1268	3	12.031	0.030	25267	46.3	3	12.631	-0.013	12483	3.9
Aroclor-1268	4	12.769	-0.003	15415	8.8	4	12.780	-0.003	6993	8.9
Total Col1Ave (4 peaks):				54.1		Total Col2Ave (4 peaks):			63.4	RPD = 16

Corrected Ave (3 peaks): 42.7 Corrected Ave (3 peaks): 31.0 RPD = 32

Total PCB Area Col1 (5.170 - 13.066) = 2274463 Col1 Total PCB = 0.8 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 7827618 Col2 Total PCB = 0.8 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-BSD1 27-AUG-2021 23:28, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-BSD1 27-AUG-2021 23:28, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

MS / MS DUPLICATE RECOVERY
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/28/21 01:31
Batch:	BJH0604	Laboratory ID:	BJH0604-MS1
Preparation:	EPA 3546 (Microwave)	Sequence Name:	Matrix Spike
Initial/Final:	15.97 g / 2.5 mL	Source Sample:	LDW21-IT701B

COMPOUND	SPIKE ADDED (ug/kg dry)	SAMPLE CONCENTRATION (ug/kg dry)	Q	MS CONCENTRATION (ug/kg dry)	Q	MS % REC. #	QC LIMITS REC.
Aroclor 1016	101	ND	U	92.7		92.0	56 - 120
Aroclor 1260	101	2.2	J	76.4		73.5	58 - 120

* Values outside of QC limits

[2C] indicates second-column analyte, present if quantification on any batch samples used second column data.

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

MS / MS DUPLICATE RECOVERY
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/28/21 01:51
Batch:	BJH0604	Laboratory ID:	BJH0604-MSD1
Preparation:	EPA 3546 (Microwave)	Sequence Name:	Matrix Spike Dup
Initial/Final:	15.97 g / 2.5 mL	Source Sample:	LDW21-IT701B

COMPOUND	SPIKE ADDED (ug/kg dry)	MSD CONCENTRATION (ug/kg dry)	Q	MSD % REC. #	% RPD #	QC LIMITS	
						RPD	REC.
Aroclor 1016	101	87.0		86.4	6.30	30	56 - 120
Aroclor 1260	101	74.5		71.6	2.49	30	58 - 120

* Values outside of QC limits

[2C] indicates second-column analyte, present if quantification on any batch samples used second column data.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272129ECD7.D
Data file 2: /2108127.b/2108127.b/08272129ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-MS1
Client ID:
Injection Date: 28-AUG-2021 01:31
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.002	102170	5.411	-0.003	254136	31.3	27.8	12.1	Tetrachloro-m-xylene
13.159	-0.007	122256	13.840	-0.004	637729	32.6	26.4	20.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	269858	4.2
Hexabromobiphenyl	425681	413517	-2.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	712651	-1.2
Hexabromobiphenyl	863111	1086293	25.9

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.656	-0.006	45184	472.1	1	7.053	-0.003	156361	384.8
Aroclor-1016	2	7.028	-0.010	154460	527.7	2	7.643	-0.011	422330	464.6
Aroclor-1016	3	7.176	-0.006	54544	415.3	3	7.851	-0.007	143250	401.6
Aroclor-1016	4	7.284	-0.008	36146	439.0	4	8.101	-0.004	146192	677.2
Total Col1Ave (4 peaks):				463.5		Total Col2Ave (4 peaks):			482.0	RPD = 4
Corrected Ave (3 peaks):				442.1		Corrected Ave (3 peaks):			417.0	RPD = 6
Aroclor-1221	1	4.017	0.002	226	10.6	1	4.638	-0.039	6307	117.9
Aroclor-1221	2	5.448	-0.004	4793	143.5	2	6.071	-0.001	16553	135.2
Aroclor-1221	3	5.724	-0.000	24856	275.4	3	6.407	-0.002	70283	329.3
Total Col1Ave (3 peaks):				143.2		Total Col2Ave (3 peaks):			194.1	RPD = 30
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.001	226	17.3	1	4.638	-0.041	6307	198.0
Aroclor-1232	2	5.724	-0.002	24856	349.4	2	7.053	-0.005	156361	840.1
Aroclor-1232	3	7.028	-0.006	154460	1422.6	3	7.643	-0.008	422330	1133.8
Aroclor-1232	4	7.962	-0.010	63925	1431.3	4	8.514	-0.008	131420	1354.3
Total Col1Ave (4 peaks):				805.1		Total Col2Ave (4 peaks):			881.6	RPD = 9
Corrected Ave (3 peaks):				596.4		Corrected Ave (3 peaks):			724.0	RPD = 19
Aroclor-1242	1	6.656	-0.005	45184	607.7	1	7.053	-0.002	156361	477.2
Aroclor-1242	2	7.028	-0.010	154460	696.9	2	7.643	-0.011	422330	593.4
Aroclor-1242	3	8.378	-0.007	46971	374.1	3	8.937	-0.020	60064	180.6
Aroclor-1242	4	8.670	-0.006	41635	811.4	4	9.018	-0.020	39414	104.5
Total Col1Ave (4 peaks):				622.5		Total Col2Ave (4 peaks):			338.9	RPD = 59*
Corrected Ave (3 peaks):				559.6		Corrected Ave (3 peaks):			254.1	RPD = 75*
Aroclor-1248	1	7.797	-0.007	44405	392.7	1	8.101	-0.005	146192	495.0
Aroclor-1248	2	7.962	-0.011	63925	433.0	2	8.514	-0.007	131420	365.6
Aroclor-1248	3	8.378	-0.006	46971	217.3	3	8.937	-0.017	60064	104.9
Aroclor-1248	4	8.670	-0.007	41635	337.4	4	9.365	-0.017	29293	60.2
Total Col1Ave (4 peaks):				345.1		Total Col2Ave (4 peaks):			256.4	RPD = 29
Corrected Ave (3 peaks):				315.8		Corrected Ave (3 peaks):			176.9	RPD = 56*
Aroclor-1254	1	8.670	-0.009	41635	178.8	1	9.232	-0.007	122638	202.3
Aroclor-1254	2	8.741	-0.008	9916	92.0	2	9.324	-0.007	18448	51.8
Aroclor-1254	3	9.038	-0.008	13322	87.8	3	9.755	-0.007	30196	65.3
Aroclor-1254	4	9.170	-0.011	56867	196.2	4	9.911	-0.002	218370	213.2
Aroclor-1254	5	9.853	-0.017	43251	237.6	5	10.149	-0.001	302684	291.4
Total Col1Ave (5 peaks):				158.5		Total Col2Ave (5 peaks):			164.8	RPD = 4
Corrected Ave (4 peaks):				138.7		Corrected Ave (4 peaks):			133.2	RPD = 4
Aroclor-1260	1	10.378	-0.009	70434	378.6	1	11.419	-0.006	267011	295.7
Aroclor-1260	2	10.696	-0.008	70846	388.0	2	11.670	-0.007	726877	276.9
Aroclor-1260	3	11.046	-0.009	182246	369.3	3	12.253	-0.006	470820	279.0
Aroclor-1260	4	11.446	-0.010	91910	418.0	4	12.963	-0.007	234480	290.6
Aroclor-1260	5	11.551	-0.007	39213	356.2	NS	---			----
Total Col1Ave (5 peaks):				382.0		Total Col2Ave (4 peaks):			285.5	RPD = 29
Corrected Ave (4 peaks):				373.0		Corrected Ave (3 peaks):			282.2	RPD = 28
Aroclor-1262	1	10.378	-0.006	70434	279.1	1	10.961	-0.009	266411	200.6
Aroclor-1262	2	11.446	-0.008	91910	562.5	2	11.670	-0.015	726877	259.3
Aroclor-1262	3	11.622	-0.005	50725	215.3	3	12.182	-0.006	231599	186.2
Aroclor-1262	4	12.269	-0.005	44943	232.4	4	12.963	-0.010	234480	202.2
Total Col1Ave (4 peaks):				322.3		Total Col2Ave (4 peaks):			212.1	RPD = 41*
Corrected Ave (3 peaks):				242.3		Corrected Ave (3 peaks):			196.3	RPD = 21
Aroclor-1268	1	11.551	-0.007	39213	70.7	1	12.182	-0.018	231599	74.2
Aroclor-1268	2	11.622	-0.004	50725	87.2	2	12.253	-0.014	470820	138.2
Aroclor-1268	3	12.022	0.021	21191	46.3	3	12.628	-0.016	11439	3.9
Aroclor-1268	4	12.763	-0.009	11996	8.1	4	12.777	-0.006	9337	12.8
Total Col1Ave (4 peaks):				53.1		Total Col2Ave (4 peaks):			57.3	RPD = 8

Corrected Ave (3 peaks): 41.7 Corrected Ave (3 peaks): 30.3 RPD = 32

Total PCB Area Col1 (5.170 - 13.066) = 2343558 Col1 Total PCB = 0.9 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 7476963 Col2 Total PCB = 0.8 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-MS1 28-AUG-2021 01:31, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-MS1 28-AUG-2021 01:31, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272130ECD7.D
Data file 2: /2108127.b/2108127.b/08272130ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-MSD1
Client ID:
Injection Date: 28-AUG-2021 01:51
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.069	-0.001	98281	5.412	-0.002	240331	29.0	25.7	11.9	Tetrachloro-m-xylene
13.158	-0.008	120135	13.840	-0.004	627770	31.5	25.4	21.3	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	280830	8.5
Hexabromobiphenyl	425681	420766	-1.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	727816	1.0
Hexabromobiphenyl	863111	1111919	28.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.656	-0.006	43113	432.9	1	7.052	-0.003	152153	366.6
Aroclor-1016	2	7.029	-0.009	156357	513.4	2	7.642	-0.012	420900	453.4
Aroclor-1016	3	7.174	-0.007	52766	386.0	3	7.849	-0.008	137387	377.1
Aroclor-1016	4	7.282	-0.009	35017	408.6	4	8.100	-0.005	138942	630.2
Total Col1Ave (4 peaks):				435.2		Total Col2Ave (4 peaks):			456.8	RPD = 5
Corrected Ave (3 peaks):				409.2		Corrected Ave (3 peaks):			399.0	RPD = 3
Aroclor-1221	1	4.017	0.002	202	9.1	1	4.639	-0.038	5287	96.8
Aroclor-1221	2	5.448	-0.003	4424	127.3	2	6.072	-0.001	13044	104.3
Aroclor-1221	3	5.724	0.000	24294	258.7	3	6.407	-0.002	68570	314.6
Total Col1Ave (3 peaks):				131.7		Total Col2Ave (3 peaks):			171.9	RPD = 26
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.000	202	14.8	1	4.639	-0.040	5287	162.5
Aroclor-1232	2	5.724	-0.002	24294	328.2	2	7.052	-0.006	152153	800.5
Aroclor-1232	3	7.029	-0.005	156357	1383.8	3	7.642	-0.009	420900	1106.4
Aroclor-1232	4	7.961	-0.011	62135	1336.8	4	8.513	-0.009	133081	1342.9
Total Col1Ave (4 peaks):				765.9		Total Col2Ave (4 peaks):			853.1	RPD = 11
Corrected Ave (3 peaks):				559.9		Corrected Ave (3 peaks):			689.8	RPD = 21
Aroclor-1242	1	6.656	-0.005	43113	557.2	1	7.052	-0.003	152153	454.7
Aroclor-1242	2	7.029	-0.009	156357	677.9	2	7.642	-0.012	420900	579.0
Aroclor-1242	3	8.375	-0.010	50482	386.3	3	8.936	-0.020	65367	192.5
Aroclor-1242	4	8.669	-0.007	42509	796.1	4	9.015	-0.023	46135	119.7
Total Col1Ave (4 peaks):				604.4		Total Col2Ave (4 peaks):			336.5	RPD = 57*
Corrected Ave (3 peaks):				540.5		Corrected Ave (3 peaks):			255.6	RPD = 72*
Aroclor-1248	1	7.796	-0.007	44869	381.3	1	8.100	-0.006	138942	460.7
Aroclor-1248	2	7.961	-0.013	62135	404.5	2	8.513	-0.008	133081	362.5
Aroclor-1248	3	8.375	-0.008	50482	224.4	3	8.936	-0.017	65367	111.8
Aroclor-1248	4	8.669	-0.008	42509	331.1	4	9.363	-0.019	38241	77.0
Total Col1Ave (4 peaks):				335.3		Total Col2Ave (4 peaks):			253.0	RPD = 28
Corrected Ave (3 peaks):				312.2		Corrected Ave (3 peaks):			183.8	RPD = 52*
Aroclor-1254	1	8.669	-0.010	42509	175.5	1	9.231	-0.007	123392	199.3
Aroclor-1254	2	8.740	-0.009	10916	97.3	2	9.323	-0.009	19521	53.7
Aroclor-1254	3	9.037	-0.009	14440	91.4	3	9.754	-0.008	32589	69.0
Aroclor-1254	4	9.169	-0.012	55730	184.7	4	9.909	-0.005	218048	208.4
Aroclor-1254	5	9.853	-0.017	45577	240.6	5	10.148	-0.002	312181	294.3
Total Col1Ave (5 peaks):				157.9		Total Col2Ave (5 peaks):			164.9	RPD = 4
Corrected Ave (4 peaks):				137.2		Corrected Ave (4 peaks):			132.6	RPD = 3
Aroclor-1260	1	10.378	-0.010	70109	370.4	1	11.418	-0.006	263478	285.0
Aroclor-1260	2	10.695	-0.010	70462	379.2	2	11.670	-0.007	716143	266.6
Aroclor-1260	3	11.046	-0.009	180563	359.6	3	12.252	-0.006	465416	269.4
Aroclor-1260	4	11.446	-0.010	91293	408.1	4	12.963	-0.006	231494	280.3
Aroclor-1260	5	11.549	-0.008	38754	346.0	NS	---			----
Total Col1Ave (5 peaks):				372.6		Total Col2Ave (4 peaks):			275.3	RPD = 30
Corrected Ave (4 peaks):				363.8		Corrected Ave (3 peaks):			272.1	RPD = 29
Aroclor-1262	1	10.378	-0.006	70109	273.0	1	10.960	-0.010	257618	189.5
Aroclor-1262	2	11.446	-0.009	91293	549.1	2	11.670	-0.016	716143	249.6
Aroclor-1262	3	11.622	-0.005	50389	210.2	3	12.182	-0.006	230374	180.9
Aroclor-1262	4	12.268	-0.006	44578	226.5	4	12.963	-0.009	231494	195.1
Total Col1Ave (4 peaks):				314.7		Total Col2Ave (4 peaks):			203.8	RPD = 43*
Corrected Ave (3 peaks):				236.6		Corrected Ave (3 peaks):			188.5	RPD = 23
Aroclor-1268	1	11.549	-0.008	38754	68.7	1	12.182	-0.018	230374	72.1
Aroclor-1268	2	11.622	-0.004	50389	85.1	2	12.252	-0.015	465416	133.5
Aroclor-1268	3	12.022	0.021	21142	45.4	3	12.628	-0.016	12203	4.0
Aroclor-1268	4	12.763	-0.009	12205	8.1	4	12.777	-0.006	9747	13.1
Total Col1Ave (4 peaks):				51.8		Total Col2Ave (4 peaks):			55.7	RPD = 7

Corrected Ave (3 peaks): 40.7 Corrected Ave (3 peaks): 29.7 RPD = 31

Total PCB Area Col1 (5.170 - 13.066) = 2346279 Col1 Total PCB = 0.8 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 7420595 Col2 Total PCB = 0.8 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-MSD1 28-AUG-2021 01:51, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-MSD1 28-AUG-2021 01:51, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

STANDARD REFERENCE MATERIAL RECOVERY

EPA 8082A

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Laboratory ID: BJH0179-SRM1
Batch: BJH0179
Initial/Final: 2.5 g / 2.5 mL
Preparation: EPA 3546 (Microwave)
Analyzed: 08/19/2021 23:07
Standard ID: J006842
Expires: 12/28/2021
Standard Lot#: PSRM0136
Description: Puget Sound reference-SRM

ANALYTE	TRUE (ug/kg wet)	FOUND (ug/kg wet)	MDL	MRL	Q	SRM % REC.	QC LIMITS REC.
Aroclor 1260	108.00	84.6	2.9	20.0		78.4	38 - 167
Aroclor 1260 [2C]	108.00	65.3	2.9	20.0		60.5	38 - 167

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192132ECD7.D
Data file 2: /210819.b/210819.b/08192132ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0179-SRM1
Client ID:
Injection Date: 19-AUG-2021 23:07
Report Date: 08/30/2021 09:54
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.066	-0.001	105738	5.409	-0.002	295440	32.0	29.9	6.8	Tetrachloro-m-xylene
13.159	-0.006	123086	13.840	-0.009	688816	33.5	28.0	17.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	273215	5.5
Hexabromobiphenyl	425681	405308	-4.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	768530	6.6
Hexabromobiphenyl	863111	1108607	28.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1016	1	6.653	-0.006	849	8.8	1	7.053	-0.002	6834	15.6
Aroclor-1016	2	7.030	-0.003	4296	14.5	2	7.645	-0.005	18306	18.7
Aroclor-1016	3	7.176	-0.003	996	7.5	3	7.851	-0.006	3544	9.2
Aroclor-1016	4	7.280	-0.008	838	10.1	4	8.101	-0.004	12016	51.6
Total Col1Ave (4 peaks):				10.2		Total Col2Ave (4 peaks):			23.8	RPD = 80*
Corrected Ave (3 peaks):				8.8		Corrected Ave (3 peaks):			14.5	RPD = 49*
Aroclor-1221	1	4.098	0.083	1398	64.8	1	4.637	-0.040	2493	43.2
Aroclor-1221	2	---			0.0	2	6.089	0.016	8324	63.0
Aroclor-1221	3	5.722	-0.003	219	2.4	3	6.408	-0.001	6381	27.7
Col1Ave: <3 Quant Peaks						Col2Ave:			44.7	
Aroclor-1232	1	4.098	0.080	1398	105.5	1	4.637	-0.042	2493	72.6
Aroclor-1232	2	5.722	-0.005	219	3.0	2	7.053	-0.005	6834	34.1
Aroclor-1232	3	7.030	-0.004	4296	39.1	3	7.645	-0.006	18306	45.6
Aroclor-1232	4	7.962	-0.011	2457	54.3	4	8.514	-0.008	9431	90.1
Total Col1Ave (4 peaks):				50.5		Total Col2Ave (4 peaks):			60.6	RPD = 18
Corrected Ave (3 peaks):				32.2		Corrected Ave (3 peaks):			50.7	RPD = 45*
Aroclor-1242	1	6.653	-0.008	849	11.3	1	7.053	-0.001	6834	19.3
Aroclor-1242	2	7.030	-0.004	4296	19.1	2	7.645	-0.004	18306	23.9
Aroclor-1242	3	8.377	-0.004	10714	84.3	3	8.941	-0.012	15224	42.5
Aroclor-1242	4	8.667	-0.008	13630	262.4	4	9.016	-0.017	11131	27.4
Total Col1Ave (4 peaks):				94.3		Total Col2Ave (4 peaks):			28.3	RPD = 108*
Corrected Ave (3 peaks):				38.2		Corrected Ave (3 peaks):			23.5	RPD = 48*
Aroclor-1248	1	7.795	-0.005	2738	23.9	1	8.101	-0.005	12016	37.7
Aroclor-1248	2	7.962	-0.009	2457	16.4	2	8.514	-0.006	9431	24.3
Aroclor-1248	3	8.377	-0.003	10714	49.0	3	8.941	-0.012	15224	24.7
Aroclor-1248	4	8.667	-0.009	13630	109.1	4	9.365	-0.015	12760	24.3
Total Col1Ave (4 peaks):				49.6		Total Col2Ave (4 peaks):			27.8	RPD = 56*
Corrected Ave (3 peaks):				29.8		Corrected Ave (3 peaks):			24.4	RPD = 20
Aroclor-1254	1	8.667	-0.010	13630	57.8	1	9.231	-0.008	42997	65.8
Aroclor-1254	2	8.740	-0.008	5027	46.1	2	9.320	-0.012	10732	28.0
Aroclor-1254	3	9.039	-0.003	8053	52.4	3	9.754	-0.008	19518	39.2
Aroclor-1254	4	9.167	-0.013	18634	63.5	4	9.909	-0.006	76099	68.9
Aroclor-1254	5	9.852	-0.019	13909	75.5	5	10.147	-0.004	109660	97.9
Total Col1Ave (5 peaks):				59.1		Total Col2Ave (5 peaks):			59.9	RPD = 1
Corrected Ave (4 peaks):				54.9		Corrected Ave (4 peaks):			50.4	RPD = 9
Aroclor-1260	1	10.375	-0.010	15903	87.2	1	11.418	-0.006	67042	72.7
Aroclor-1260	2	10.694	-0.009	12626	70.5	2	11.669	-0.009	170715	63.7
Aroclor-1260	3	11.042	-0.012	41757	86.3	3	12.251	-0.010	107805	62.6
Aroclor-1260	4	11.443	-0.012	22258	103.3	4	12.962	-0.008	51155	62.1
Aroclor-1260	5	11.548	-0.008	8176	75.8	NS	---			----
Total Col1Ave (5 peaks):				84.6		Total Col2Ave (4 peaks):			65.3	RPD = 26
Corrected Ave (4 peaks):				80.0		Corrected Ave (3 peaks):			62.8	RPD = 24
Aroclor-1262	1	10.375	-0.008	15903	64.3	1	10.960	-0.010	68308	50.4
Aroclor-1262	2	11.443	-0.012	22258	139.0	2	11.669	-0.017	170715	59.7
Aroclor-1262	3	11.619	-0.008	10443	45.2	3	12.179	-0.009	57056	44.9
Aroclor-1262	4	12.266	-0.008	9895	52.2	4	12.962	-0.011	51155	43.2
Total Col1Ave (4 peaks):				75.2		Total Col2Ave (4 peaks):			49.6	RPD = 41*
Corrected Ave (3 peaks):				53.9		Corrected Ave (3 peaks):			46.2	RPD = 15
Aroclor-1268	1	11.548	-0.009	8176	15.0	1	12.179	-0.021	57056	17.9
Aroclor-1268	2	11.619	-0.007	10443	18.3	2	12.251	-0.016	107805	31.0
Aroclor-1268	3	12.020	0.019	5340	11.9	3	12.629	-0.015	6014	2.0
Aroclor-1268	4	12.761	-0.011	3680	2.5	4	12.779	-0.004	4878	6.6
Total Col1Ave (4 peaks):				11.9		Total Col2Ave (4 peaks):			14.4	RPD = 18
Corrected Ave (3 peaks):				9.8		Corrected Ave (3 peaks):			8.8	RPD = 11

Total PCB Area Col1 (5.168 - 13.065) = 463540 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 2073408 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0179-SRM1 19-AUG-2021 23:07, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0179-SRM1 19-AUG-2021 23:07, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

STANDARD REFERENCE MATERIAL RECOVERY

EPA 8082A

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Laboratory ID: BJH0604-SRM1
Batch: BJH0604
Initial/Final: 2.5 g / 2.5 mL
Preparation: EPA 3546 (Microwave)
Analyzed: 08/27/2021 23:49
Standard ID: J007935
Expires: 01/30/2022
Standard Lot#: PSRM0140
Description: Puget Sound reference-SRM

ANALYTE	TRUE (ug/kg wet)	FOUND (ug/kg wet)	MDL	MRL	Q	SRM % REC.	QC LIMITS REC.
Aroclor 1260	108.00	96.2	2.9	20.0		89.1	38 - 167
Aroclor 1260 [2C]	108.00	74.4	2.9	20.0		68.9	38 - 167

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272124ECD7.D
Data file 2: /2108127.b/2108127.b/08272124ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: BJH0604-SRM1
Client ID:
Injection Date: 27-AUG-2021 23:49
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.068	-0.001	102790	5.410	-0.004	253667	28.9	25.7	11.7	Tetrachloro-m-xylene
13.157	-0.009	112633	13.838	-0.006	607822	29.0	24.1	18.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	294169	13.6
Hexabromobiphenyl	425681	427483	0.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	767860	6.5
Hexabromobiphenyl	863111	1135755	31.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.609	-0.054	11461	109.9	1	7.052	-0.003	11028	25.2
Aroclor-1016	2	7.033	-0.005	5403	16.9	2	7.654	0.001	32282	33.0
Aroclor-1016	3	7.180	-0.002	4812	33.6	3	7.866	0.008	5290	13.8
Aroclor-1016	4	7.280	-0.012	4789	53.4	4	8.100	-0.005	12878	55.4
Total Col1Ave (4 peaks):					53.4	Total Col2Ave (4 peaks):				31.8 RPD = 51*
Corrected Ave (3 peaks):					34.6	Corrected Ave (3 peaks):				24.0 RPD = 36
Aroclor-1221	1	4.103	0.088	6544	281.7	1	4.636	-0.040	9314	161.6
Aroclor-1221	2	5.500	0.049	2105	57.8	2	6.108	0.036	35063	265.8
Aroclor-1221	3	5.724	-0.001	2783	28.3	3	6.313	-0.096	194709	846.8
Total Col1Ave (3 peaks):					122.6	Total Col2Ave (3 peaks):				424.7 RPD = 110*
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.103	0.086	6544	458.7	1	4.636	-0.043	9314	271.4
Aroclor-1232	2	5.724	-0.003	2783	35.9	2	7.052	-0.006	11028	55.0
Aroclor-1232	3	7.033	-0.001	5403	45.7	3	7.654	0.003	32282	80.4
Aroclor-1232	4	7.961	-0.011	5328	109.4	4	8.513	-0.009	10291	98.4
Total Col1Ave (4 peaks):					162.4	Total Col2Ave (4 peaks):				126.3 RPD = 25
Corrected Ave (3 peaks):					63.7	Corrected Ave (3 peaks):				78.0 RPD = 20
Aroclor-1242	1	6.609	-0.053	11461	141.4	1	7.052	-0.003	11028	31.2
Aroclor-1242	2	7.033	-0.005	5403	22.4	2	7.654	0.001	32282	42.1
Aroclor-1242	3	8.378	-0.008	13349	97.5	3	8.940	-0.017	14077	39.3
Aroclor-1242	4	8.668	-0.007	16130	288.4	4	9.017	-0.021	10453	25.7
Total Col1Ave (4 peaks):					137.4	Total Col2Ave (4 peaks):				34.6 RPD = 120*
Corrected Ave (3 peaks):					87.1	Corrected Ave (3 peaks):				32.1 RPD = 92*
Aroclor-1248	1	7.796	-0.007	8584	69.6	1	8.100	-0.005	12878	40.5
Aroclor-1248	2	7.961	-0.012	5328	33.1	2	8.513	-0.007	10291	26.6
Aroclor-1248	3	8.378	-0.006	13349	56.7	3	8.940	-0.014	14077	22.8
Aroclor-1248	4	8.668	-0.008	16130	119.9	4	9.364	-0.018	8801	16.8
Total Col1Ave (4 peaks):					69.8	Total Col2Ave (4 peaks):				26.7 RPD = 89*
Corrected Ave (3 peaks):					53.1	Corrected Ave (3 peaks):				22.1 RPD = 83*
Aroclor-1254	1	8.668	-0.010	16130	63.6	1	9.230	-0.009	41611	63.7
Aroclor-1254	2	8.741	-0.008	6550	55.8	2	9.319	-0.013	9203	24.0
Aroclor-1254	3	9.040	-0.006	9816	59.3	3	9.753	-0.009	16554	33.2
Aroclor-1254	4	9.168	-0.012	22126	70.0	4	9.908	-0.005	75412	68.3
Aroclor-1254	5	9.852	-0.018	16061	80.9	5	10.146	-0.004	107112	95.7
Total Col1Ave (5 peaks):					65.9	Total Col2Ave (5 peaks):				57.0 RPD = 15
Corrected Ave (4 peaks):					62.2	Corrected Ave (4 peaks):				47.3 RPD = 27
Aroclor-1260	1	10.376	-0.011	19266	100.2	1	11.418	-0.007	75846	80.3
Aroclor-1260	2	10.693	-0.011	15506	82.1	2	11.668	-0.010	197387	71.9
Aroclor-1260	3	11.042	-0.013	48787	95.6	3	12.251	-0.008	126815	71.9
Aroclor-1260	4	11.443	-0.013	26514	116.7	4	12.962	-0.008	61918	73.4
Aroclor-1260	5	11.547	-0.010	9853	86.6	NS	---			----
Total Col1Ave (5 peaks):					96.2	Total Col2Ave (4 peaks):				74.4 RPD = 26
Corrected Ave (4 peaks):					91.1	Corrected Ave (3 peaks):				72.4 RPD = 23
Aroclor-1262	1	10.376	-0.008	19266	73.9	1	10.960	-0.010	70914	51.1
Aroclor-1262	2	11.443	-0.011	26514	157.0	2	11.668	-0.018	197387	67.4
Aroclor-1262	3	11.619	-0.008	12525	51.4	3	12.178	-0.010	66414	51.1
Aroclor-1262	4	12.266	-0.008	12439	62.2	4	12.962	-0.011	61918	51.1
Total Col1Ave (4 peaks):					86.1	Total Col2Ave (4 peaks):				55.1 RPD = 44*
Corrected Ave (3 peaks):					62.5	Corrected Ave (3 peaks):				51.1 RPD = 20
Aroclor-1268	1	11.547	-0.010	9853	17.2	1	12.178	-0.022	66414	20.4
Aroclor-1268	2	11.619	-0.006	12525	20.8	2	12.251	-0.016	126815	35.6
Aroclor-1268	3	12.020	0.020	6747	14.3	3	12.627	-0.017	4926	1.6
Aroclor-1268	4	12.760	-0.011	3288	2.2	4	12.775	-0.008	5900	7.8
Total Col1Ave (4 peaks):					13.6	Total Col2Ave (4 peaks):				16.3 RPD = 18

Corrected Ave (3 peaks): 11.2 Corrected Ave (3 peaks): 9.9 RPD = 12

Total PCB Area Col1 (5.170 - 13.066) = 746852 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 2394755 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 BJH0604-SRM1 27-AUG-2021 23:49, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 BJH0604-SRM1 27-AUG-2021 23:49, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/2108127.b/2108127.b/08272124ECD7.D Injection Date: 27-AUG-202

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 01		Level 02		Level 03		Level 04		Level 05		Level 06	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1016	20	3.905933E-02	50	0.0446259	100	4.564066E-02	250	0.04709	500	4.625535E-02	1000	4.505981E-02
Aroclor-1016 (1)	20	2.649017E-02	50	2.912055E-02	100	2.939738E-02	250	2.963943E-02	500	2.849957E-02	1000	2.709274E-02
Aroclor-1016 (2)	20	7.428187E-02	50	8.423329E-02	100	8.746182E-02	250	9.203341E-02	500	9.182498E-02	1000	9.075441E-02
Aroclor-1016 (3)	20	3.555465E-02	50	4.092549E-02	100	4.058933E-02	250	4.075499E-02	500	3.888112E-02	1000	3.692439E-02
Aroclor-1016 (4)	20	1.991061E-02	50	2.422428E-02	100	2.511411E-02	250	2.593218E-02	500	2.581574E-02	1000	2.546764E-02
Aroclor 1260	20	4.610015E-02	50	4.459123E-02	100	4.539035E-02	250	4.776685E-02	500	4.820696E-02	1000	4.469533E-02
Aroclor-1260 (1)	20	3.649398E-02	50	3.599611E-02	100	3.587713E-02	250	3.720495E-02	500	3.606153E-02	1000	0.0343203
Aroclor-1260 (2)	20	3.493239E-02	50	3.435188E-02	100	3.496901E-02	250	3.686291E-02	500	3.620059E-02	1000	3.463348E-02
Aroclor-1260 (3)	20	9.843722E-02	50	9.112843E-02	100	9.295538E-02	250	9.789039E-02	500	0.1019955	1000	9.043784E-02
Aroclor-1260 (4)	20	3.984431E-02	50	4.042084E-02	100	4.181781E-02	250	4.477343E-02	500	4.502778E-02	1000	4.333459E-02
Aroclor-1260 (5)	20	2.079286E-02	50	2.105887E-02	100	2.133245E-02	250	2.210256E-02	500	2.174943E-02	1000	2.075043E-02
Decachlorobiphenyl	3.2	0.7431769	8	0.7302126	16	0.7455559	40	0.7525025	80	0.7163282	160	0.6694058
Tetrachlorometaxylene	3.2	0.9393656	8	0.9142096	16	0.9758103	40	1.013211	80	0.9925859	160	0.9666244

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 07		Level 08		Level 09		Level 10		Level 11		Level 12	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1221												
Aroclor-1221 (1)												
Aroclor-1221 (2)												
Aroclor-1221 (3)												
Aroclor 1232												
Aroclor-1232 (1)												
Aroclor-1232 (2)												
Aroclor-1232 (3)												
Aroclor-1232 (4)												
Aroclor 1242	20	3.476957E-02	50	3.251176E-02	100	3.574202E-02	250	3.627235E-02	500	0.0361029	1000	0.0348766
Aroclor-1242 (1)	20	1.894782E-02	50	2.152568E-02	100	2.336447E-02	250	2.359921E-02	500	2.299109E-02	1000	2.182021E-02
Aroclor-1242 (2)	20	5.663612E-02	50	5.706852E-02	100	6.610672E-02	250	7.095404E-02	500	7.201235E-02	1000	7.146865E-02
Aroclor-1242 (3)	20	4.583842E-02	50	3.531016E-02	100	3.720097E-02	250	3.521151E-02	500	3.564921E-02	1000	3.412729E-02
Aroclor-1242 (4)	20	1.765592E-02	50	1.614269E-02	100	1.629592E-02	250	1.532464E-02	500	1.375896E-02	1000	1.209024E-02
Aroclor 1248												
Aroclor-1248 (1)												
Aroclor-1248 (2)												
Aroclor-1248 (3)												
Aroclor-1248 (4)												
Aroclor 1254												
Aroclor-1254 (1)												
Aroclor-1254 (2)												
Aroclor-1254 (3)												
Aroclor-1254 (4)												
Aroclor-1254 (5)												
Aroclor-1262 (1)												
Aroclor-1262 (2)												
Aroclor-1262 (3)												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 07		Level 08		Level 09		Level 10		Level 11		Level 12	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor-1262 (4)												
Aroclor-1268 (1)												
Aroclor-1268 (2)												
Aroclor-1268 (3)												
Aroclor-1268 (4)												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 13		Level 14		Level 15		Level 16		Level 17		Level 18	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1248	20	4.277049E-02	50	4.586843E-02	100	4.478412E-02	250	4.573699E-02	500	4.502952E-02	1000	4.273277E-02
Aroclor-1248 (1)	20	3.027179E-02	50	3.457133E-02	100	0.0326326	250	3.463825E-02	500	3.494353E-02	1000	3.409812E-02
Aroclor-1248 (2)	20	3.872679E-02	50	4.418321E-02	100	4.305407E-02	250	4.595423E-02	500	4.598635E-02	1000	4.466949E-02
Aroclor-1248 (3)	20	6.153453E-02	50	6.328759E-02	100	6.556992E-02	250	0.0663208	500	6.567134E-02	1000	6.210098E-02
Aroclor-1248 (4)	20	4.054886E-02	50	4.143157E-02	100	0.0378799	250	3.603467E-02	500	3.351685E-02	1000	3.006244E-02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 19		Level 20		Level 21		Level 22		Level 23		Level 24	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1016												
Aroclor-1016 (1)												
Aroclor-1016 (2)												
Aroclor-1016 (3)												
Aroclor-1016 (4)												
Aroclor 1254	20	0.0553437	50	5.697553E-02	100	5.740632E-02	250	5.907612E-02	500	5.847785E-02	1000	5.576525E-02
Aroclor-1254 (1)	20	7.163779E-02	50	0.0694659	100	6.902673E-02	250	7.004227E-02	500	6.891729E-02	1000	6.501982E-02
Aroclor-1254 (2)	20	3.299361E-02	50	3.464937E-02	100	3.312192E-02	250	3.311742E-02	500	3.111858E-02	1000	2.670265E-02
Aroclor-1254 (3)	20	4.922704E-02	50	4.279015E-02	100	4.317994E-02	250	4.501395E-02	500	4.520795E-02	1000	4.449624E-02
Aroclor-1254 (4)	20	7.660199E-02	50	8.623033E-02	100	8.820416E-02	250	9.026987E-02	500	8.928537E-02	1000	8.506473E-02
Aroclor-1254 (5)	20	4.625809E-02	50	5.174191E-02	100	5.349887E-02	250	5.693709E-02	500	5.786004E-02	1000	5.754279E-02
Aroclor 1260												
Aroclor-1260 (1)												
Aroclor-1260 (2)												
Aroclor-1260 (3)												
Aroclor-1260 (4)												
Aroclor-1260 (5)												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 25		Level 26		Level 27		Level 28		Level 29		Level 30	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1221	20	1.344016E-02	50	1.362337E-02	100	1.424699E-02	250	1.556865E-02	500	1.496468E-02	1000	1.410511E-02
Aroclor-1221 (1)	20	6.102735E-03	50	6.616017E-03	100	6.915718E-03	250	6.699115E-03	500	6.032524E-03	1000	5.539604E-03
Aroclor-1221 (2)	20	8.599308E-03	50	8.383142E-03	100	9.463615E-03	250	1.119347E-02	500	1.106774E-02	1000	1.071014E-02
Aroclor-1221 (3)	20	2.561843E-02	50	2.587095E-02	100	2.636163E-02	250	2.881334E-02	500	2.779378E-02	1000	2.606558E-02
Aroclor 1232												
Aroclor-1232 (1)												
Aroclor-1232 (2)												
Aroclor-1232 (3)												
Aroclor-1232 (4)												
Aroclor 1242												
Aroclor-1242 (1)												
Aroclor-1242 (2)												
Aroclor-1242 (3)												
Aroclor-1242 (4)												
Aroclor 1248												
Aroclor-1248 (1)												
Aroclor-1248 (2)												
Aroclor-1248 (3)												
Aroclor-1248 (4)												
Aroclor 1254												
Aroclor-1254 (1)												
Aroclor-1254 (2)												
Aroclor-1254 (3)												
Aroclor-1254 (4)												
Aroclor-1254 (5)												
Aroclor-1262 (1)	20	5.134025E-02	50	4.712973E-02	100	4.785041E-02	250	4.922198E-02	500	4.998328E-02	1000	4.738766E-02
Aroclor-1262 (2)	20	3.096922E-02	50	2.863311E-02	100	0.0307571	250	3.227303E-02	500	3.368581E-02	1000	3.335815E-02
Aroclor-1262 (3)	20	0.046557	50	4.368276E-02	100	4.523577E-02	250	4.610753E-02	500	0.0468182	1000	4.504377E-02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 25		Level 26		Level 27		Level 28		Level 29		Level 30	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor-1262 (4)	20	0.0383223	50	3.598523E-02	100	3.699579E-02	250	3.807082E-02	500	0.0394668	1000	3.563971E-02
Aroclor-1268 (1)												
Aroclor-1268 (2)												
Aroclor-1268 (3)												
Aroclor-1268 (4)												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

Compound	Level 31		Level 32		Level 33		Level 34		Level 35		Level 36	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1232	20	1.402512E-02	50	1.590765E-02	100	1.784916E-02	250	1.895611E-02	500	1.948861E-02	1000	1.936821E-02
Aroclor-1232 (1)	20	4.656687E-03	50	4.246942E-03	100	0.0037225	250	3.695733E-03	500	3.631422E-03	1000	3.325733E-03
Aroclor-1232 (2)	20	1.975946E-02	50	1.981906E-02	100	2.118962E-02	250	2.245563E-02	500	2.213617E-02	1000	2.117687E-02
Aroclor-1232 (3)	20	2.266989E-02	50	2.831294E-02	100	3.249878E-02	250	3.501632E-02	500	3.681569E-02	1000	3.780662E-02
Aroclor-1232 (4)	20	9.014466E-03	50	1.125164E-02	100	1.398575E-02	250	1.465674E-02	500	1.537116E-02	1000	0.0151636
Aroclor-1268 (1)	20	0.1098826	50	0.1067175	100	0.1064917	250	0.1073455	500	0.1084757	1000	0.1050728
Aroclor-1268 (2)	20	0.116822	50	0.1125651	100	0.1123015	250	0.1123775	500	0.1131765	1000	0.1082687
Aroclor-1268 (3)	20	9.346653E-02	50	8.829601E-02	100	8.761007E-02	250	8.780397E-02	500	8.875903E-02	1000	8.540146E-02
Aroclor-1268 (4)	20	0.3021591	50	0.2885466	100	0.2854368	250	0.278664	500	0.2789172	1000	0.2801083

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor 1016	4.462184E-02	6.4			RSD (20)	
Aroclor 1016	4.462184E-02	6.4			RSD (20)	
Aroclor-1016 (1)	2.837331E-02	4.6			RSD (20)	
Aroclor-1016 (1)	2.837331E-02	4.6			RSD (20)	
Aroclor-1016 (2)	8.676496E-02	7.9			RSD (20)	
Aroclor-1016 (2)	8.676496E-02	7.9			RSD (20)	
Aroclor-1016 (3)	3.893833E-02	5.8			RSD (20)	
Aroclor-1016 (3)	3.893833E-02	5.8			RSD (20)	
Aroclor-1016 (4)	2.441076E-02	9.4			RSD (20)	
Aroclor-1016 (4)	2.441076E-02	9.4			RSD (20)	
Aroclor 1221	1.432483E-02	5.7			RSD (20)	
Aroclor 1221	1.432483E-02	5.7			RSD (20)	
Aroclor-1221 (1)	6.317619E-03	8.1			RSD (20)	
Aroclor-1221 (1)	6.317619E-03	8.1			RSD (20)	
Aroclor-1221 (2)	9.902902E-03	12.7			RSD (20)	
Aroclor-1221 (2)	9.902902E-03	12.7			RSD (20)	
Aroclor-1221 (3)	2.675395E-02	4.7			RSD (20)	
Aroclor-1221 (3)	2.675395E-02	4.7			RSD (20)	
Aroclor 1232	1.759914E-02	12.5			RSD (20)	
Aroclor 1232	1.759914E-02	12.5			RSD (20)	
Aroclor-1232 (1)	3.879836E-03	12.4			RSD (20)	
Aroclor-1232 (1)	3.879836E-03	12.4			RSD (20)	
Aroclor-1232 (2)	2.108947E-02	5.3			RSD (20)	
Aroclor-1232 (2)	2.108947E-02	5.3			RSD (20)	
Aroclor-1232 (3)	3.218671E-02	17.9			RSD (20)	
Aroclor-1232 (3)	3.218671E-02	17.9			RSD (20)	
Aroclor-1232 (4)	1.324056E-02	19.3			RSD (20)	
Aroclor-1232 (4)	1.324056E-02	19.3			RSD (20)	
Aroclor 1242	3.504587E-02	4.0			RSD (20)	
Aroclor 1242	3.504587E-02	4.0			RSD (20)	
Aroclor-1242 (1)	2.204141E-02	7.8			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor-1242 (1)	2.204141E-02	7.8			RSD (20)	
Aroclor-1242 (2)	6.570773E-02	10.9			RSD (20)	
Aroclor-1242 (2)	6.570773E-02	10.9			RSD (20)	
Aroclor-1242 (3)	3.722293E-02	11.6			RSD (20)	
Aroclor-1242 (3)	3.722293E-02	11.6			RSD (20)	
Aroclor-1242 (4)	1.521139E-02	13.1			RSD (20)	
Aroclor-1242 (4)	1.521139E-02	13.1			RSD (20)	
Aroclor 1248	4.448705E-02	3.2			RSD (20)	
Aroclor 1248	4.448705E-02	3.2			RSD (20)	
Aroclor-1248 (1)	3.352594E-02	5.3			RSD (20)	
Aroclor-1248 (1)	3.352594E-02	5.3			RSD (20)	
Aroclor-1248 (2)	4.376236E-02	6.2			RSD (20)	
Aroclor-1248 (2)	4.376236E-02	6.2			RSD (20)	
Aroclor-1248 (3)	6.408086E-02	3.2			RSD (20)	
Aroclor-1248 (3)	6.408086E-02	3.2			RSD (20)	
Aroclor-1248 (4)	3.657905E-02	11.8			RSD (20)	
Aroclor-1248 (4)	3.657905E-02	11.8			RSD (20)	
Aroclor 1254	5.717413E-02	2.6			RSD (20)	
Aroclor 1254	5.717413E-02	2.6			RSD (20)	
Aroclor-1254 (1)	0.0690183	3.2			RSD (20)	
Aroclor-1254 (1)	0.0690183	3.2			RSD (20)	
Aroclor-1254 (2)	3.195059E-02	8.8			RSD (20)	
Aroclor-1254 (2)	3.195059E-02	8.8			RSD (20)	
Aroclor-1254 (3)	4.498588E-02	5.1			RSD (20)	
Aroclor-1254 (3)	4.498588E-02	5.1			RSD (20)	
Aroclor-1254 (4)	8.594274E-02	5.8			RSD (20)	
Aroclor-1254 (4)	8.594274E-02	5.8			RSD (20)	
Aroclor-1254 (5)	5.397313E-02	8.3			RSD (20)	
Aroclor-1254 (5)	5.397313E-02	8.3			RSD (20)	
Aroclor 1260	4.612514E-02	3.4			RSD (20)	
Aroclor 1260	4.612514E-02	3.4			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (1):	ZB5

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor-1260 (1)	3.599233E-02	2.6			RSD (20)	
Aroclor-1260 (1)	3.599233E-02	2.6			RSD (20)	
Aroclor-1260 (2)	3.532504E-02	2.8			RSD (20)	
Aroclor-1260 (2)	3.532504E-02	2.8			RSD (20)	
Aroclor-1260 (3)	9.547413E-02	4.9			RSD (20)	
Aroclor-1260 (3)	9.547413E-02	4.9			RSD (20)	
Aroclor-1260 (4)	4.253646E-02	5.2			RSD (20)	
Aroclor-1260 (4)	4.253646E-02	5.2			RSD (20)	
Aroclor-1260 (5)	2.129777E-02	2.5			RSD (20)	
Aroclor-1260 (5)	2.129777E-02	2.5			RSD (20)	
Aroclor-1262 (1)	4.881889E-02	3.4			RSD (20)	
Aroclor-1262 (1)	4.881889E-02	3.4			RSD (20)	
Aroclor-1262 (2)	3.161274E-02	6.0			RSD (20)	
Aroclor-1262 (2)	3.161274E-02	6.0			RSD (20)	
Aroclor-1262 (3)	4.557417E-02	2.6			RSD (20)	
Aroclor-1262 (3)	4.557417E-02	2.6			RSD (20)	
Aroclor-1262 (4)	3.741344E-02	3.9			RSD (20)	
Aroclor-1262 (4)	3.741344E-02	3.9			RSD (20)	
Aroclor-1268 (1)	0.107331	1.6			RSD (20)	
Aroclor-1268 (1)	0.107331	1.6			RSD (20)	
Aroclor-1268 (2)	0.1125852	2.4			RSD (20)	
Aroclor-1268 (2)	0.1125852	2.4			RSD (20)	
Aroclor-1268 (3)	8.855618E-02	3.0			RSD (20)	
Aroclor-1268 (3)	8.855618E-02	3.0			RSD (20)	
Aroclor-1268 (4)	0.2856387	3.2			RSD (20)	
Aroclor-1268 (4)	0.2856387	3.2			RSD (20)	
Decachlorobiphenyl	0.726197	4.2			RSD (20)	
Tetrachlorometaxylene	0.9669678	3.7			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 01		Level 02		Level 03		Level 04		Level 05		Level 06	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1016 [2C]	20	5.289358E-02	50	5.145778E-02	100	5.630676E-02	250	0.0556822	500	5.249244E-02	1000	4.907115E-02
Aroclor-1016 (1) [2C]	20	4.881532E-02	50	4.733252E-02	100	4.794096E-02	250	4.698295E-02	500	4.353688E-02	1000	3.909537E-02
Aroclor-1016 (2) [2C]	20	0.1001049	50	9.891498E-02	100	0.1073098	250	0.1072367	500	0.1019062	1000	9.675428E-02
Aroclor-1016 (3) [2C]	20	3.847419E-02	50	3.675556E-02	100	4.334296E-02	250	4.291058E-02	500	4.064436E-02	1000	3.814541E-02
Aroclor-1016 (4) [2C]	20	2.417992E-02	50	2.282807E-02	100	2.663338E-02	250	2.559846E-02	500	2.388226E-02	1000	2.228951E-02
Aroclor 1260 [2C]	20	0.1172691	50	0.1129179	100	0.1134907	250	0.1125851	500	0.1058395	1000	0.1031616
Aroclor-1260 (1) [2C]	20	7.145358E-02	50	7.005835E-02	100	6.872649E-02	250	6.789764E-02	500	6.298428E-02	1000	5.789875E-02
Aroclor-1260 (2) [2C]	20	0.2035789	50	0.1973001	100	0.1959076	250	0.194694	500	0.1810824	1000	0.1871902
Aroclor-1260 (3) [2C]	20	0.135521	50	0.1275038	100	0.126307	250	0.1253256	500	0.1196637	1000	0.111429
Aroclor-1260 (4) [2C]	20	5.852306E-02	50	5.680915E-02	100	6.302172E-02	250	6.242312E-02	500	5.962761E-02	1000	5.612868E-02
Decachlorobiphenyl [2C]	3.2	1.717394	8	1.720152	16	1.802687	40	1.834638	80	1.813106		
Tetrachlorometaxylene [2C]	3.2	1.034676	8	1.014034	16	1.038575	40	1.047756	80	1.011409	160	1.021859

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 07		Level 08		Level 09		Level 10		Level 11		Level 12	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1221 [2C]												
Aroclor-1221 (1) [2C]												
Aroclor-1221 (2) [2C]												
Aroclor-1221 (3) [2C]												
Aroclor 1232 [2C]												
Aroclor-1232 (1) [2C]												
Aroclor-1232 (2) [2C]												
Aroclor-1232 (3) [2C]												
Aroclor-1232 (4) [2C]												
Aroclor 1242 [2C]	20	5.479372E-02	50	0.0483602	100	4.955642E-02	250	4.999233E-02	500	4.785558E-02	1000	4.398032E-02
Aroclor-1242 (1) [2C]	20	3.973442E-02	50	3.734827E-02	100	3.807644E-02	250	3.757722E-02	500	3.571596E-02	1000	3.223558E-02
Aroclor-1242 (2) [2C]	20	8.232323E-02	50	7.657779E-02	100	7.865959E-02	250	8.406963E-02	500	8.150517E-02	1000	7.624912E-02
Aroclor-1242 (3) [2C]	20	4.585178E-02	50	3.889532E-02	100	3.674847E-02	250	3.609264E-02	500	0.0342552	1000	3.211077E-02
Aroclor-1242 (4) [2C]	20	5.126546E-02	50	4.061943E-02	100	4.474117E-02	250	4.222976E-02	500	3.994598E-02	1000	0.0353258
Aroclor 1248 [2C]												
Aroclor-1248 (1) [2C]												
Aroclor-1248 (2) [2C]												
Aroclor-1248 (3) [2C]												
Aroclor-1248 (4) [2C]												
Aroclor 1254 [2C]												
Aroclor-1254 (1) [2C]												
Aroclor-1254 (2) [2C]												
Aroclor-1254 (3) [2C]												
Aroclor-1254 (4) [2C]												
Aroclor-1254 (5) [2C]												
Aroclor-1262 (1) [2C]												
Aroclor-1262 (2) [2C]												
Aroclor-1262 (3) [2C]												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 07		Level 08		Level 09		Level 10		Level 11		Level 12	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor-1262 (4) [2C]												
Aroclor-1268 (1) [2C]												
Aroclor-1268 (2) [2C]												
Aroclor-1268 (3) [2C]												
Aroclor-1268 (4) [2C]												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 13		Level 14		Level 15		Level 16		Level 17		Level 18	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1248 [2C]	20	5.282516E-02	50	4.853076E-02	100	4.819472E-02	250	4.798177E-02	500	4.676512E-02	1000	4.424796E-02
Aroclor-1248 (1) [2C]	20	3.759668E-02	50	0.0346058	100	3.111703E-02	250	3.339886E-02	500	0.0322471	1000	2.994466E-02
Aroclor-1248 (2) [2C]	20	3.966831E-02	50	3.935286E-02	100	4.152605E-02	250	4.204469E-02	500	0.0409495	1000	3.856972E-02
Aroclor-1248 (3) [2C]	20	0.0719664	50	6.625807E-02	100	6.680169E-02	250	6.290895E-02	500	6.103775E-02	1000	5.666339E-02
Aroclor-1248 (4) [2C]	20	6.206924E-02	50	5.390634E-02	100	5.333413E-02	250	0.0535745	500	0.0528261	1000	5.181404E-02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 19		Level 20		Level 21		Level 22		Level 23		Level 24	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1016 [2C]												
Aroclor-1016 (1) [2C]												
Aroclor-1016 (2) [2C]												
Aroclor-1016 (3) [2C]												
Aroclor-1016 (4) [2C]												
Aroclor 1254 [2C]	20	0.0907266	50	8.081978E-02	100	7.905142E-02	250	7.586303E-02	500	0.0737105	1000	6.961669E-02
Aroclor-1254 (1) [2C]	20	7.888876E-02	50	7.221584E-02	100	6.911081E-02	250	6.590108E-02	500	6.342195E-02	1000	5.885196E-02
Aroclor-1254 (2) [2C]	20	5.118135E-02	50	4.272583E-02	100	3.986894E-02	250	3.733085E-02	500	3.576026E-02	1000	3.280467E-02
Aroclor-1254 (3) [2C]	20	0.0594386	50	5.334983E-02	100	5.220844E-02	250	5.093623E-02	500	4.936532E-02	1000	0.0460384
Aroclor-1254 (4) [2C]	20	0.138452	50	0.1175468	100	0.1157566	250	0.1093424	500	0.1061771	1000	0.1026224
Aroclor-1254 (5) [2C]	20	0.1256723	50	0.1182606	100	0.1183123	250	0.1158046	500	0.1138278	1000	0.107766
Aroclor 1260 [2C]												
Aroclor-1260 (1) [2C]												
Aroclor-1260 (2) [2C]												
Aroclor-1260 (3) [2C]												
Aroclor-1260 (4) [2C]												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 25		Level 26		Level 27		Level 28		Level 29		Level 30	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1221 [2C]	20	1.523312E-02	50	1.489474E-02	100	1.520767E-02	250	1.469468E-02	500	1.419007E-02	1000	1.319573E-02
Aroclor-1221 (1) [2C]	20	6.287788E-03	50	6.851669E-03	100	6.745944E-03	250	5.928753E-03	500	5.407635E-03	1000	4.806184E-03
Aroclor-1221 (2) [2C]	20	1.435306E-02	50	1.351786E-02	100	1.387821E-02	250	1.382451E-02	500	1.376205E-02	1000	1.314042E-02
Aroclor-1221 (3) [2C]	20	2.505851E-02	50	0.0243147	100	2.499884E-02	250	2.433078E-02	500	2.340053E-02	1000	2.164058E-02
Aroclor 1232 [2C]												
Aroclor-1232 (1) [2C]												
Aroclor-1232 (2) [2C]												
Aroclor-1232 (3) [2C]												
Aroclor-1232 (4) [2C]												
Aroclor 1242 [2C]												
Aroclor-1242 (1) [2C]												
Aroclor-1242 (2) [2C]												
Aroclor-1242 (3) [2C]												
Aroclor-1242 (4) [2C]												
Aroclor 1248 [2C]												
Aroclor-1248 (1) [2C]												
Aroclor-1248 (2) [2C]												
Aroclor-1248 (3) [2C]												
Aroclor-1248 (4) [2C]												
Aroclor 1254 [2C]												
Aroclor-1254 (1) [2C]												
Aroclor-1254 (2) [2C]												
Aroclor-1254 (3) [2C]												
Aroclor-1254 (4) [2C]												
Aroclor-1254 (5) [2C]												
Aroclor-1262 (1) [2C]	20	0.1111232	50	0.1009989	100	9.894425E-02	250	9.581775E-02	500	9.184825E-02	1000	8.824609E-02
Aroclor-1262 (2) [2C]	20	0.2214786	50	0.2019168	100	0.2009354	250	0.196183	500	0.1980742	1000	0.2198905
Aroclor-1262 (3) [2C]	20	9.754009E-02	50	9.095849E-02	100	9.106464E-02	250	9.129503E-02	500	9.065447E-02	1000	8.823139E-02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 25		Level 26		Level 27		Level 28		Level 29		Level 30	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor-1262 (4) [2C]	20	8.699307E-02	50	8.138582E-02	100	8.705168E-02	250	8.696934E-02	500	8.658007E-02	1000	8.334053E-02
Aroclor-1268 (1) [2C]												
Aroclor-1268 (2) [2C]												
Aroclor-1268 (3) [2C]												
Aroclor-1268 (4) [2C]												

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

Compound	Level 31		Level 32		Level 33		Level 34		Level 35		Level 36	
		RRF		RRF		RRF		RRF		RRF		RRF
Aroclor 1232 [2C]	20	1.836796E-02	50	1.894627E-02	100	1.924847E-02	250	1.975315E-02	500	2.002037E-02	1000	0.019426
Aroclor-1232 (1) [2C]	20	4.045981E-03	50	3.755817E-03	100	3.942223E-03	250	3.521876E-03	500	3.234309E-03	1000	2.953095E-03
Aroclor-1232 (2) [2C]	20	2.084019E-02	50	2.101109E-02	100	2.121904E-02	250	2.149953E-02	500	2.090674E-02	1000	1.987726E-02
Aroclor-1232 (3) [2C]	20	4.103054E-02	50	4.175469E-02	100	4.038428E-02	250	4.152252E-02	500	4.364594E-02	1000	4.254588E-02
Aroclor-1232 (4) [2C]	20	7.555134E-03	50	9.263472E-03	100	1.144834E-02	250	1.246866E-02	500	1.229449E-02	1000	1.232776E-02
Aroclor-1268 (1) [2C]	20	0.2417854	50	0.2285366	100	0.2220159	250	0.2190865	500	0.237896	1000	0.2777864
Aroclor-1268 (2) [2C]	20	0.2636771	50	0.2482385	100	0.2463819	250	0.246669	500	0.2491593	1000	0.2964987
Aroclor-1268 (3) [2C]	20	0.2191666	50	0.2145831	100	0.2124203	250	0.2181113	500	0.2196614	1000	0.2621661
Aroclor-1268 (4) [2C]	20	0.0536096	50	5.183009E-02	100	5.229291E-02	250	0.0546515	500	5.573302E-02	1000	5.691635E-02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor 1016 [2C]	5.298399E-02	5.1			RSD (20)	
Aroclor 1016 [2C]	5.298399E-02	5.1			RSD (20)	
Aroclor-1016 (1) [2C]	4.561733E-02	8.0			RSD (20)	
Aroclor-1016 (1) [2C]	4.561733E-02	8.0			RSD (20)	
Aroclor-1016 (2) [2C]	0.1020378	4.3			RSD (20)	
Aroclor-1016 (2) [2C]	0.1020378	4.3			RSD (20)	
Aroclor-1016 (3) [2C]	4.004551E-02	6.7			RSD (20)	
Aroclor-1016 (3) [2C]	4.004551E-02	6.7			RSD (20)	
Aroclor-1016 (4) [2C]	2.423527E-02	6.8			RSD (20)	
Aroclor-1016 (4) [2C]	2.423527E-02	6.8			RSD (20)	
Aroclor 1221 [2C]	1.456933E-02	5.3			RSD (20)	
Aroclor 1221 [2C]	1.456933E-02	5.3			RSD (20)	
Aroclor-1221 (1) [2C]	6.004662E-03	13.2			RSD (20)	
Aroclor-1221 (1) [2C]	6.004662E-03	13.2			RSD (20)	
Aroclor-1221 (2) [2C]	1.374602E-02	2.9			RSD (20)	
Aroclor-1221 (2) [2C]	1.374602E-02	2.9			RSD (20)	
Aroclor-1221 (3) [2C]	2.395732E-02	5.4			RSD (20)	
Aroclor-1221 (3) [2C]	2.395732E-02	5.4			RSD (20)	
Aroclor 1232 [2C]	0.0192937	3.1			RSD (20)	
Aroclor 1232 [2C]	0.0192937	3.1			RSD (20)	
Aroclor-1232 (1) [2C]	3.57555E-03	11.8			RSD (20)	
Aroclor-1232 (1) [2C]	3.57555E-03	11.8			RSD (20)	
Aroclor-1232 (2) [2C]	2.089231E-02	2.6			RSD (20)	
Aroclor-1232 (2) [2C]	2.089231E-02	2.6			RSD (20)	
Aroclor-1232 (3) [2C]	4.181398E-02	2.8			RSD (20)	
Aroclor-1232 (3) [2C]	4.181398E-02	2.8			RSD (20)	
Aroclor-1232 (4) [2C]	1.089298E-02	18.6			RSD (20)	
Aroclor-1232 (4) [2C]	1.089298E-02	18.6			RSD (20)	
Aroclor 1242 [2C]	4.908976E-02	7.2			RSD (20)	
Aroclor 1242 [2C]	4.908976E-02	7.2			RSD (20)	
Aroclor-1242 (1) [2C]	3.678132E-02	7.0			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor-1242 (1) [2C]	3.678132E-02	7.0			RSD (20)	
Aroclor-1242 (2) [2C]	7.989742E-02	4.0			RSD (20)	
Aroclor-1242 (2) [2C]	7.989742E-02	4.0			RSD (20)	
Aroclor-1242 (3) [2C]	0.0373257	12.8			RSD (20)	
Aroclor-1242 (3) [2C]	0.0373257	12.8			RSD (20)	
Aroclor-1242 (4) [2C]	0.0423546	12.6			RSD (20)	
Aroclor-1242 (4) [2C]	0.0423546	12.6			RSD (20)	
Aroclor 1248 [2C]	4.809091E-02	5.8			RSD (20)	
Aroclor 1248 [2C]	4.809091E-02	5.8			RSD (20)	
Aroclor-1248 (1) [2C]	3.315169E-02	8.2			RSD (20)	
Aroclor-1248 (1) [2C]	3.315169E-02	8.2			RSD (20)	
Aroclor-1248 (2) [2C]	4.035186E-02	3.4			RSD (20)	
Aroclor-1248 (2) [2C]	4.035186E-02	3.4			RSD (20)	
Aroclor-1248 (3) [2C]	6.427271E-02	8.2			RSD (20)	
Aroclor-1248 (3) [2C]	6.427271E-02	8.2			RSD (20)	
Aroclor-1248 (4) [2C]	5.458739E-02	6.8			RSD (20)	
Aroclor-1248 (4) [2C]	5.458739E-02	6.8			RSD (20)	
Aroclor 1254 [2C]	0.078298	9.3			RSD (20)	
Aroclor 1254 [2C]	0.078298	9.3			RSD (20)	
Aroclor-1254 (1) [2C]	6.806507E-02	10.3			RSD (20)	
Aroclor-1254 (1) [2C]	6.806507E-02	10.3			RSD (20)	
Aroclor-1254 (2) [2C]	3.994532E-02	16.2			RSD (20)	
Aroclor-1254 (2) [2C]	3.994532E-02	16.2			RSD (20)	
Aroclor-1254 (3) [2C]	5.188947E-02	8.7			RSD (20)	
Aroclor-1254 (3) [2C]	5.188947E-02	8.7			RSD (20)	
Aroclor-1254 (4) [2C]	0.1149829	11.1			RSD (20)	
Aroclor-1254 (4) [2C]	0.1149829	11.1			RSD (20)	
Aroclor-1254 (5) [2C]	0.1166073	5.1			RSD (20)	
Aroclor-1254 (5) [2C]	0.1166073	5.1			RSD (20)	
Aroclor 1260 [2C]	0.1108773	4.8			RSD (20)	
Aroclor 1260 [2C]	0.1108773	4.8			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00034	Instrument:	ECD7
Calibration Date:	08/13/2021	Column (2):	ZB35

COMPOUND	Mean RRF	RRF RSD	Linear COD	Quad COD	Limit Type & Limit	Q
Aroclor-1260 (1) [2C]	6.650318E-02	7.7			RSD (20)	
Aroclor-1260 (1) [2C]	6.650318E-02	7.7			RSD (20)	
Aroclor-1260 (2) [2C]	0.1932922	4.1			RSD (20)	
Aroclor-1260 (2) [2C]	0.1932922	4.1			RSD (20)	
Aroclor-1260 (3) [2C]	0.1242917	6.5			RSD (20)	
Aroclor-1260 (3) [2C]	0.1242917	6.5			RSD (20)	
Aroclor-1260 (4) [2C]	5.942222E-02	4.8			RSD (20)	
Aroclor-1260 (4) [2C]	5.942222E-02	4.8			RSD (20)	
Aroclor-1262 (1) [2C]	9.782974E-02	8.2			RSD (20)	
Aroclor-1262 (1) [2C]	9.782974E-02	8.2			RSD (20)	
Aroclor-1262 (2) [2C]	0.2064131	5.5			RSD (20)	
Aroclor-1262 (2) [2C]	0.2064131	5.5			RSD (20)	
Aroclor-1262 (3) [2C]	9.162402E-02	3.4			RSD (20)	
Aroclor-1262 (3) [2C]	9.162402E-02	3.4			RSD (20)	
Aroclor-1262 (4) [2C]	8.538675E-02	2.8			RSD (20)	
Aroclor-1262 (4) [2C]	8.538675E-02	2.8			RSD (20)	
Aroclor-1268 (1) [2C]	0.2378511	9.0			RSD (20)	
Aroclor-1268 (1) [2C]	0.2378511	9.0			RSD (20)	
Aroclor-1268 (2) [2C]	0.2584374	7.6			RSD (20)	
Aroclor-1268 (2) [2C]	0.2584374	7.6			RSD (20)	
Aroclor-1268 (3) [2C]	0.2243515	8.4			RSD (20)	
Aroclor-1268 (3) [2C]	0.2243515	8.4			RSD (20)	
Aroclor-1268 (4) [2C]	5.417224E-02	3.6			RSD (20)	
Aroclor-1268 (4) [2C]	5.417224E-02	3.6			RSD (20)	
Decachlorobiphenyl [2C]	1.777595	3.1			RSD (20)	
Tetrachlorometaxylene [2C]	1.028052	1.4			RSD (20)	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:13:05PM

ANALYSIS SEQUENCE

SJH0176

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0176-CAL1	0.02PPM AR1660	QC		1	J008420	J008446	
SJH0176-CAL2	0.05PPM AR1660	QC		2	J008419	J008446	
SJH0176-CAL3	0.1PPM AR1660	QC		3	J008418	J008446	
SJH0176-CAL4	0.25PPM AR1660	QC		4	J008417	J008446	
SJH0176-CAL5	0.5PPM AR1660	QC		5	J008416	J008446	
SJH0176-CAL6	1PPM AR1660	QC		6	J008134	J008446	
SJH0176-CAL7	0.02PPM AR1242	QC		7	J008425	J008446	
SJH0176-CAL8	0.05PPM AR1242	QC		8	J008424	J008446	
SJH0176-CAL9	0.1PPM AR1242	QC		9	J008423	J008446	
SJH0176-CALA	0.25PPM AR1242	QC		10	J008422	J008446	
SJH0176-CALB	0.5PPM AR1242	QC		11	J008421	J008446	
SJH0176-CALC	1PPM AR1242	QC		12	J008397	J008446	
SJH0176-CALD	0.02PPM AR1248	QC		13	J008430	J008446	
SJH0176-CALE	0.05PPM AR1248	QC		14	J008429	J008446	
SJH0176-CALF	0.1PPM AR1248	QC		15	J008428	J008446	
SJH0176-CALG	0.25PPM AR1248	QC		16	J008427	J008446	
SJH0176-CALH	0.5PPM AR1248	QC		17	J008426	J008446	
SJH0176-CALI	1PPM AR1248	QC		18	J008398	J008446	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:27:01PM

ANALYSIS SEQUENCE

SJH0177

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0177-CAL1	0.02PPM AR1254	QC		1	J008435	J008446	
SJH0177-CAL2	0.05PPM AR1254	QC		2	J008434	J008446	
SJH0177-CAL3	0.1PPM AR1254	QC		3	J008433	J008446	
SJH0177-CAL4	0.25PPM AR1254	QC		4	J008432	J008446	
SJH0177-CAL5	0.5PPM AR1254	QC		5	J008431	J008446	
SJH0177-CAL6	1PPM AR1254	QC		6	J008399	J008446	
SJH0177-CAL7	0.02PPM AR2162	QC		7	J008440	J008446	
SJH0177-CAL8	0.05PPM AR2162	QC		8	J008439	J008446	
SJH0177-CAL9	0.1PPM AR2162	QC		9	J008438	J008446	
SJH0177-CALA	0.25PPM AR2162	QC		10	J008437	J008446	
SJH0177-CALB	0.5PPM AR2162	QC		11	J008436	J008446	
SJH0177-CALC	1PPM AR2162	QC		12	J008400	J008446	
SJH0177-CALD	0.02PPM AR3268	QC		13	J008445	J008446	
SJH0177-CALE	0.05PPM AR3268	QC		14	J008444	J008446	
SJH0177-CALF	0.1PPM AR3268	QC		15	J008443	J008446	
SJH0177-CALG	0.25PPM AR3268	QC		16	J008442	J008446	
SJH0177-CALH	0.5PPM AR3268	QC		17	J008441	J008446	
SJH0177-CALI	1PPM AR3268	QC		18	J008401	J008446	
SJH0177-SCV1	AR1660SCV1	QC		19	J008139	J008446	
SJH0177-SCV2	AR1242SCV2	QC		20	J008140	J008446	
SJH0177-SCV3	AR1248SCV3	QC		21	J008141	J008446	
SJH0177-SCV4	AR1254SCV4	QC		22	J008142	J008446	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:27:01PM

ANALYSIS SEQUENCE

SJH0177

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0177-SCV5	AR2162SCV5	QC		23	J008143	J008446	
SJH0177-SCV6	AR3268SCV6	QC		24	J008144	J008446	

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	13-AUG-2021 18:41	08132101.D	1	RINSE	
2	13-AUG-2021 19:02	08132102.D	1	RINSE	
3	13-AUG-2021 19:22	08132103.D	1	RINSE	
4	13-AUG-2021 19:43	08132104.D	1	SEQ-IBL1	
5	13-AUG-2021 20:03	08132105.D	1	SEQ-CAL1	
6	13-AUG-2021 20:24	08132106.D	1	SEQ-CAL2	
7	13-AUG-2021 20:44	08132107.D	1	SEQ-CAL3	
8	13-AUG-2021 21:05	08132108.D	1	SEQ-CAL4	
9	13-AUG-2021 21:25	08132109.D	1	SEQ-CAL5	
10	13-AUG-2021 21:46	08132110.D	1	SEQ-CAL6	
11	13-AUG-2021 22:06	08132111.D	1	SEQ-CAL7	
12	13-AUG-2021 22:27	08132112.D	1	SEQ-CAL8	
13	13-AUG-2021 22:47	08132113.D	1	SEQ-CAL9	
14	13-AUG-2021 23:08	08132114.D	1	SEQ-CALA	
15	13-AUG-2021 23:28	08132115.D	1	SEQ-CALB	
16	13-AUG-2021 23:49	08132116.D	1	SEQ-CALC	
17	14-AUG-2021 00:09	08132117.D	1	SEQ-CALD	
18	14-AUG-2021 00:30	08132118.D	1	SEQ-CALE	
19	14-AUG-2021 00:50	08132119.D	1	SEQ-CALF	
20	14-AUG-2021 01:11	08132120.D	1	SEQ-CALG	
21	14-AUG-2021 01:31	08132121.D	1	SEQ-CALH	
22	14-AUG-2021 01:52	08132122.D	1	SEQ-CALI	
23	14-AUG-2021 02:12	08132123.D	1	SEQ-CALJ	
24	14-AUG-2021 02:33	08132124.D	1	SEQ-CALK	
25	14-AUG-2021 02:53	08132125.D	1	SEQ-CALL	
26	14-AUG-2021 03:13	08132126.D	1	SEQ-CALM	
27	14-AUG-2021 03:34	08132127.D	1	SEQ-CALN	
28	14-AUG-2021 03:54	08132128.D	1	SEQ-CALO	
29	14-AUG-2021 04:15	08132129.D	1	SEQ-CALP	
30	14-AUG-2021 04:35	08132130.D	1	SEQ-CALQ	
31	14-AUG-2021 04:56	08132131.D	1	SEQ-CALR	
32	14-AUG-2021 05:16	08132132.D	1	SEQ-CALS	
33	14-AUG-2021 05:37	08132133.D	1	SEQ-CALT	
34	14-AUG-2021 05:57	08132134.D	1	SEQ-CALU	
35	14-AUG-2021 06:18	08132135.D	1	SEQ-CALV	
36	14-AUG-2021 06:38	08132136.D	1	SEQ-CALW	
37	14-AUG-2021 06:59	08132137.D	1	SEQ-CALX	
38	14-AUG-2021 07:19	08132138.D	1	SEQ-CALY	
39	14-AUG-2021 07:40	08132139.D	1	SEQ-CALZ	
40	14-AUG-2021 08:00	08132140.D	1	SEQ-CALAA	
41	14-AUG-2021 08:21	08132141.D	1	SEQ-SCV1	
42	14-AUG-2021 08:41	08132142.D	1	SEQ-SCV2	
43	14-AUG-2021 09:02	08132143.D	1	SEQ-SCV3	
44	14-AUG-2021 09:22	08132144.D	1	SEQ-SCV4	
45	14-AUG-2021 09:43	08132145.D	1	SEQ-SCV5	
46	14-AUG-2021 10:03	08132146.D	1	SEQ-SCV6	
47	14-AUG-2021 10:24	08132147.D	1	0.1PPMDDTS	
48	14-AUG-2021 10:44	08132148.D	1	DS	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

ARI Job No.: RINS Method: PCB.m Instrument: ecd7.i Date: 13-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242,
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242,
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242,
2308	08132114.D	SEQ-CALA		1	Aroclor-1242,
2328	08132115.D	SEQ-CALB		1	Aroclor-1242,
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248,

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0030	08132118.D	SEQ-CALE		1	Aroclor-1248,
0050	08132119.D	SEQ-CALF		1	Aroclor-1248,
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	NO MANUAL INTEGRATION
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION
0841	08132142.D	SEQ-SCV2		1	NO MANUAL INTEGRATION
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242 [2C],
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242 [2C],
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242 [2C],
2308	08132114.D	SEQ-CALA		1	NO MANUAL INTEGRATION
2328	08132115.D	SEQ-CALB		1	NO MANUAL INTEGRATION
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248 [2C],
0030	08132118.D	SEQ-CALE		1	Aroclor-1248 [2C],
0050	08132119.D	SEQ-CALF		1	NO MANUAL INTEGRATION
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	Aroclor-1248 [2C],
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0841	08132142.D	SEQ-SCV2		1	Aroclor-1242 [2C], Aroclor-1248 [2C],
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION

Security Status Report

Date: 16-Aug-2021 17:20

08132101ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132102ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132103ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132104ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132105ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132106ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132107ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132108ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132109ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132110ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132111ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132112ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132113ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132114ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132115ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132116ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132117ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132118ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132119ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132120ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132121ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132122ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132123ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132124ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132125ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132126ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132127ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132128ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132129ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132130ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132131ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132132ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132133ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132134ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132135ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132136ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132137ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132138ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132139ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132140ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132141ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132142ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132143ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132144ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

08132145ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132146ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132147ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132148ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

Security Status Report

Date: 16-Aug-2021 17:20

08132101ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132102ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132103ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132104ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132105ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132106ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132107ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132108ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132109ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132110ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132111ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132112ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132113ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132114ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132115ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132116ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132117ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132118ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132119ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132120ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132121ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132122ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132123ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132124ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132125ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132126ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132127ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132128ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132129ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132130ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132131ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132132ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132133ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132134ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132135ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132136ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132137ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132138ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132139ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132140ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132141ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132142ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132143ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132144ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

08132145ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132146ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132147ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132148ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m\PCB2.m
Last Edit : 14-Aug-2021 13:38 ecd7.i
Curve Type : Average

Calibration File Names:
Level 1: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132105.D
Level 2: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132106.D
Level 3: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132107.D
Level 4: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132108.D
Level 5: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132109.D
Level 6: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132110.D
Level 8: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132147.D
Level 9: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132136.D
Level 10: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132137.D
Level 11: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132138.D
Level 12: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132139.D
Level 13: \\target\share\chem4\ecd7.i\210813.b\210813.b\08132140.D

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
1 Aroclor-1221 [2C](1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.00629	0.00685	0.00675	0.00593	0.00541	0.00481	0.00600	13.209
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.01435	0.01352	0.01388	0.01382	0.01376	0.01314	0.01375	2.930
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.02506	0.02431	0.02500	0.02433	0.02340	0.02164	0.02396	5.359
4 Aroclor-1232 [2C](1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.00405	0.00376	0.00394	0.00352	0.00323	0.00295	0.00358	11.833
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.02084	0.02101	0.02122	0.02150	0.02091	0.01988	0.02089	2.642
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.04103	0.04175	0.04038	0.04152	0.04365	0.04255	0.04181	2.756
(4)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.00756	0.00926	0.01145	0.01247	0.01229	0.01233	0.01089	18.639

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m\PCB2.m
Last Edit : 14-Aug-2021 13:38 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
3 Aroclor-1242 [2C](1)	#####	#####	#####	#####	#####	#####		
	0.03973	0.03735	0.03808	0.03758	0.03572	0.03224	0.03678	7.001
(2)	#####	#####	#####	#####	#####	#####		
	0.08232	0.07658	0.07866	0.08407	0.08151	0.07625	0.07990	4.026
(3)	#####	#####	#####	#####	#####	#####		
	0.04585	0.03890	0.03675	0.03609	0.03426	0.03211	0.03733	12.772
(4)	#####	#####	#####	#####	#####	#####		
	0.05127	0.04062	0.04474	0.04223	0.03995	0.03533	0.04235	12.641
6 Aroclor-1248 [2C](1)	#####	#####	#####	#####	#####	#####		
	0.03760	0.03461	0.03112	0.03340	0.03225	0.02994	0.03315	8.225
(2)	#####	#####	#####	#####	#####	#####		
	0.03967	0.03935	0.04153	0.04204	0.04095	0.03857	0.04035	3.369
(3)	#####	#####	#####	#####	#####	#####		
	0.07197	0.06626	0.06680	0.06291	0.06104	0.05666	0.06427	8.226
(4)	#####	#####	#####	#####	#####	#####		
	0.06207	0.05391	0.05333	0.05357	0.05283	0.05181	0.05459	6.846
7 Aroclor-1016 [2C](1)	0.04882	0.04733	0.04794	0.04698	0.04354	0.03910		
	#####	#####	#####	#####	#####	#####	0.04562	8.042
(2)	0.10010	0.09891	0.10731	0.10724	0.10191	0.09675		
	#####	#####	#####	#####	#####	#####	0.10204	4.300
(3)	0.03847	0.03676	0.04334	0.04291	0.04064	0.03815		
	#####	#####	#####	#####	#####	#####	0.04005	6.732

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m\PCB2.m
Last Edit : 14-Aug-2021 13:38 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
(4)	0.02418	0.02283	0.02663	0.02560	0.02388	0.02229		
	#####	#####	#####	#####	#####	#####	0.02424	6.781
8 Aroclor-1254 [2C](1)	#####	#####	#####	#####	#####	#####		
	0.07889	0.07222	0.06911	0.06590	0.06342	0.05885	0.06807	10.318
(2)	#####	#####	#####	#####	#####	#####		
	0.05118	0.04273	0.03987	0.03733	0.03576	0.03280	0.03995	16.198
(3)	#####	#####	#####	#####	#####	#####		
	0.05944	0.05335	0.05221	0.05094	0.04937	0.04604	0.05189	8.650
(4)	#####	#####	#####	#####	#####	#####		
	0.13845	0.11755	0.11576	0.10934	0.10618	0.10262	0.11498	11.138
(5)	#####	#####	#####	#####	#####	#####		
	0.12567	0.11826	0.11831	0.11580	0.11383	0.10777	0.11661	5.064
10 Aroclor-1262 [2C](1)	#####	#####	#####	#####	#####	#####		
	0.11112	0.10100	0.09894	0.09582	0.09185	0.08825	0.09783	8.173
(2)	#####	#####	#####	#####	#####	#####		
	0.22148	0.20192	0.20094	0.19618	0.19807	0.21989	0.20641	5.451
(3)	#####	#####	#####	#####	#####	#####		
	0.09754	0.09096	0.09106	0.09130	0.09065	0.08823	0.09162	3.393
(4)	#####	#####	#####	#####	#####	#####		
	0.08699	0.08139	0.08705	0.08697	0.08658	0.08334	0.08539	2.844
9 Aroclor-1260 [2C](1)	0.07145	0.07006	0.06873	0.06790	0.06298	0.05790		
	#####	#####	#####	#####	#####	#####	0.06650	7.681

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m\PCB2.m
Last Edit : 14-Aug-2021 13:38 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
(2)	0.20358	0.19730	0.19591	0.19469	0.18108	0.18719		
	#####	#####	#####	#####	#####	#####	0.19329	4.119
(3)	0.13552	0.12750	0.12631	0.12533	0.11966	0.11143		
	#####	#####	#####	#####	#####	#####	0.12429	6.521
(4)	0.05852	0.05681	0.06302	0.06242	0.05963	0.05613		
	#####	#####	#####	#####	#####	#####	0.05942	4.789
11 Aroclor-1268 [2C](1)	#####	#####	#####	#####	#####	#####		
	0.24179	0.22854	0.22202	0.21909	0.23790	#####	0.22986	4.274
(2)	#####	#####	#####	#####	#####	#####		
	0.26368	0.24824	0.24638	0.24667	0.24916	#####	0.25083	2.900
(3)	#####	#####	#####	#####	#####	#####		
	0.21917	0.21458	0.21242	0.21811	0.21966	#####	0.21679	1.451
(4)	#####	#####	#####	#####	#####	#####		
	0.05361	0.05183	0.05229	0.05465	0.05573	#####	0.05362	3.021
41 2,4-DDE [2C]	#####	#####	#####	#####	#####	#####		
	2479	#####	#####	#####	#####	#####	2479	0.000
42 2,4-DDD [2C]	#####	#####	#####	#####	#####	#####		
	1258	#####	#####	#####	#####	#####	1258	0.000
44 4,4-DDE [2C]	#####	#####	#####	#####	#####	#####		
	1581	#####	#####	#####	#####	#####	1581	0.000
45 4,4-DDD/2,4-DDT [2C]	#####	#####	#####	#####	#####	#####		
	1766	#####	#####	#####	#####	#####	1766	0.000

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m\PCB2.m
Last Edit : 14-Aug-2021 13:38 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
46 4,4-DDT [2C]	+++++	+++++	+++++	+++++	+++++	+++++		
	721	+++++	+++++	+++++	+++++	+++++	721	0.000
48 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
49 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
$ 2 Tetrachloro-m-xylene [2C]	1.03468	1.01403	1.03858	1.04776	1.01141	1.02186		
	+++++	+++++	+++++	+++++	+++++	+++++	1.02805	1.413
$ 13 Decachlorobiphenyl [2C]	1.71739	1.72015	1.80269	1.83464	1.81311	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	1.77760	3.090

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m
Last Edit : 14-Aug-2021 15:07 ecd7.i
Curve Type : Average

Calibration File Names:
Level 1: \\target\share\chem4\ecd7.i\210813.b\08132105.D
Level 2: \\target\share\chem4\ecd7.i\210813.b\08132106.D
Level 3: \\target\share\chem4\ecd7.i\210813.b\08132107.D
Level 4: \\target\share\chem4\ecd7.i\210813.b\08132108.D
Level 5: \\target\share\chem4\ecd7.i\210813.b\08132109.D
Level 6: \\target\share\chem4\ecd7.i\210813.b\08132110.D
Level 8: \\target\share\chem4\ecd7.i\210813.b\08132147.D
Level 9: \\target\share\chem4\ecd7.i\210813.b\08132136.D
Level 10: \\target\share\chem4\ecd7.i\210813.b\08132137.D
Level 11: \\target\share\chem4\ecd7.i\210813.b\08132138.D
Level 12: \\target\share\chem4\ecd7.i\210813.b\08132139.D
Level 13: \\target\share\chem4\ecd7.i\210813.b\08132140.D

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
2 Aroclor-1221(1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.00610	0.00662	0.00692	0.00670	0.00603	0.00554	0.00632	8.149
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.00860	0.00838	0.00946	0.01119	0.01107	0.01071	0.00990	12.674
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.02562	0.02587	0.02636	0.02881	0.02779	0.02607	0.02675	4.734
3 Aroclor-1242(1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.01895	0.02153	0.02336	0.02360	0.02299	0.02182	0.02204	7.849
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.05664	0.05707	0.06611	0.07095	0.07201	0.07147	0.06571	10.923
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.04584	0.03531	0.03720	0.03521	0.03565	0.03413	0.03722	11.648
(4)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.01766	0.01614	0.01630	0.01532	0.01376	0.01209	0.01521	13.110

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m
Last Edit : 14-Aug-2021 15:07 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
4 Aroclor-1232(1)	#####	#####	#####	#####	#####	#####		
	0.00466	0.00425	0.00372	0.00370	0.00363	0.00333	0.00388	12.445
(2)	#####	#####	#####	#####	#####	#####		
	0.01976	0.01982	0.02119	0.02246	0.02214	0.02118	0.02109	5.349
(3)	#####	#####	#####	#####	#####	#####		
	0.02267	0.02831	0.03250	0.03502	0.03682	0.03781	0.03219	17.939
(4)	#####	#####	#####	#####	#####	#####		
	0.00901	0.01125	0.01399	0.01466	0.01537	0.01516	0.01324	19.289
7 Aroclor-1016(1)	0.02649	0.02912	0.02940	0.02964	0.02850	0.02709		
	#####	#####	#####	#####	#####	#####	0.02837	4.572
(2)	0.07428	0.08423	0.08746	0.09203	0.09182	0.09075		
	#####	#####	#####	#####	#####	#####	0.08676	7.851
(3)	0.03555	0.04093	0.04059	0.04075	0.03888	0.03692		
	#####	#####	#####	#####	#####	#####	0.03894	5.798
(4)	0.01991	0.02422	0.02511	0.02593	0.02582	0.02547		
	#####	#####	#####	#####	#####	#####	0.02441	9.375
6 Aroclor-1248(1)	#####	#####	#####	#####	#####	#####		
	0.03027	0.03457	0.03263	0.03464	0.03494	0.03410	0.03353	5.345
(2)	#####	#####	#####	#####	#####	#####		
	0.03873	0.04418	0.04305	0.04595	0.04599	0.04467	0.04376	6.183
(3)	#####	#####	#####	#####	#####	#####		
	0.06153	0.06329	0.06557	0.06632	0.06567	0.06210	0.06408	3.183

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m
Last Edit : 14-Aug-2021 15:07 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
(4)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.04055	0.04143	0.03788	0.03603	0.03352	0.03006	0.03658	11.799
8 Aroclor-1254(1)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.07164	0.06947	0.06903	0.07004	0.06892	0.06502	0.06902	3.182
(2)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.03299	0.03465	0.03312	0.03312	0.03112	0.02670	0.03195	8.779
(3)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.04923	0.04279	0.04318	0.04501	0.04521	0.04450	0.04499	5.104
(4)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.07660	0.08623	0.08820	0.09027	0.08929	0.08506	0.08594	5.774
(5)	++++++	++++++	++++++	++++++	++++++	++++++		
	0.04626	0.05174	0.05350	0.05694	0.05786	0.05754	0.05397	8.342
9 Aroclor-1260(1)	0.03649	0.03600	0.03588	0.03720	0.03606	0.03432		
	++++++	++++++	++++++	++++++	++++++	++++++	0.03599	2.646
(2)	0.03493	0.03435	0.03497	0.03686	0.03620	0.03463		
	++++++	++++++	++++++	++++++	++++++	++++++	0.03533	2.785
(3)	0.09844	0.09113	0.09296	0.09789	0.10200	0.09044		
	++++++	++++++	++++++	++++++	++++++	++++++	0.09547	4.862
(4)	0.03984	0.04042	0.04182	0.04477	0.04503	0.04333		
	++++++	++++++	++++++	++++++	++++++	++++++	0.04254	5.160
(5)	0.02079	0.02106	0.02133	0.02210	0.02175	0.02075		
	++++++	++++++	++++++	++++++	++++++	++++++	0.02130	2.541

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m
Last Edit : 14-Aug-2021 15:07 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
10 Aroclor-1262(1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.05134	0.04713	0.04785	0.04922	0.04998	0.04739	0.04882	3.393
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.03097	0.02863	0.03076	0.03227	0.03369	0.03336	0.03161	5.969
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.04656	0.04368	0.04524	0.04611	0.04682	0.04504	0.04557	2.553
(4)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.03832	0.03599	0.03700	0.03807	0.03947	0.03564	0.03741	3.935
11 Aroclor-1268(1)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.10988	0.10672	0.10649	0.10735	0.10848	0.10507	0.10733	1.559
(2)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.11682	0.11257	0.11230	0.11238	0.11318	0.10827	0.11259	2.418
(3)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.09347	0.08830	0.08761	0.08780	0.08876	0.08540	0.08856	3.015
(4)	+++++	+++++	+++++	+++++	+++++	+++++		
	0.30216	0.28855	0.28544	0.27866	0.27892	0.28011	0.28564	3.154
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++		
	1168	+++++	+++++	+++++	+++++	+++++	1168	0.000
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++		
	1454	+++++	+++++	+++++	+++++	+++++	1454	0.000
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++

ARI Labs, Inc.

INITIAL CALIBRATION DATA

Start Cal Date : 13-AUG-2021 20:03
End Cal Date : 14-AUG-2021 10:24
Quant Method : ISTD
Origin : Disabled
Target Version : 4.14
Integrator : HP Genie
Method file : \\target\share\chem4\ecd7.i\210813.b\PCB.m
Last Edit : 14-Aug-2021 15:07 ecd7.i
Curve Type : Average

Compound	20.000 Level 1	50.000 Level 2	100.000 Level 3	250.000 Level 4	500.000 Level 5	1000.000 Level 6	___ RRF	% RSD
	0.000e+00 Level 8	0.000e+00 Level 9	0.000e+00 Level 10	0.000e+00 Level 11	0.000e+00 Level 12	0.000e+00 Level 13		
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++		
	1936	+++++	+++++	+++++	+++++	+++++	1936	0.000
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++		
	2956	+++++	+++++	+++++	+++++	+++++	2956	0.000
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++		
	709	+++++	+++++	+++++	+++++	+++++	709	0.000
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++		
	+++++	+++++	+++++	+++++	+++++	+++++	+++++	+++++
$ 1 Tetrachloro-m-xylene	0.93937	0.91421	0.97581	1.01321	0.99259	0.96662		
	+++++	+++++	+++++	+++++	+++++	+++++	0.96697	3.705
$ 13 Decachlorobiphenyl	0.74318	0.73021	0.74556	0.75250	0.71633	0.66941		
	+++++	+++++	+++++	+++++	+++++	+++++	0.72620	4.219

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132105	08132106	08132107	08132108	08132109	08132110
INJ.DATE:	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021
INJ.TIME:	20:03	20:24	20:44	21:05	21:25	21:46

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.853	2.852	2.854	2.853	2.852	2.851	2.853	2.753-2.953	2.852	0.001
$ 1 Tetrachloro-m-xylene	5.068	5.068	5.068	5.067	5.068	5.069	5.068	4.968-5.168	5.068	0.001
2 Aroclor-1221	#####	#####	#####	#####	#####	#####	4.015	3.915-4.115	#####	#####
3 Aroclor-1242	#####	#####	#####	#####	#####	#####	6.660	6.560-6.760	#####	#####
4 Aroclor-1232	#####	#####	#####	#####	#####	#####	4.018	3.918-4.118	#####	#####
7 Aroclor-1016	6.660	6.659	6.660	6.659	6.659	6.658	6.660	6.560-6.760	6.659	0.001
6 Aroclor-1248	#####	#####	#####	#####	#####	#####	7.799	7.699-7.899	#####	#####
8 Aroclor-1254	#####	#####	#####	#####	#####	#####	8.675	8.575-8.775	#####	#####
9 Aroclor-1260	10.387	10.385	10.385	10.384	10.384	10.383	10.387	10.287-10.487	10.385	0.001
10 Aroclor-1262	#####	#####	#####	#####	#####	#####	10.384	10.284-10.484	#####	#####
11 Aroclor-1268	#####	#####	#####	#####	#####	#####	11.557	11.457-11.657	#####	#####
$ 13 Decachlorobiphenyl	13.163	13.164	13.164	13.164	13.165	13.165	13.163	13.063-13.263	13.164	0.001
* 12 IS-HBBP	13.517	13.519	13.518	13.519	13.519	13.518	13.517	13.417-13.617	13.518	0.001
42 2,4-DDE	#####	#####	#####	#####	#####	#####	8.655	8.605-8.705	#####	#####
43 2,4-DDD	#####	#####	#####	#####	#####	#####	9.186	9.136-9.236	#####	#####
44 2,4-DDT	#####	#####	#####	#####	#####	#####	9.668	9.618-9.718	#####	#####
46 4,4-DDE	#####	#####	#####	#####	#####	#####	9.066	8.966-9.166	#####	#####

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132111	08132112	08132113	08132114	08132115	08132116
INJ.DATE:	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021	13-AUG-2021
INJ.TIME:	22:06	22:27	22:47	23:08	23:28	23:49

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.852	2.854	2.853	2.855	2.854	2.853	2.852	2.752-2.952	2.853	0.001
$ 1 Tetrachloro-m-xylene	5.069	5.068	5.068	5.069	5.070	5.069	5.069	4.969-5.169	5.069	0.001
2 Aroclor-1221	+++++	+++++	+++++	+++++	+++++	+++++	4.015	3.915-4.115	+++++	+++++
3 Aroclor-1242	6.661	6.662	6.661	6.660	6.660	6.659	6.661	6.561-6.761	6.660	0.001
4 Aroclor-1232	+++++	+++++	+++++	+++++	+++++	+++++	4.018	3.918-4.118	+++++	+++++
7 Aroclor-1016	+++++	+++++	+++++	+++++	+++++	+++++	6.658	6.558-6.758	+++++	+++++
6 Aroclor-1248	+++++	+++++	+++++	+++++	+++++	+++++	7.799	7.699-7.899	+++++	+++++
8 Aroclor-1254	+++++	+++++	+++++	+++++	+++++	+++++	8.675	8.575-8.775	+++++	+++++
9 Aroclor-1260	+++++	+++++	+++++	+++++	+++++	+++++	10.383	10.283-10.483	+++++	+++++
10 Aroclor-1262	+++++	+++++	+++++	+++++	+++++	+++++	10.384	10.284-10.484	+++++	+++++
11 Aroclor-1268	+++++	+++++	+++++	+++++	+++++	+++++	11.557	11.457-11.657	+++++	+++++
$ 13 Decachlorobiphenyl	13.165	13.165	13.165	13.165	13.165	13.166	13.165	13.065-13.265	13.165	0.000
* 12 IS-HBBP	13.520	13.519	13.520	13.521	13.520	13.520	13.520	13.420-13.620	13.520	0.000
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	8.655	8.605-8.705	+++++	+++++
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.186	9.136-9.236	+++++	+++++
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	9.668	9.618-9.718	+++++	+++++
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	9.066	8.966-9.166	+++++	+++++

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132117	08132118	08132119	08132120	08132121	08132122
INJ.DATE:	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021
INJ.TIME:	00:09	00:30	00:50	01:11	01:31	01:52

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.853	2.854	2.852	2.853	2.853	2.854	2.853	2.753-2.953	2.853	0.001
$ 1 Tetrachloro-m-xylene	5.068	5.069	5.068	5.068	5.069	5.070	5.068	4.968-5.168	5.069	0.001
2 Aroclor-1221	+++++	+++++	+++++	+++++	+++++	+++++	4.015	3.915-4.115	+++++	+++++
3 Aroclor-1242	+++++	+++++	+++++	+++++	+++++	+++++	6.659	6.559-6.759	+++++	+++++
4 Aroclor-1232	+++++	+++++	+++++	+++++	+++++	+++++	4.018	3.918-4.118	+++++	+++++
7 Aroclor-1016	+++++	+++++	+++++	+++++	+++++	+++++	6.658	6.558-6.758	+++++	+++++
6 Aroclor-1248	7.799	7.803	7.800	7.800	7.801	7.799	7.799	7.699-7.899	7.800	0.001
8 Aroclor-1254	+++++	+++++	+++++	+++++	+++++	+++++	8.675	8.575-8.775	+++++	+++++
9 Aroclor-1260	+++++	+++++	+++++	+++++	+++++	+++++	10.383	10.283-10.483	+++++	+++++
10 Aroclor-1262	+++++	+++++	+++++	+++++	+++++	+++++	10.384	10.284-10.484	+++++	+++++
11 Aroclor-1268	+++++	+++++	+++++	+++++	+++++	+++++	11.557	11.457-11.657	+++++	+++++
$ 13 Decachlorobiphenyl	13.165	13.164	13.165	13.165	13.164	13.166	13.165	13.065-13.265	13.165	0.001
* 12 IS-HBBP	13.520	13.520	13.521	13.521	13.520	13.520	13.520	13.420-13.620	13.520	0.001
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	8.655	8.605-8.705	+++++	+++++
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.186	9.136-9.236	+++++	+++++
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	9.668	9.618-9.718	+++++	+++++
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	9.066	8.966-9.166	+++++	+++++

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132123	08132124	08132125	08132126	08132127	08132128
INJ.DATE:	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021
INJ.TIME:	02:12	02:33	02:53	03:13	03:34	03:54

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.852	2.851	2.852	2.851	2.853	2.853	2.852	2.752-2.952	2.852	0.001
$ 1 Tetrachloro-m-xylene	5.069	5.068	5.068	5.067	5.069	5.069	5.069	4.969-5.169	5.068	0.001
2 Aroclor-1221	+++++	+++++	+++++	+++++	+++++	+++++	4.015	3.915-4.115	+++++	+++++
3 Aroclor-1242	+++++	+++++	+++++	+++++	+++++	+++++	6.659	6.559-6.759	+++++	+++++
4 Aroclor-1232	+++++	+++++	+++++	+++++	+++++	+++++	4.018	3.918-4.118	+++++	+++++
7 Aroclor-1016	+++++	+++++	+++++	+++++	+++++	+++++	6.658	6.558-6.758	+++++	+++++
6 Aroclor-1248	+++++	+++++	+++++	+++++	+++++	+++++	7.799	7.699-7.899	+++++	+++++
8 Aroclor-1254	8.681	8.680	8.680	8.677	8.676	8.675	8.681	8.581-8.781	8.678	0.002
9 Aroclor-1260	+++++	+++++	+++++	+++++	+++++	+++++	10.383	10.283-10.483	+++++	+++++
10 Aroclor-1262	+++++	+++++	+++++	+++++	+++++	+++++	10.384	10.284-10.484	+++++	+++++
11 Aroclor-1268	+++++	+++++	+++++	+++++	+++++	+++++	11.557	11.457-11.657	+++++	+++++
$ 13 Decachlorobiphenyl	13.166	13.165	13.166	13.166	13.166	13.166	13.166	13.066-13.266	13.166	0.000
* 12 IS-HBBP	13.521	13.521	13.522	13.521	13.520	13.520	13.521	13.421-13.621	13.520	0.001
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	8.655	8.605-8.705	+++++	+++++
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.186	9.136-9.236	+++++	+++++
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	9.668	9.618-9.718	+++++	+++++
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	9.066	8.966-9.166	+++++	+++++

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132129	08132130	08132131	08132132	08132133	08132134
INJ.DATE:	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021
INJ.TIME:	04:15	04:35	04:56	05:16	05:37	05:57

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.854	2.852	2.852	2.854	2.855	2.855	2.854	2.754-2.954	2.853	0.001
$ 1 Tetrachloro-m-xylene	5.068	5.068	5.068	5.069	5.070	5.070	5.068	4.968-5.168	5.069	0.001
2 Aroclor-1221	4.020	4.015	4.015	4.015	4.015	4.015	4.020	3.920-4.120	4.016	0.002
3 Aroclor-1242	+++++	+++++	+++++	+++++	+++++	+++++	6.659	6.559-6.759	+++++	+++++
4 Aroclor-1232	+++++	+++++	+++++	+++++	+++++	+++++	4.018	3.918-4.118	+++++	+++++
7 Aroclor-1016	+++++	+++++	+++++	+++++	+++++	+++++	6.658	6.558-6.758	+++++	+++++
6 Aroclor-1248	+++++	+++++	+++++	+++++	+++++	+++++	7.799	7.699-7.899	+++++	+++++
8 Aroclor-1254	+++++	+++++	+++++	+++++	+++++	+++++	8.675	8.575-8.775	+++++	+++++
9 Aroclor-1260	+++++	+++++	+++++	+++++	+++++	+++++	10.383	10.283-10.483	+++++	+++++
10 Aroclor-1262	10.388	10.388	10.387	10.386	10.384	10.384	10.388	10.288-10.488	10.386	0.002
11 Aroclor-1268	+++++	+++++	+++++	+++++	+++++	+++++	11.557	11.457-11.657	+++++	+++++
$ 13 Decachlorobiphenyl	13.165	13.165	13.165	13.165	13.165	13.166	13.165	13.065-13.265	13.165	0.000
* 12 IS-HBBP	13.520	13.522	13.519	13.519	13.520	13.519	13.520	13.420-13.620	13.520	0.001
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	8.655	8.605-8.705	+++++	+++++
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.186	9.136-9.236	+++++	+++++
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	9.668	9.618-9.718	+++++	+++++
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	9.066	8.966-9.166	+++++	+++++

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

ID:	RT01	RT02	RT03	RT04	RT05	RT06
FILENAME:	08132135	08132136	08132137	08132138	08132139	08132140
INJ.DATE:	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021	14-AUG-2021
INJ.TIME:	06:18	06:38	06:59	07:19	07:40	08:00

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
* 41 IS-BNB	2.853	2.854	2.856	2.856	2.854	2.855	2.853	2.753-2.953	2.855	0.001
$ 1 Tetrachloro-m-xylene	5.069	5.069	5.071	5.071	5.071	5.072	5.069	4.969-5.169	5.070	0.001
2 Aroclor-1221	+++++	+++++	+++++	+++++	+++++	+++++	4.015	3.915-4.115	+++++	+++++
3 Aroclor-1242	+++++	+++++	+++++	+++++	+++++	+++++	6.659	6.559-6.759	+++++	+++++
4 Aroclor-1232	4.020	4.014	4.017	4.018	4.016	4.018	4.020	3.920-4.120	4.017	0.002
7 Aroclor-1016	+++++	+++++	+++++	+++++	+++++	+++++	6.658	6.558-6.758	+++++	+++++
6 Aroclor-1248	+++++	+++++	+++++	+++++	+++++	+++++	7.799	7.699-7.899	+++++	+++++
8 Aroclor-1254	+++++	+++++	+++++	+++++	+++++	+++++	8.675	8.575-8.775	+++++	+++++
9 Aroclor-1260	+++++	+++++	+++++	+++++	+++++	+++++	10.383	10.283-10.483	+++++	+++++
10 Aroclor-1262	+++++	+++++	+++++	+++++	+++++	+++++	10.384	10.284-10.484	+++++	+++++
11 Aroclor-1268	11.560	11.559	11.558	11.557	11.557	11.557	11.560	11.460-11.660	11.558	0.001
$ 13 Decachlorobiphenyl	13.165	13.165	13.165	13.165	13.165	13.166	13.165	13.065-13.265	13.165	0.000
* 12 IS-HBBP	13.520	13.520	13.521	13.521	13.519	13.519	13.520	13.420-13.620	13.520	0.001
42 2,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	8.655	8.605-8.705	+++++	+++++
43 2,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.186	9.136-9.236	+++++	+++++
44 2,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	9.668	9.618-9.718	+++++	+++++
46 4,4-DDE	+++++	+++++	+++++	+++++	+++++	+++++	9.066	8.966-9.166	+++++	+++++

Reviewer 1 _____ Date: _____
Reviewer 2 _____ Date: _____

ARI Labs, Inc.
RETENTION TIME SUMMARY REPORT

Method File: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Batch File: \\target\share\chem4\ecd7.i\210813.b
Inst ID: ecd7.i

Compound	RT01	RT02	RT03	RT04	RT05	RT06	EXPEC RT	RT WINDOW	AVG RT	STD DEV
47 4,4-DDD	+++++	+++++	+++++	+++++	+++++	+++++	9.630	9.530-9.730	+++++	+++++
48 4,4-DDT	+++++	+++++	+++++	+++++	+++++	+++++	10.114	10.014-10.214	+++++	+++++
49 Hexachlorobutadiene	+++++	+++++	+++++	+++++	+++++	+++++	1.842	1.742-1.942	+++++	+++++
50 Hexachlorobenzene	+++++	+++++	+++++	+++++	+++++	+++++	6.708	6.608-6.808	+++++	+++++

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132104ECD7.D
Data file 2: /210813.b/210813.b/08132104ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-IBL1
Client ID:
Injection Date: 13-AUG-2021 19:43
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	126172	5.412	-0.004	360712	44.0	42.2	4.2	Tetrachloro-m-xylene
13.165	-0.001	154941	13.847	-0.033	746026	43.2	42.7	1.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	237189	-8.4
Hexabromobiphenyl	425681	395219	-7.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	664936	-7.8
Hexabromobiphenyl	863111	787155	-8.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	---			0.0	1	---			0.0
Aroclor-1016	2	---			0.0	2	---			0.0
Aroclor-1016	3	---			0.0	3	---			0.0
Aroclor-1016	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	---			0.0	2	6.090	0.018	4395	38.5
Aroclor-1221	3	---			0.0	3	6.402	-0.007	1203	6.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	---			0.0	2	---			0.0
Aroclor-1232	3	---			0.0	3	---			0.0
Aroclor-1232	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1242	1	---			0.0	1	---			0.0
Aroclor-1242	2	---			0.0	2	---			0.0
Aroclor-1242	3	---			0.0	3	---			0.0
Aroclor-1242	4	---			0.0	4	---			0.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1248	1	---			0.0	1	8.108	0.002	393	1.4
Aroclor-1248	2	---			0.0	2	8.585	0.065	186	0.6
Aroclor-1248	3	---			0.0	3	---			0.0
Aroclor-1248	4	---			0.0	4	9.462	0.086	5866	12.9
	Col1Ave: <3 Quant Peaks					Col2Ave: 5.0				
Aroclor-1254	1	---			0.0	1	---			0.0
Aroclor-1254	2	---			0.0	2	---			0.0
Aroclor-1254	3	---			0.0	3	---			0.0
Aroclor-1254	4	---			0.0	4	9.834	-0.080	4733	5.0
Aroclor-1254	5	---			0.0	5	10.236	0.088	987	1.0
	Col1Ave: <3 Quant Peaks					Col2Ave: <3 Quant Peaks				
Aroclor-1260	1	---			0.0	1	11.439	0.014	341	0.5
Aroclor-1260	2	---			0.0	2	11.681	-0.000	888	0.5
Aroclor-1260	3	11.055	0.004	138	0.3	3	12.198	-0.063	704	0.6
Aroclor-1260	4	11.473	0.021	110	0.5	4	13.049	0.077	4672	8.0
Aroclor-1260	5	---			0.0	NS	---			----
	Col1Ave: <3 Quant Peaks					Col2Ave: 2.4				
Aroclor-1262	1	---			0.0	1	10.985	0.015	687	0.7
Aroclor-1262	2	---			0.0	2	11.681	-0.005	888	0.4
Aroclor-1262	3	---			0.0	3	12.198	0.010	704	0.8
Aroclor-1262	4	---			0.0	4	13.049	0.076	4672	5.6
	Col1Ave: <3 Quant Peaks					Col2Ave: 1.9				
Aroclor-1268	1	11.473	-0.084	110	0.2	1	12.198	-0.002	704	0.3
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	11.909	-0.092	1145	2.6	3	12.645	0.001	717	0.3
Aroclor-1268	4	12.771	-0.000	685	0.5	4	13.458	0.675	1064	2.0

Total Col1Ave (3 peaks): 1.1 Total Col2Ave (3 peaks): 0.9 RPD = 22

Corrected Ave: < 3 Peaks Corrected Ave: < 3 Peaks

Total PCB Area Col1 (5.169 - 13.066) = 10309 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 427198 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-IBL1 13-AUG-2021 19:43, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-IBL1 13-AUG-2021 19:43, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132105ECD7.D
Data file 2: /210813.b/210813.b/08132105ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL1
Client ID:
Injection Date: 13-AUG-2021 20:03
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	9617	5.413	-0.004	29440	3.1	3.2	3.5	Tetrachloro-m-xylene
13.163	-0.003	12564	13.845	-0.035	57292	3.3	3.1	5.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	255944	-1.1
Hexabromobiphenyl	425681	422645	-0.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	711334	-1.3
Hexabromobiphenyl	863111	833996	-3.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	0.002	1695	18.7	1	7.056	-0.000	8681	21.4
Aroclor-1016	2	7.033	0.004	4753	17.1	2	7.654	0.007	17802	19.6
Aroclor-1016	3	7.181	0.005	2275	18.3	3	7.862	0.007	6842	19.2
Aroclor-1016	4	7.290	0.006	1274	16.3	4	8.107	0.002	4300	20.0
Total Col1Ave (4 peaks):				17.6		Total Col2Ave (4 peaks):			20.0	RPD = 13
Corrected Ave (3 peaks):				17.2		Corrected Ave (3 peaks):			19.6	RPD = 13
CalAmt %D:				-12.0		CalAmt %D:			0.2	
Aroclor-1260	1	10.387	0.004	3856	20.3	1	11.427	0.002	14898	21.5
Aroclor-1260	2	10.705	0.005	3691	19.8	2	11.682	0.000	42446	21.1
Aroclor-1260	3	11.056	0.005	10401	20.6	3	12.263	0.002	28256	21.8
Aroclor-1260	4	11.458	0.006	4210	18.7	4	12.974	0.001	12202	19.7
Aroclor-1260	5	11.557	0.003	2197	19.5	NS	---			----
Total Col1Ave (5 peaks):				19.8		Total Col2Ave (4 peaks):			21.0	RPD = 6
Corrected Ave (4 peaks):				19.6		Corrected Ave (3 peaks):			20.8	RPD = 6
CalAmt %D:				-1.1		CalAmt %D:			5.1	

Total PCB Area Col1 (5.169 - 13.066) = 102366 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 412493 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL1 13-AUG-2021 20:03, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL1 13-AUG-2021 20:03, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132106ECD7.D
Data file 2: /210813.b/210813.b/08132106ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL2
Client ID:
Injection Date: 13-AUG-2021 20:24
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	23332	5.413	-0.004	72878	7.6	7.9	4.2	Tetrachloro-m-xylene
13.164	-0.002	31052	13.846	-0.034	144891	8.0	7.7	3.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	255215	-1.4
Hexabromobiphenyl	425681	425246	-0.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	718694	-0.3
Hexabromobiphenyl	863111	842315	-2.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col			
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.659	0.001	4645	51.3	1	7.056	-0.000	21261	51.9
Aroclor-1016	2	7.034	0.005	13436	48.5	2	7.655	0.007	44431	48.5
Aroclor-1016	3	7.181	0.005	6528	52.6	3	7.861	0.006	16510	45.9
Aroclor-1016	4	7.291	0.006	3864	49.6	4	8.107	0.002	10254	47.1

Total Col1Ave (4 peaks): 50.5 Total Col2Ave (4 peaks): 48.3 RPD = 4
Corrected Ave (3 peaks): 49.8 Corrected Ave (3 peaks): 47.2 RPD = 6

CalAmt %D: 1.0 CalAmt %D: -3.3

Aroclor-1260	1	10.385	0.002	9567	50.0	1	11.427	0.002	36882	52.7
Aroclor-1260	2	10.703	0.003	9130	48.6	2	11.680	-0.001	103868	51.0
Aroclor-1260	3	11.054	0.004	24220	47.7	3	12.264	0.003	67124	51.3
Aroclor-1260	4	11.456	0.003	10743	47.5	4	12.972	-0.001	29907	47.8
Aroclor-1260	5	11.556	0.002	5597	49.4	NS	---			----

Total Col1Ave (5 peaks): 48.7 Total Col2Ave (4 peaks): 50.7 RPD = 4
Corrected Ave (4 peaks): 48.3 Corrected Ave (3 peaks): 50.0 RPD = 3

CalAmt %D: -2.7 CalAmt %D: 1.4

Total PCB Area Col1 (5.169 - 13.066) = 251626 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 951053 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL2 13-AUG-2021 20:24, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL2 13-AUG-2021 20:24, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132107ECD7.D
Data file 2: /210813.b/210813.b/08132107ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL3
Client ID:
Injection Date: 13-AUG-2021 20:44
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	50667	5.414	-0.003	150921	16.1	16.2	0.1	Tetrachloro-m-xylene
13.164	-0.002	64497	13.846	-0.034	311850	16.4	16.2	1.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	259615	0.3
Hexabromobiphenyl	425681	432543	1.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	726577	0.8
Hexabromobiphenyl	863111	864959	0.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	0.002	9540	103.6	1	7.057	0.000	43541	105.1
Aroclor-1016	2	7.033	0.003	28383	100.8	2	7.653	0.005	97461	105.2
Aroclor-1016	3	7.180	0.004	13172	104.2	3	7.860	0.005	39365	108.2
Aroclor-1016	4	7.290	0.005	8150	102.9	4	8.106	0.001	24189	109.9

Total Col1Ave (4 peaks): 102.9 Total Col2Ave (4 peaks): 107.1 RPD = 4
Corrected Ave (3 peaks): 102.4 Corrected Ave (3 peaks): 106.2 RPD = 4

CalAmt %D: 2.9 CalAmt %D: 7.1

Aroclor-1260	1	10.385	0.002	19398	99.7	1	11.426	0.001	74307	103.3
Aroclor-1260	2	10.702	0.002	18907	99.0	2	11.680	-0.001	211815	101.4
Aroclor-1260	3	11.054	0.003	50259	97.4	3	12.263	0.002	136563	101.6
Aroclor-1260	4	11.456	0.003	22610	98.3	4	12.972	-0.001	68139	106.1
Aroclor-1260	5	11.555	0.001	11534	100.2	NS	---			----

Total Col1Ave (5 peaks): 98.9 Total Col2Ave (4 peaks): 103.1 RPD = 4
Corrected Ave (4 peaks): 98.6 Corrected Ave (3 peaks): 102.1 RPD = 4

CalAmt %D: -1.1 CalAmt %D: 3.1

Total PCB Area Col1 (5.169 - 13.066) = 512158 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1949350 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL3 13-AUG-2021 20:44, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL3 13-AUG-2021 20:44, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132108ECD7.D
Data file 2: /210813.b/210813.b/08132108ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL4
Client ID:
Injection Date: 13-AUG-2021 21:05
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.067	-0.002	131143	5.413	-0.004	377693	41.9	40.8	2.8	Tetrachloro-m-xylene
13.164	-0.002	160163	13.848	-0.032	791748	41.4	41.3	0.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258866	0.0
Hexabromobiphenyl	425681	425681	0.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	720956	0.0
Hexabromobiphenyl	863111	863111	0.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.659	0.001	23977	261.2	1	7.056	-0.000	105852	257.5
Aroclor-1016	2	7.032	0.002	74451	265.2	2	7.652	0.004	241603	262.7
Aroclor-1016	3	7.178	0.002	32969	261.7	3	7.857	0.002	96677	267.9
Aroclor-1016	4	7.287	0.002	20978	265.6	4	8.106	0.001	57673	264.1

Total Col1Ave (4 peaks): 263.4 Total Col2Ave (4 peaks): 263.0 RPD = 0
Corrected Ave (3 peaks): 262.7 Corrected Ave (3 peaks): 261.4 RPD = 0

CalAmt %D: 5.4 CalAmt %D: 5.2

Aroclor-1260	1	10.384	0.001	49492	258.4	1	11.426	0.000	183135	255.2
Aroclor-1260	2	10.702	0.002	49037	260.9	2	11.679	-0.002	525133	251.8
Aroclor-1260	3	11.053	0.002	130219	256.3	3	12.261	0.000	338031	252.1
Aroclor-1260	4	11.455	0.002	59560	263.1	4	12.972	-0.001	168369	262.6
Aroclor-1260	5	11.555	0.001	29402	259.4	NS	---			----

Total Col1Ave (5 peaks): 259.6 Total Col2Ave (4 peaks): 255.4 RPD = 2
Corrected Ave (4 peaks): 258.8 Corrected Ave (3 peaks): 253.0 RPD = 2

CalAmt %D: 3.9 CalAmt %D: 2.2

Total PCB Area Col1 (5.169 - 13.066) = 1310985 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4836988 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL4 13-AUG-2021 21:05, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL4 13-AUG-2021 21:05, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132109ECD7.D
Data file 2: /210813.b/210813.b/08132109ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL5
Client ID:
Injection Date: 13-AUG-2021 21:25
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	258118	5.413	-0.004	732448	82.1	78.7	4.2	Tetrachloro-m-xylene
13.165	-0.001	309072	13.849	-0.031	1602822	78.9	81.6	3.3	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	260046	0.5
Hexabromobiphenyl	425681	431467	1.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	724186	0.4
Hexabromobiphenyl	863111	884020	2.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col			
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.659	0.000	46320	502.2	1	7.057	0.000	197055	477.2
Aroclor-1016	2	7.031	0.001	149242	529.2	2	7.650	0.002	461244	499.4
Aroclor-1016	3	7.177	0.001	63193	499.3	3	7.856	0.001	183963	507.5
Aroclor-1016	4	7.286	0.001	41958	528.8	4	8.105	0.000	108095	492.7

Total Col1Ave (4 peaks): 514.9 Total Col2Ave (4 peaks): 494.2 RPD = 4
Corrected Ave (3 peaks): 510.1 Corrected Ave (3 peaks): 489.8 RPD = 4

CalAmt %D: 3.0 CalAmt %D: -1.2

Aroclor-1260	1	10.384	0.001	97246	501.0	1	11.426	0.001	347996	473.5
Aroclor-1260	2	10.702	0.002	97621	512.4	2	11.679	-0.002	1000503	468.4
Aroclor-1260	3	11.052	0.002	275048	534.2	3	12.261	-0.000	661157	481.4
Aroclor-1260	4	11.453	0.000	121425	529.3	4	12.972	-0.001	329450	501.7
Aroclor-1260	5	11.556	0.002	58651	510.6	NS	---			----

Total Col1Ave (5 peaks): 517.5 Total Col2Ave (4 peaks): 481.3 RPD = 7
Corrected Ave (4 peaks): 513.3 Corrected Ave (3 peaks): 474.4 RPD = 8

CalAmt %D: 3.5 CalAmt %D: -3.7

Total PCB Area Col1 (5.169 - 13.066) = 2655201 Col1 Total PCB = 1.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 9365705 Col2 Total PCB = 1.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL5 13-AUG-2021 21:25, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL5 13-AUG-2021 21:25, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132110ECD7.D
Data file 2: /210813.b/210813.b/08132110ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL6
Client ID:
Injection Date: 13-AUG-2021 21:46
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	541706	5.414	-0.003	1597689	159.9	159.0	0.6	Tetrachloro-m-xylene
13.165	-0.001	637119	13.857	-0.023	4083557	147.5	182.1	21.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	280205	8.2
Hexabromobiphenyl	425681	475884	11.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	781756	8.4
Hexabromobiphenyl	863111	1009000	16.9

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col			
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.658	0.000	94894	954.9	1	7.056	0.000	382038	857.0
Aroclor-1016	2	7.029	0.000	317873	1046.0	2	7.648	0.000	945478	948.2
Aroclor-1016	3	7.176	0.000	129330	948.3	3	7.855	0.000	372755	952.6
Aroclor-1016	4	7.285	0.000	89202	1043.3	4	8.105	0.000	217812	919.7

Total Col1Ave (4 peaks): 998.1 Total Col2Ave (4 peaks): 919.4 RPD = 8
Corrected Ave (3 peaks): 982.1 Corrected Ave (3 peaks): 908.3 RPD = 8

CalAmt %D: -0.2 CalAmt %D: -8.1

Aroclor-1260	1	10.383	0.000	204156	953.5	1	11.425	0.000	730248	870.6
Aroclor-1260	2	10.700	0.000	206019	980.4	2	11.681	0.000	2360936	968.4
Aroclor-1260	3	11.051	0.000	537974	947.2	3	12.261	0.000	1405398	896.5
Aroclor-1260	4	11.452	0.000	257778	1018.8	4	12.972	0.000	707923	944.6
Aroclor-1260	5	11.554	0.000	123435	974.3	NS	---			----

Total Col1Ave (5 peaks): 974.9 Total Col2Ave (4 peaks): 920.0 RPD = 6
Corrected Ave (4 peaks): 963.9 Corrected Ave (3 peaks): 903.9 RPD = 6

CalAmt %D: -2.5 CalAmt %D: -8.0

Total PCB Area Col1 (5.169 - 13.066) = 5423849 Col1 Total PCB = 1.9 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 19780755 Col2 Total PCB = 1.9 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL6 13-AUG-2021 21:46, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CAL6 13-AUG-2021 21:46, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132111ECD7.D
Data file 2: /210813.b/210813.b/08132111ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL7
Client ID:
Injection Date: 13-AUG-2021 22:06
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	8876	5.414	-0.003	30000	2.9	3.3	12.3	Tetrachloro-m-xylene
13.165	-0.001	13011	13.846	-0.034	60849	3.3	3.1	6.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	250794	-3.1
Hexabromobiphenyl	425681	428399	0.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	704880	-2.2
Hexabromobiphenyl	863111	870180	0.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1242	1	6.661	0.003	1188	17.2	1	7.057	0.000	7002	21.6
Aroclor-1242	2	7.036	0.006	3551	17.2	2	7.656	0.007	14507	20.6
Aroclor-1242	3	8.379	0.005	2874	24.6	3	8.961	0.012	8080	24.6
Aroclor-1242	4	8.669	-0.004	1107	23.2	4	9.055	0.028	9034	24.2

Total Col1Ave (4 peaks): 20.6 Total Col2Ave (4 peaks): 22.7 RPD = 10

Corrected Ave (3 peaks): 19.2 Corrected Ave (3 peaks): 22.1 RPD = 14

Total PCB Area Col1 (5.169 - 13.066) = 29886 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 165162 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL7 13-AUG-2021 22:06, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CAL7 13-AUG-2021 22:06, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132111.D Injection Date: 13-AUG-2021 22:0

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132112ECD7.D
Data file 2: /210813.b/210813.b/08132112ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL8
Client ID:
Injection Date: 13-AUG-2021 22:27
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	22775	5.413	-0.004	72347	7.4	7.8	5.0	Tetrachloro-m-xylene
13.165	-0.001	30955	13.846	-0.034	147761	7.9	7.6	3.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	254431	-1.7
Hexabromobiphenyl	425681	432936	1.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	722925	0.3
Hexabromobiphenyl	863111	877354	1.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
	ZB5 Col					ZB35 Col				
Aroclor-1242	1	6.662	0.003	3423	48.8	1	7.058	0.001	16875	50.8
Aroclor-1242	2	7.036	0.005	9075	43.4	2	7.657	0.008	34600	47.9
Aroclor-1242	3	8.386	0.011	5615	47.4	3	8.960	0.011	17574	52.1
Aroclor-1242	4	8.677	0.003	2567	53.1	4	9.045	0.017	18353	48.0

Total Col1Ave (4 peaks): 48.2 Total Col2Ave (4 peaks): 49.7 RPD = 3

Corrected Ave (3 peaks): 46.6 Corrected Ave (3 peaks): 48.9 RPD = 5

Total PCB Area Col1 (5.169 - 13.066) = 74664 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 351076 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL8 13-AUG-2021 22:27, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CAL8 13-AUG-2021 22:27, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132112.D Injection Date: 13-AUG-2021 22:2

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132113ECD7.D
Data file 2: /210813.b/210813.b/08132113ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CAL9
Client ID:
Injection Date: 13-AUG-2021 22:47
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	49575	5.413	-0.004	149310	15.6	15.7	0.9	Tetrachloro-m-xylene
13.165	-0.001	64075	13.847	-0.033	317373	15.8	15.7	0.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263477	1.8
Hexabromobiphenyl	425681	447686	5.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	739775	2.6
Hexabromobiphenyl	863111	908046	5.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1242	1	6.661	0.002	7695	106.0	1	7.057	-0.000	35210	103.5
Aroclor-1242	2	7.034	0.004	21772	100.6	2	7.654	0.006	72738	98.5
Aroclor-1242	3	8.380	0.006	12252	99.9	3	8.954	0.006	33982	98.5
Aroclor-1242	4	8.676	0.002	5367	107.1	4	9.039	0.012	41373	105.6

Total Col1Ave (4 peaks): 103.4 Total Col2Ave (4 peaks): 101.5 RPD = 2

Corrected Ave (3 peaks): 102.2 Corrected Ave (3 peaks): 100.1 RPD = 2

Total PCB Area Col1 (5.169 - 13.066) = 168568 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 685751 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CAL9 13-AUG-2021 22:47, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CAL9 13-AUG-2021 22:47, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132113.D Injection Date: 13-AUG-2021 22:4

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132114ECD7.D
Data file 2: /210813.b/210813.b/08132114ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALA
Client ID:
Injection Date: 13-AUG-2021 23:08
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	131882	5.414	-0.003	383756	41.3	40.0	3.3	Tetrachloro-m-xylene
13.165	-0.000	163389	13.847	-0.033	822599	39.5	40.3	2.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263941	2.0
Hexabromobiphenyl	425681	455818	7.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	746878	3.6
Hexabromobiphenyl	863111	917589	6.3

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
	ZB5 Col					ZB35 Col				
Aroclor-1242	1	6.660	0.002	19465	267.7	1	7.056	-0.001	87705	255.4
Aroclor-1242	2	7.033	0.003	58524	270.0	2	7.652	0.004	196218	263.1
Aroclor-1242	3	8.379	0.004	29043	236.5	3	8.953	0.005	84240	241.7
Aroclor-1242	4	8.674	0.000	12640	251.9	4	9.034	0.006	98564	249.3

Total Col1Ave (4 peaks): 256.5 Total Col2Ave (4 peaks): 252.4 RPD = 2
Corrected Ave (3 peaks): 252.0 Corrected Ave (3 peaks): 248.8 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 436801 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1777148 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALA 13-AUG-2021 23:08, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CALA 13-AUG-2021 23:08, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132115ECD7.D
Data file 2: /210813.b/210813.b/08132115ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALB
Client ID:
Injection Date: 13-AUG-2021 23:28
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.001	258643	5.414	-0.003	740328	81.7	78.2	4.4	Tetrachloro-m-xylene
13.165	-0.001	313998	13.854	-0.026	1754204	77.8	86.3	10.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	261764	1.1
Hexabromobiphenyl	425681	444869	4.5

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	736715	2.2
Hexabromobiphenyl	863111	914686	6.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1242	1	6.660	0.001	37614	521.5	1	7.057	0.000	164453	485.5
Aroclor-1242	2	7.033	0.003	117814	548.0	2	7.651	0.002	375288	510.1
Aroclor-1242	3	8.379	0.004	58323	478.9	3	8.952	0.003	157727	458.9
Aroclor-1242	4	8.674	0.001	22510	452.3	4	9.032	0.004	183930	471.6

Total Col1Ave (4 peaks): 500.2 Total Col2Ave (4 peaks): 481.5 RPD = 4

Corrected Ave (3 peaks): 484.2 Corrected Ave (3 peaks): 472.0 RPD = 3

Total PCB Area Col1 (5.169 - 13.066) = 859256 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 3382751 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALB 13-AUG-2021 23:28, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CALB 13-AUG-2021 23:28, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132116ECD7.D
Data file 2: /210813.b/210813.b/08132116ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALC
Client ID:
Injection Date: 13-AUG-2021 23:49
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	563122	5.415	-0.001	1673143	158.2	158.3	0.1	Tetrachloro-m-xylene
13.166	0.000	671473	13.861	-0.019	4321811	147.6	182.7	21.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	294406	13.7
Hexabromobiphenyl	425681	501108	17.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	822336	14.1
Hexabromobiphenyl	863111	1064644	23.3

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1242	1	6.659	0.000	80300	990.0	1	7.057	0.000	331356	876.4
Aroclor-1242	2	7.030	0.000	263010	1087.7	2	7.649	0.000	783780	954.3
Aroclor-1242	3	8.374	0.000	125591	916.8	3	8.949	0.000	330073	860.3
Aroclor-1242	4	8.674	0.000	44493	794.8	4	9.028	0.000	363121	834.0

Total Col1Ave (4 peaks): 947.3 Total Col2Ave (4 peaks): 881.3 RPD = 7

Corrected Ave (3 peaks): 900.5 Corrected Ave (3 peaks): 856.9 RPD = 5

Total PCB Area Col1 (5.169 - 13.066) = 1871416 Col1 Total PCB = 0.6 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 7225430 Col2 Total PCB = 0.7 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALC 13-AUG-2021 23:49, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALC 13-AUG-2021 23:49, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132117ECD7.D
Data file 2: /210813.b/210813.b/08132117ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALD
Client ID:
Injection Date: 14-AUG-2021 00:09
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	9201	5.414	-0.003	29778	3.0	3.3	8.1	Tetrachloro-m-xylene
13.165	-0.001	13166	13.846	-0.034	62709	3.4	3.2	5.3	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	250266	-3.3
Hexabromobiphenyl	425681	429293	0.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	702828	-2.5
Hexabromobiphenyl	863111	880526	2.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.799	0.001	1894	18.1	1	8.109	0.003	6606	22.7
Aroclor-1248	2	7.974	0.006	2423	17.7	2	8.525	0.005	6970	19.7
Aroclor-1248	3	8.385	0.011	3850	19.2	3	8.964	0.018	12645	22.4
Aroclor-1248	4	8.675	0.002	2537	22.2	4	9.397	0.021	10906	22.7

Total Col1Ave (4 peaks): 19.3 Total Col2Ave (4 peaks): 21.9 RPD = 13

Corrected Ave (3 peaks): 18.3 Corrected Ave (3 peaks): 21.6 RPD = 16

Total PCB Area Col1 (5.169 - 13.066) = 41564 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 212063 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALD 14-AUG-2021 00:09, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CALD 14-AUG-2021 00:09, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132117.D Injection Date: 14-AUG-2021 00:0

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132118ECD7.D
Data file 2: /210813.b/210813.b/08132118ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALE
Client ID:
Injection Date: 14-AUG-2021 00:30
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	23276	5.413	-0.003	72230	7.6	7.8	3.6	Tetrachloro-m-xylene
13.164	-0.001	31855	13.847	-0.033	153320	8.0	7.7	4.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	254685	-1.6
Hexabromobiphenyl	425681	438579	3.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	717244	-0.5
Hexabromobiphenyl	863111	898162	4.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1248	1	7.803	0.004	5503	51.6	1	8.109	0.003	15513	52.2
Aroclor-1248	2	7.975	0.007	7033	50.5	2	8.523	0.003	17641	48.8
Aroclor-1248	3	8.384	0.010	10074	49.4	3	8.963	0.016	29702	51.5
Aroclor-1248	4	8.679	0.005	6595	56.6	4	9.391	0.015	24165	49.4

Total Col1Ave (4 peaks): 52.0 Total Col2Ave (4 peaks): 50.5 RPD = 3

Corrected Ave (3 peaks): 50.5 Corrected Ave (3 peaks): 49.9 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 108961 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 441717 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALE 14-AUG-2021 00:30, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CALE 14-AUG-2021 00:30, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132118.D Injection Date: 14-AUG-2021 00:3

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132119ECD7.D
Data file 2: /210813.b/210813.b/08132119ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALF
Client ID:
Injection Date: 14-AUG-2021 00:50
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	49122	5.413	-0.004	147629	15.5	15.6	1.1	Tetrachloro-m-xylene
13.165	-0.001	65855	13.847	-0.033	329717	15.9	15.8	0.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	262535	1.4
Hexabromobiphenyl	425681	455997	7.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	734209	1.8
Hexabromobiphenyl	863111	938375	8.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
	ZB5 Col					ZB35 Col				
Aroclor-1248	1	7.800	0.001	10709	97.3	1	8.107	0.001	28558	93.9
Aroclor-1248	2	7.973	0.005	14129	98.4	2	8.522	0.002	38111	102.9
Aroclor-1248	3	8.383	0.008	21518	102.3	3	8.959	0.013	61308	103.9
Aroclor-1248	4	8.677	0.003	12431	103.6	4	9.388	0.012	48948	97.7

Total Col1Ave (4 peaks): 100.4 Total Col2Ave (4 peaks): 99.6 RPD = 1

Corrected Ave (3 peaks): 99.3 Corrected Ave (3 peaks): 98.2 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 238597 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 907743 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALF 14-AUG-2021 00:50, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-CALF 14-AUG-2021 00:50, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132120ECD7.D
Data file 2: /210813.b/210813.b/08132120ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALG
Client ID:
Injection Date: 14-AUG-2021 01:11
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	129037	5.413	-0.004	373143	40.5	39.6	2.4	Tetrachloro-m-xylene
13.165	-0.000	162705	13.848	-0.032	830692	40.1	40.0	0.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263302	1.7
Hexabromobiphenyl	425681	446916	5.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	733764	1.8
Hexabromobiphenyl	863111	933874	8.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.800	0.002	28501	258.3	1	8.107	0.001	76584	251.9
Aroclor-1248	2	7.971	0.003	37812	262.5	2	8.521	0.001	96409	260.5
Aroclor-1248	3	8.381	0.006	54570	258.7	3	8.953	0.007	144251	244.7
Aroclor-1248	4	8.676	0.002	29650	246.3	4	9.382	0.005	122847	245.4

Total Col1Ave (4 peaks): 256.5 Total Col2Ave (4 peaks): 250.6 RPD = 2
Corrected Ave (3 peaks): 254.4 Corrected Ave (3 peaks): 247.3 RPD = 3

Total PCB Area Col1 (5.169 - 13.066) = 569475 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 2178081 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALG 14-AUG-2021 01:11, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALG 14-AUG-2021 01:11, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132121ECD7.D
Data file 2: /210813.b/210813.b/08132121ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALH
Client ID:
Injection Date: 14-AUG-2021 01:31
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	259806	5.414	-0.003	733120	82.3	78.0	5.3	Tetrachloro-m-xylene
13.164	-0.001	317292	13.852	-0.028	1796528	78.7	86.8	9.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	261194	0.9
Hexabromobiphenyl	425681	444403	4.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	731293	1.4
Hexabromobiphenyl	863111	931394	7.9

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.801	0.003	57044	521.1	1	8.107	0.001	147388	486.4
Aroclor-1248	2	7.970	0.003	75071	525.4	2	8.521	0.001	187163	507.4
Aroclor-1248	3	8.380	0.005	107206	512.4	3	8.951	0.004	278978	474.8
Aroclor-1248	4	8.676	0.002	54715	458.1	4	9.379	0.003	241446	483.9

Total Col1Ave (4 peaks): 504.3 Total Col2Ave (4 peaks): 488.1 RPD = 3

Corrected Ave (3 peaks): 497.2 Corrected Ave (3 peaks): 481.7 RPD = 3

Total PCB Area Col1 (5.169 - 13.066) = 1127483 Col1 Total PCB = 0.4 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4224820 Col2 Total PCB = 0.4 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALH 14-AUG-2021 01:31, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALH 14-AUG-2021 01:31, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132122ECD7.D
Data file 2: /210813.b/210813.b/08132122ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALI
Client ID:
Injection Date: 14-AUG-2021 01:52
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.001	582913	5.416	-0.001	1679809	163.4	158.5	3.0	Tetrachloro-m-xylene
13.166	-0.000	680323	13.864	-0.016	4446270	147.6	182.2	21.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	295167	14.0
Hexabromobiphenyl	425681	507659	19.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	824788	14.4
Hexabromobiphenyl	863111	1098014	27.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
	ZB5 Col					ZB35 Col				
Aroclor-1248	1	7.799	0.000	125808	1017.1	1	8.106	0.000	308725	903.3
Aroclor-1248	2	7.968	0.000	164812	1020.7	2	8.520	0.000	397648	955.8
Aroclor-1248	3	8.375	0.000	229127	969.1	3	8.947	0.000	584191	881.6
Aroclor-1248	4	8.674	0.000	110918	821.8	4	9.377	0.000	534195	949.2

Total Col1Ave (4 peaks): 957.2 Total Col2Ave (4 peaks): 922.5 RPD = 4
Corrected Ave (3 peaks): 936.0 Corrected Ave (3 peaks): 911.4 RPD = 3

Total PCB Area Col1 (5.169 - 13.066) = 2472059 Col1 Total PCB = 0.8 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 9114889 Col2 Total PCB = 0.8 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALI 14-AUG-2021 01:52, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALI 14-AUG-2021 01:52, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-35

Datafile: ecd7.i/210813.b/210813.b/08132122.D Injection Date: 14-AUG-2021 01:5

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132123ECD7.D
Data file 2: /210813.b/210813.b/08132123ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALJ
Client ID:
Injection Date: 14-AUG-2021 02:12
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	8962	5.414	-0.003	30209	3.0	3.3	11.8	Tetrachloro-m-xylene
13.166	-0.000	13286	13.848	-0.032	64539	3.4	3.2	5.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	250594	-3.2
Hexabromobiphenyl	425681	434759	2.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	705804	-2.1
Hexabromobiphenyl	863111	908740	5.3

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.681	0.006	4488	20.8	1	9.246	0.006	13920	23.2
Aroclor-1254	2	8.753	0.007	2067	20.7	2	9.340	0.009	9031	25.6
Aroclor-1254	3	9.050	0.008	3084	21.9	3	9.771	0.008	10488	22.9
Aroclor-1254	4	9.188	0.012	4799	17.8	4	9.923	0.009	24430	24.1
Aroclor-1254	5	9.870	0.003	2898	17.1	5	10.163	0.015	22175	21.6

Total Col1Ave (5 peaks): 19.7 Total Col2Ave (5 peaks): 23.5 RPD = 18

Corrected Ave (4 peaks): 19.1 Corrected Ave (4 peaks): 22.9 RPD = 18

Total PCB Area Col1 (5.169 - 13.066) = 50204 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 262235 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALJ 14-AUG-2021 02:12, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALJ 14-AUG-2021 02:12, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132124ECD7.D
Data file 2: /210813.b/210813.b/08132124ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALK
Client ID:
Injection Date: 14-AUG-2021 02:33
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	23301	5.413	-0.004	73808	7.5	7.9	6.1	Tetrachloro-m-xylene
13.165	-0.001	32607	13.846	-0.034	161371	8.1	7.8	3.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258452	-0.2
Hexabromobiphenyl	425681	444493	4.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	724096	0.4
Hexabromobiphenyl	863111	930444	7.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.680	0.004	11221	50.3	1	9.243	0.004	32682	53.0
Aroclor-1254	2	8.751	0.005	5597	54.2	2	9.338	0.006	19336	53.5
Aroclor-1254	3	9.049	0.008	6912	47.6	3	9.769	0.006	24144	51.4
Aroclor-1254	4	9.186	0.010	13929	50.2	4	9.921	0.007	53197	51.1
Aroclor-1254	5	9.868	0.000	8358	47.9	5	10.160	0.012	53520	50.7

Total Col1Ave (5 peaks): 50.0 Total Col2Ave (5 peaks): 52.0 RPD = 4

Corrected Ave (4 peaks): 49.0 Corrected Ave (4 peaks): 51.6 RPD = 5

Total PCB Area Col1 (5.169 - 13.066) = 139190 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 597839 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALK 14-AUG-2021 02:33, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALK 14-AUG-2021 02:33, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132125ECD7.D
Data file 2: /210813.b/210813.b/08132125ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALL
Client ID:
Injection Date: 14-AUG-2021 02:53
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	50378	5.414	-0.003	153493	15.6	16.0	2.4	Tetrachloro-m-xylene
13.166	0.000	66760	13.847	-0.033	338703	16.0	15.8	0.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	266772	3.1
Hexabromobiphenyl	425681	460841	8.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	746546	3.5
Hexabromobiphenyl	863111	963688	11.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.680	0.004	23018	100.0	1	9.243	0.003	64493	101.5
Aroclor-1254	2	8.751	0.005	11045	103.7	2	9.337	0.006	37205	99.8
Aroclor-1254	3	9.049	0.008	14399	96.0	3	9.768	0.005	48720	100.6
Aroclor-1254	4	9.184	0.008	29413	102.6	4	9.919	0.006	108022	100.7
Aroclor-1254	5	9.870	0.003	17840	99.1	5	10.158	0.011	110407	101.5

Total Col1Ave (5 peaks): 100.3 Total Col2Ave (5 peaks): 100.8 RPD = 1

Corrected Ave (4 peaks): 99.4 Corrected Ave (4 peaks): 100.6 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 293494 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1195216 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALL 14-AUG-2021 02:53, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALL 14-AUG-2021 02:53, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132126ECD7.D
Data file 2: /210813.b/210813.b/08132126ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALM
Client ID:
Injection Date: 14-AUG-2021 03:13
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.067	-0.002	129839	5.412	-0.005	378453	40.6	39.8	2.1	Tetrachloro-m-xylene
13.166	-0.000	164488	13.847	-0.033	851014	39.5	39.7	0.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264494	2.2
Hexabromobiphenyl	425681	458580	7.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740295	2.7
Hexabromobiphenyl	863111	964396	11.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1254	1	8.677	0.002	57893	253.7	1	9.241	0.002	152457	242.1
Aroclor-1254	2	8.748	0.002	27373	259.1	2	9.334	0.003	86362	233.6
Aroclor-1254	3	9.045	0.004	37206	250.2	3	9.765	0.002	117837	245.4
Aroclor-1254	4	9.180	0.004	74612	262.6	4	9.917	0.003	252955	237.7
Aroclor-1254	5	9.870	0.003	47061	263.7	5	10.154	0.007	267905	248.3

Total Col1Ave (5 peaks): 257.9 Total Col2Ave (5 peaks): 241.4 RPD = 7
Corrected Ave (4 peaks): 256.4 Corrected Ave (4 peaks): 239.7 RPD = 7

Total PCB Area Col1 (5.169 - 13.066) = 753890 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 2870074 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALM 14-AUG-2021 03:13, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALM 14-AUG-2021 03:13, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132127ECD7.D
Data file 2: /210813.b/210813.b/08132127ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALN
Client ID:
Injection Date: 14-AUG-2021 03:34
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	265807	5.414	-0.003	746945	82.3	78.5	4.8	Tetrachloro-m-xylene
13.166	0.000	321408	13.852	-0.028	1865676	78.5	87.1	10.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	267061	3.2
Hexabromobiphenyl	425681	451316	6.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740536	2.7
Hexabromobiphenyl	863111	963913	11.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1254	1	8.676	0.001	115032	499.3	1	9.240	0.001	293539	465.9
Aroclor-1254	2	8.748	0.002	51941	487.0	2	9.332	0.001	165511	447.6
Aroclor-1254	3	9.043	0.002	75458	502.5	3	9.764	0.001	228480	475.7
Aroclor-1254	4	9.178	0.002	149029	519.4	4	9.914	0.001	491425	461.7
Aroclor-1254	5	9.869	0.002	96576	536.0	5	10.151	0.003	526835	488.1

Total Col1Ave (5 peaks): 508.8 Total Col2Ave (5 peaks): 467.8 RPD = 8
Corrected Ave (4 peaks): 502.0 Corrected Ave (4 peaks): 462.7 RPD = 8

Total PCB Area Col1 (5.169 - 13.066) = 1500587 Col1 Total PCB = 0.6 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 5575259 Col2 Total PCB = 0.6 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALN 14-AUG-2021 03:34, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALN 14-AUG-2021 03:34, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132128ECD7.D
Data file 2: /210813.b/210813.b/08132128ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALO
Client ID:
Injection Date: 14-AUG-2021 03:54
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	586983	5.415	-0.002	1678624	161.8	156.5	3.4	Tetrachloro-m-xylene
13.166	0.000	682825	13.863	-0.017	4502724	146.2	180.1	20.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	300162	16.0
Hexabromobiphenyl	425681	514689	20.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	834903	15.8
Hexabromobiphenyl	863111	1125324	30.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.675	0.000	243956	942.1	1	9.239	0.000	614196	864.6
Aroclor-1254	2	8.746	0.000	100189	835.7	2	9.331	0.000	342359	821.2
Aroclor-1254	3	9.041	0.000	166951	989.1	3	9.763	0.000	480470	887.2
Aroclor-1254	4	9.176	0.000	319165	989.8	4	9.914	0.000	1070997	892.5
Aroclor-1254	5	9.867	0.000	215902	1066.1	5	10.147	0.000	1124677	924.2

Total Col1Ave (5 peaks): 964.6 Total Col2Ave (5 peaks): 878.0 RPD = 9
Corrected Ave (4 peaks): 939.2 Corrected Ave (4 peaks): 866.4 RPD = 8

Total PCB Area Col1 (5.169 - 13.066) = 3250417 Col1 Total PCB = 1.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 11917701 Col2 Total PCB = 1.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALO 14-AUG-2021 03:54, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALO 14-AUG-2021 03:54, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132129ECD7.D
Data file 2: /210813.b/210813.b/08132129ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALP
Client ID:
Injection Date: 14-AUG-2021 04:15
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.000	8898	5.414	-0.002	31562	3.0	3.6	16.8	Tetrachloro-m-xylene
13.165	-0.001	13265	13.846	-0.034	65033	3.4	3.2	5.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	245136	-5.3
Hexabromobiphenyl	425681	426488	0.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	690863	-4.2
Hexabromobiphenyl	863111	906417	5.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1221	1	4.020	0.005	374	19.3	1	4.676	-0.000	1086	20.9
Aroclor-1221	2	5.451	0.000	527	17.4	2	6.075	0.003	2479	20.9
Aroclor-1221	3	5.727	0.003	1570	19.2	3	6.414	0.005	4328	20.9
Total Col1Ave (3 peaks):				18.6		Total Col2Ave (3 peaks):			20.9	RPD = 12
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.388	0.004	5474	21.0	1	10.971	0.001	25181	22.7
Aroclor-1262	2	11.461	0.007	3302	19.6	2	11.682	-0.003	50188	21.5
Aroclor-1262	3	11.631	0.004	4964	20.4	3	12.188	0.000	22103	21.3
Aroclor-1262	4	12.279	0.005	4086	20.5	4	12.974	0.001	19713	20.4
Total Col1Ave (4 peaks):				20.4		Total Col2Ave (4 peaks):			21.5	RPD = 5
Corrected Ave (3 peaks):				20.2		Corrected Ave (3 peaks):			21.0	RPD = 4

Total PCB Area Col1 (5.169 - 13.066) = 81438 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 371772 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALP 14-AUG-2021 04:15, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALP 14-AUG-2021 04:15, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132130ECD7.D
Data file 2: /210813.b/210813.b/08132130ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALQ
Client ID:
Injection Date: 14-AUG-2021 04:35
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	24022	5.414	-0.003	75627	7.6	8.0	5.5	Tetrachloro-m-xylene
13.165	-0.000	32624	13.846	-0.034	168101	7.9	7.8	1.3	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	261668	1.1
Hexabromobiphenyl	425681	453964	6.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	733252	1.7
Hexabromobiphenyl	863111	968090	12.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1221	1	4.015	-0.000	1082	52.4	1	4.677	0.000	3140	57.1
Aroclor-1221	2	5.454	0.003	1371	42.3	2	6.075	0.003	6195	49.2
Aroclor-1221	3	5.727	0.002	4231	48.3	3	6.413	0.004	11143	50.7
Total Col1Ave (3 peaks):				47.7		Total Col2Ave (3 peaks):			52.3	RPD = 9
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.388	0.005	13372	48.3	1	10.971	0.001	61110	51.6
Aroclor-1262	2	11.461	0.007	8124	45.3	2	11.683	-0.003	122171	48.9
Aroclor-1262	3	11.630	0.004	12394	47.9	3	12.189	0.001	55035	49.6
Aroclor-1262	4	12.280	0.005	10210	48.1	4	12.974	0.001	49243	47.7
Total Col1Ave (4 peaks):				47.4		Total Col2Ave (4 peaks):			49.5	RPD = 4
Corrected Ave (3 peaks):				47.1		Corrected Ave (3 peaks):			48.7	RPD = 3

Total PCB Area Col1 (5.169 - 13.066) = 195251 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 866797 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALQ 14-AUG-2021 04:35, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALQ 14-AUG-2021 04:35, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132131ECD7.D
Data file 2: /210813.b/210813.b/08132131ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALR
Client ID:
Injection Date: 14-AUG-2021 04:56
Report Date: 08/14/2021 15:26
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.001	50997	5.413	-0.004	151702	16.0	16.1	0.4	Tetrachloro-m-xylene
13.165	-0.001	66428	13.847	-0.033	341243	16.0	15.7	2.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263747	1.9
Hexabromobiphenyl	425681	456506	7.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	735138	2.0
Hexabromobiphenyl	863111	978830	13.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1221	1	4.015	-0.000	2280	109.5	1	4.677	0.000	6199	112.3
Aroclor-1221	2	5.452	0.001	3120	95.6	2	6.074	0.002	12753	101.0
Aroclor-1221	3	5.727	0.002	8691	98.5	3	6.411	0.002	22972	104.3
Total Col1Ave (3 peaks):					101.2	Total Col2Ave (3 peaks):				105.9 RPD = 5
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.387	0.004	27305	98.0	1	10.970	-0.000	121062	101.1
Aroclor-1262	2	11.458	0.004	17551	97.3	2	11.681	-0.005	245852	97.3
Aroclor-1262	3	11.629	0.002	25813	99.3	3	12.187	-0.001	111421	99.4
Aroclor-1262	4	12.278	0.003	21111	98.9	4	12.973	0.000	106511	101.9
Total Col1Ave (4 peaks):					98.4	Total Col2Ave (4 peaks):				100.0 RPD = 2
Corrected Ave (3 peaks):					98.1	Corrected Ave (3 peaks):				99.3 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 401239 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1724757 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALR 14-AUG-2021 04:56, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALR 14-AUG-2021 04:56, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132132ECD7.D
Data file 2: /210813.b/210813.b/08132132ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALS
Client ID:
Injection Date: 14-AUG-2021 05:16
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	131883	5.414	-0.003	376179	41.3	39.7	4.1	Tetrachloro-m-xylene
13.165	-0.000	165056	13.848	-0.032	866022	39.8	39.8	0.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264011	2.0
Hexabromobiphenyl	425681	456505	7.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	737936	2.4
Hexabromobiphenyl	863111	979376	13.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1221	1	4.015	-0.001	5527	265.1	1	4.677	0.000	13672	246.8
Aroclor-1221	2	5.452	0.001	9235	282.6	2	6.073	0.001	31880	251.4
Aroclor-1221	3	5.726	0.002	23772	269.2	3	6.411	0.002	56108	253.9
Total Col1Ave (3 peaks):				272.3		Total Col2Ave (3 peaks):			250.7	RPD = 8
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.386	0.002	70219	252.1	1	10.970	-0.001	293255	244.9
Aroclor-1262	2	11.456	0.002	46040	255.2	2	11.680	-0.005	600428	237.6
Aroclor-1262	3	11.629	0.002	65776	252.9	3	12.188	-0.000	279413	249.1
Aroclor-1262	4	12.277	0.003	54311	254.4	4	12.973	0.000	266174	254.6
Total Col1Ave (4 peaks):				253.7		Total Col2Ave (4 peaks):			246.6	RPD = 3
Corrected Ave (3 peaks):				253.1		Corrected Ave (3 peaks):			243.9	RPD = 4

Total PCB Area Col1 (5.169 - 13.066) = 1026843 Col1 Total PCB = 0.4 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4215822 Col2 Total PCB = 0.4 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALS 14-AUG-2021 05:16, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALS 14-AUG-2021 05:16, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132133ECD7.D
Data file 2: /210813.b/210813.b/08132133ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALT
Client ID:
Injection Date: 14-AUG-2021 05:37
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.001	261593	5.415	-0.002	728542	82.3	77.4	6.1	Tetrachloro-m-xylene
13.165	-0.001	319878	13.850	-0.030	1884507	78.6	86.8	9.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	262948	1.6
Hexabromobiphenyl	425681	448089	5.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	732298	1.6
Hexabromobiphenyl	863111	976792	13.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1221	1	4.015	0.000	9914	477.4	1	4.678	0.001	24750	450.3
Aroclor-1221	2	5.452	0.001	18189	558.8	2	6.073	0.001	62987	500.6
Aroclor-1221	3	5.727	0.002	45677	519.4	3	6.411	0.002	107101	488.4
Total Col1Ave (3 peaks): 518.6						Total Col2Ave (3 peaks): 479.7 RPD = 8				
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.384	0.000	139981	511.9	1	10.969	-0.002	560729	469.4
Aroclor-1262	2	11.455	0.001	94339	532.8	2	11.680	-0.006	1209233	479.8
Aroclor-1262	3	11.627	0.001	131117	513.6	3	12.187	-0.001	553441	494.7
Aroclor-1262	4	12.276	0.002	110529	527.4	4	12.972	-0.000	528567	507.0
Total Col1Ave (4 peaks): 521.5						Total Col2Ave (4 peaks): 487.7 RPD = 7				
Corrected Ave (3 peaks): 517.7						Corrected Ave (3 peaks): 481.3 RPD = 7				

Total PCB Area Col1 (5.169 - 13.066) = 2051470 Col1 Total PCB = 0.8 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 8265740 Col2 Total PCB = 0.8 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALT 14-AUG-2021 05:37, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALT 14-AUG-2021 05:37, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132134ECD7.D
Data file 2: /210813.b/210813.b/08132134ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR2162.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALU
Client ID:
Injection Date: 14-AUG-2021 05:57
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.001	562556	5.415	-0.002	1625558	158.0	155.7	1.5	Tetrachloro-m-xylene
13.166	0.000	683202	13.866	-0.014	4564195	148.8	181.4	19.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	294577	13.8
Hexabromobiphenyl	425681	505654	18.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	812370	12.7
Hexabromobiphenyl	863111	1132299	31.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1221	1	4.015	0.000	20398	876.9	1	4.677	0.000	48805	800.4
Aroclor-1221	2	5.451	0.000	39437	1081.5	2	6.072	0.000	133436	955.9
Aroclor-1221	3	5.724	0.000	95979	974.3	3	6.409	0.000	219752	903.3
Total Col1Ave (3 peaks): 977.5						Total Col2Ave (3 peaks): 886.5 RPD = 10				
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1262	1	10.384	0.000	299522	970.7	1	10.970	0.000	1249012	902.0
Aroclor-1262	2	11.454	0.000	210846	1055.2	2	11.685	0.000	3112273	1065.3
Aroclor-1262	3	11.627	0.000	284707	988.4	3	12.188	0.000	1248804	963.0
Aroclor-1262	4	12.274	0.000	225267	952.6	4	12.973	0.000	1179580	976.0
Total Col1Ave (4 peaks): 991.7						Total Col2Ave (4 peaks): 976.6 RPD = 2				
Corrected Ave (3 peaks): 970.5						Corrected Ave (3 peaks): 947.0 RPD = 2				

Total PCB Area Col1 (5.169 - 13.066) = 4488163 Col1 Total PCB = 1.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 18583060 Col2 Total PCB = 1.7 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALU 14-AUG-2021 05:57, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALU 14-AUG-2021 05:57, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132135ECD7.D
Data file 2: /210813.b/210813.b/08132135ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALV
Client ID:
Injection Date: 14-AUG-2021 06:18
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.000	9643	5.414	-0.003	29934	3.1	3.3	4.8	Tetrachloro-m-xylene
13.165	-0.001	19968	13.846	-0.034	99143	4.9	4.6	6.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	254258	-1.8
Hexabromobiphenyl	425681	446149	4.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	707863	-1.8
Hexabromobiphenyl	863111	962738	11.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1232	1	4.020	0.002	296	24.0	1	4.678	-0.001	716	22.6
Aroclor-1232	2	5.727	0.000	1256	18.7	2	7.057	-0.001	3688	20.0
Aroclor-1232	3	7.038	0.004	1441	14.1	3	7.661	0.010	7261	19.6
Aroclor-1232	4	7.976	0.003	573	13.6	4	8.524	0.002	1337	13.9
Total Col1Ave (4 peaks):					17.6	Total Col2Ave (4 peaks):				19.0 RPD = 8
Corrected Ave (3 peaks):					15.5	Corrected Ave (3 peaks):				17.8 RPD = 14
Aroclor-1268	1	11.560	0.003	12256	20.5	1	12.187	-0.013	58194	21.0
Aroclor-1268	2	11.629	0.003	13030	20.8	2	12.254	-0.013	63463	21.0
Aroclor-1268	3	12.001	0.001	10425	21.1	3	12.635	-0.009	52750	20.2
Aroclor-1268	4	12.771	-0.001	33702	21.2	4	12.783	0.000	12903	20.0
Total Col1Ave (4 peaks):					20.9	Total Col2Ave (4 peaks):				20.6 RPD = 1
Corrected Ave (3 peaks):					20.8	Corrected Ave (3 peaks):				20.4 RPD = 2

Total PCB Area Col1 (5.169 - 13.066) = 102693 Col1 Total PCB = 0.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 354263 Col2 Total PCB = 0.0 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALV 14-AUG-2021 06:18, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALV 14-AUG-2021 06:18, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132136ECD7.D
Data file 2: /210813.b/210813.b/08132136ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALW
Client ID:
Injection Date: 14-AUG-2021 06:38
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	-0.000	24003	5.415	-0.002	72978	7.6	7.8	2.3	Tetrachloro-m-xylene
13.165	-0.000	48223	13.847	-0.033	249169	11.7	11.3	3.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	261082	0.9
Hexabromobiphenyl	425681	453384	6.5

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	729748	1.2
Hexabromobiphenyl	863111	990035	14.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1232	1	4.014	-0.004	693	54.7	1	4.679	-0.000	1713	52.5
Aroclor-1232	2	5.728	0.001	3234	47.0	2	7.059	0.001	9583	50.3
Aroclor-1232	3	7.038	0.005	4620	44.0	3	7.657	0.006	19044	49.9
Aroclor-1232	4	7.976	0.004	1836	42.5	4	8.525	0.003	4225	42.5
Total Col1Ave (4 peaks):				47.0		Total Col2Ave (4 peaks):			48.8	RPD = 4
Corrected Ave (3 peaks):				44.5		Corrected Ave (3 peaks):			47.6	RPD = 7
Aroclor-1268	1	11.559	0.001	30240	49.7	1	12.187	-0.013	141412	49.7
Aroclor-1268	2	11.629	0.004	31897	50.0	2	12.255	-0.012	153603	49.5
Aroclor-1268	3	12.001	-0.000	25020	49.9	3	12.636	-0.008	132778	49.5
Aroclor-1268	4	12.771	-0.001	81764	50.5	4	12.783	0.000	32071	48.3
Total Col1Ave (4 peaks):				50.0		Total Col2Ave (4 peaks):			49.3	RPD = 2
Corrected Ave (3 peaks):				49.9		Corrected Ave (3 peaks):			49.1	RPD = 2

Total PCB Area Col1 (5.169 - 13.066) = 250584 Col1 Total PCB = 0.1 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 853194 Col2 Total PCB = 0.1 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALW 14-AUG-2021 06:38, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALW 14-AUG-2021 06:38, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132137ECD7.D
Data file 2: /210813.b/210813.b/08132137ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALX
Client ID:
Injection Date: 14-AUG-2021 06:59
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	49889	5.416	-0.001	148390	15.6	15.6	0.3	Tetrachloro-m-xylene
13.165	-0.001	98406	13.848	-0.032	525364	23.4	22.9	2.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	265413	2.5
Hexabromobiphenyl	425681	463901	9.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740090	2.7
Hexabromobiphenyl	863111	1032553	19.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1232	1	4.017	-0.001	1235	95.9	1	4.680	0.001	3647	110.3
Aroclor-1232	2	5.728	0.001	7030	100.5	2	7.058	0.000	19630	101.6
Aroclor-1232	3	7.038	0.004	10782	101.0	3	7.657	0.006	37360	96.6
Aroclor-1232	4	7.976	0.003	4640	105.6	4	8.524	0.002	10591	105.1
Total Col1Ave (4 peaks):					100.8	Total Col2Ave (4 peaks):				103.4 RPD = 3
Corrected Ave (3 peaks):					99.1	Corrected Ave (3 peaks):				101.1 RPD = 2
Aroclor-1268	1	11.558	0.001	61752	99.2	1	12.187	-0.013	286554	96.6
Aroclor-1268	2	11.627	0.001	65121	99.7	2	12.254	-0.013	318003	98.2
Aroclor-1268	3	12.000	-0.001	50803	98.9	3	12.635	-0.009	274169	98.0
Aroclor-1268	4	12.771	-0.001	165518	99.9	4	12.784	0.001	67494	97.5
Total Col1Ave (4 peaks):					99.5	Total Col2Ave (4 peaks):				97.6 RPD = 2
Corrected Ave (3 peaks):					99.3	Corrected Ave (3 peaks):				97.4 RPD = 2

Total PCB Area Col1 (5.169 - 13.066) = 513695 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1706857 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALX 14-AUG-2021 06:59, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALX 14-AUG-2021 06:59, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132138ECD7.D
Data file 2: /210813.b/210813.b/08132138ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALY
Client ID:
Injection Date: 14-AUG-2021 07:19
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	129369	5.416	-0.001	369707	40.2	38.8	3.6	Tetrachloro-m-xylene
13.165	-0.000	244475	13.848	-0.032	1336972	57.7	58.2	0.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	266253	2.9
Hexabromobiphenyl	425681	467157	9.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	742059	2.9
Hexabromobiphenyl	863111	1034201	19.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1232	1	4.018	0.000	3075	238.1	1	4.679	-0.000	8167	246.2
Aroclor-1232	2	5.727	0.001	18684	266.2	2	7.059	0.001	49856	257.3
Aroclor-1232	3	7.036	0.002	29135	272.0	3	7.656	0.005	96288	248.3
Aroclor-1232	4	7.975	0.003	12195	276.7	4	8.523	0.001	28914	286.2
Total Col1Ave (4 peaks):					263.3	Total Col2Ave (4 peaks):				259.5 RPD = 1
Corrected Ave (3 peaks):					258.8	Corrected Ave (3 peaks):				250.6 RPD = 3
Aroclor-1268	1	11.557	-0.000	156710	250.0	1	12.186	-0.014	708061	238.3
Aroclor-1268	2	11.625	-0.000	164056	249.5	2	12.255	-0.012	797204	245.9
Aroclor-1268	3	12.000	-0.001	128182	247.9	3	12.636	-0.008	704909	251.5
Aroclor-1268	4	12.770	-0.002	406812	243.9	4	12.784	0.001	176627	254.8
Total Col1Ave (4 peaks):					247.8	Total Col2Ave (4 peaks):				247.6 RPD = 0
Corrected Ave (3 peaks):					247.1	Corrected Ave (3 peaks):				245.2 RPD = 1

Total PCB Area Col1 (5.169 - 13.066) = 1301292 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4281499 Col2 Total PCB = 0.4 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALY 14-AUG-2021 07:19, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALY 14-AUG-2021 07:19, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132139ECD7.D
Data file 2: /210813.b/210813.b/08132139ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALZ
Client ID:
Injection Date: 14-AUG-2021 07:40
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	257867	5.415	-0.001	723234	80.8	76.2	5.8	Tetrachloro-m-xylene
13.165	-0.001	471498	13.853	-0.027	2944011	114.3	128.5	11.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264183	2.1
Hexabromobiphenyl	425681	454251	6.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	738334	2.4
Hexabromobiphenyl	863111	1031400	19.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1232	1	4.016	-0.002	5996	468.0	1	4.679	-0.000	14925	452.3
Aroclor-1232	2	5.728	0.001	36550	524.8	2	7.059	0.000	96476	500.3
Aroclor-1232	3	7.036	0.002	60788	571.9	3	7.654	0.003	201408	521.9
Aroclor-1232	4	7.973	0.001	25380	580.5	4	8.523	0.001	56734	564.3
Total Col1Ave (4 peaks):					536.3	Total Col2Ave (4 peaks):				509.7 RPD = 5
Corrected Ave (3 peaks):					521.6	Corrected Ave (3 peaks):				491.5 RPD = 6
Aroclor-1268	1	11.557	-0.000	307970	505.3	1	12.192	-0.008	1533537	517.5
Aroclor-1268	2	11.626	0.001	321316	502.6	2	12.256	-0.011	1606143	496.7
Aroclor-1268	3	12.001	0.000	251993	501.1	3	12.638	-0.006	1415992	506.6
Aroclor-1268	4	12.770	-0.002	791865	488.2	4	12.783	-0.000	359269	519.7
Total Col1Ave (4 peaks):					499.3	Total Col2Ave (4 peaks):				510.1 RPD = 2
Corrected Ave (3 peaks):					497.3	Corrected Ave (3 peaks):				506.9 RPD = 2

Total PCB Area Col1 (5.169 - 13.066) = 2578632 Col1 Total PCB = 1.0 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 8685361 Col2 Total PCB = 0.9 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALZ 14-AUG-2021 07:40, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALZ 14-AUG-2021 07:40, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132140ECD7.D
Data file 2: /210813.b/210813.b/08132140ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: AR3268.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-CALAA
Client ID:
Injection Date: 14-AUG-2021 08:00
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.072	0.003	559035	5.417	0.000	1626007	157.4	154.5	1.9	Tetrachloro-m-xylene
13.166	-0.000	1024984	13.880	-0.000	6105079	220.9	239.7	8.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	293830	13.5
Hexabromobiphenyl	425681	511240	20.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	819127	13.6
Hexabromobiphenyl	863111	1146408	32.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1232	1	4.018	0.000	12215	857.2	1	4.679	-0.000	30237	825.9
Aroclor-1232	2	5.726	0.000	77780	1004.1	2	7.058	0.000	203525	951.4
Aroclor-1232	3	7.034	0.000	138859	1174.6	3	7.651	0.000	435631	1017.5
Aroclor-1232	4	7.972	0.000	55694	1145.2	4	8.522	-0.000	126225	1131.7
Total Col1Ave (4 peaks): 1045.3						Total Col2Ave (4 peaks): 981.6				RPD = 6
Corrected Ave (3 peaks): 1002.2						Corrected Ave (3 peaks): 931.6				RPD = 7
Aroclor-1268	1	11.557	0.000	671468	979.0	1	12.200	-0.000	3980707	1208.5
Aroclor-1268	2	11.626	0.000	691891	961.7	2	12.267	-0.000	4248856	1182.1
Aroclor-1268	3	12.001	0.000	545758	964.4	3	12.644	0.000	3756866	1209.3
Aroclor-1268	4	12.772	0.000	1790032	980.6	4	12.783	0.000	815617	1061.4
Total Col1Ave (4 peaks): 971.4						Total Col2Ave (4 peaks): 1165.3				RPD = 18
Corrected Ave (3 peaks): 968.3						Corrected Ave (3 peaks): 1150.7				RPD = 17

Total PCB Area Col1 (5.169 - 13.066) = 5695380 Col1 Total PCB = 1.9 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 21104177 Col2 Total PCB = 1.9 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-CALAA 14-AUG-2021 08:00, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-CALAA 14-AUG-2021 08:00, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132141ECD7.D
Data file 2: /210813.b/210813.b/08132141ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV1
Client ID:
Injection Date: 14-AUG-2021 08:21
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	130620	5.416	-0.001	380301	43.6	41.9	4.0	Tetrachloro-m-xylene
13.166	0.000	166891	13.848	-0.032	891664	41.9	41.2	1.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	247644	-4.3
Hexabromobiphenyl	425681	438534	3.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	705551	-2.1
Hexabromobiphenyl	863111	973863	12.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	25008	284.7	1	7.059	0.002	110603	274.9
Aroclor-1016	2	7.036	0.006	75849	282.4	2	7.653	0.006	251287	279.2
Aroclor-1016	3	7.182	0.006	34421	285.6	3	7.860	0.005	101098	286.3
Aroclor-1016	4	7.291	0.006	21611	286.0	4	8.108	0.003	60866	284.8
Total Col1Ave (4 peaks):					284.7	Total Col2Ave (4 peaks):				281.3 RPD = 1
Corrected Ave (3 peaks):					284.2	Corrected Ave (3 peaks):				279.6 RPD = 2
Aroclor-1221	1	4.024	0.008	183	9.4	1	4.683	0.006	532	10.0
Aroclor-1221	2	5.453	0.002	3388	110.5	2	6.080	0.008	14283	117.8
Aroclor-1221	3	5.728	0.004	17440	210.6	3	6.414	0.005	53146	251.5
Total Col1Ave (3 peaks):					110.2	Total Col2Ave (3 peaks):				126.5 RPD = 14
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.024	0.006	183	15.2	1	4.683	0.004	532	16.9
Aroclor-1232	2	5.728	0.002	17440	267.1	2	7.059	0.001	110603	600.3
Aroclor-1232	3	7.036	0.002	75849	761.3	3	7.653	0.002	251287	681.4
Aroclor-1232	4	7.973	0.001	32123	783.7	4	8.522	0.000	77885	810.7
Total Col1Ave (4 peaks):					456.8	Total Col2Ave (4 peaks):				527.3 RPD = 14
Corrected Ave (3 peaks):					347.9	Corrected Ave (3 peaks):				432.8 RPD = 22
Aroclor-1242	1	6.662	0.003	25008	366.5	1	7.059	0.002	110603	341.0
Aroclor-1242	2	7.036	0.006	75849	372.9	2	7.653	0.005	251287	356.6
Aroclor-1242	3	8.386	0.011	23127	200.7	3	8.934	-0.015	43631	132.5
Aroclor-1242	4	8.601	-0.072	2264	48.1	4	9.087	0.060	61086	163.5
Total Col1Ave (4 peaks):					247.1	Total Col2Ave (4 peaks):				248.4 RPD = 1
Corrected Ave (3 peaks):					205.1	Corrected Ave (3 peaks):				212.3 RPD = 3
Aroclor-1248	1	7.803	0.005	21981	211.8	1	8.108	0.002	60866	208.2
Aroclor-1248	2	7.973	0.005	32123	237.1	2	8.522	0.002	77885	218.9
Aroclor-1248	3	8.386	0.011	23127	116.6	3	8.934	-0.013	43631	77.0
Aroclor-1248	4	8.678	0.004	18050	159.4	4	9.393	0.016	3902	8.1
Total Col1Ave (4 peaks):					181.2	Total Col2Ave (4 peaks):				128.0 RPD = 34
Corrected Ave (3 peaks):					162.6	Corrected Ave (3 peaks):				97.8 RPD = 50*
Aroclor-1254	1	8.678	0.003	18050	84.5	1	9.242	0.003	55374	92.2
Aroclor-1254	2	---			0.0	2	9.393	0.062	3902	11.1
Aroclor-1254	3	9.048	0.006	1874	13.5	3	9.768	0.005	7503	16.4
Aroclor-1254	4	9.179	0.003	8064	30.3	4	9.930	0.017	138725	136.8
Aroclor-1254	5	9.859	-0.008	24786	148.4	5	10.160	0.012	181859	176.8
Total Col1Ave (4 peaks):					69.2	Total Col2Ave (5 peaks):				86.7 RPD = 22
Corrected Ave (3 peaks):					42.8	Corrected Ave (4 peaks):				64.1 RPD = 40*
Aroclor-1260	1	10.386	0.003	52476	266.0	1	11.427	0.002	206923	255.6
Aroclor-1260	2	10.705	0.005	54460	281.2	2	11.681	-0.000	606031	257.6
Aroclor-1260	3	11.055	0.005	146267	279.5	3	12.264	0.003	390976	258.4
Aroclor-1260	4	11.458	0.005	67567	289.8	4	12.974	0.002	190042	262.7
Aroclor-1260	5	11.557	0.003	30592	262.0	NS	---			----
Total Col1Ave (5 peaks):					275.7	Total Col2Ave (4 peaks):				258.6 RPD = 6
Corrected Ave (4 peaks):					272.2	Corrected Ave (3 peaks):				257.2 RPD = 6
Aroclor-1262	1	10.386	0.002	52476	196.1	1	10.970	-0.000	227139	190.7
Aroclor-1262	2	11.458	0.003	67567	389.9	2	11.681	-0.004	606031	241.2
Aroclor-1262	3	11.630	0.003	39662	158.8	3	12.190	0.002	176119	157.9
Aroclor-1262	4	12.278	0.004	37281	181.8	4	12.974	0.001	190042	182.8
Total Col1Ave (4 peaks):					231.6	Total Col2Ave (4 peaks):				193.2 RPD = 18
Corrected Ave (3 peaks):					178.9	Corrected Ave (3 peaks):				177.2 RPD = 1
Aroclor-1268	1	11.557	-0.000	30592	52.0	1	12.190	-0.010	176119	62.9
Aroclor-1268	2	11.630	0.004	39662	64.3	2	12.264	-0.003	390976	128.0
Aroclor-1268	3	12.031	0.031	15649	32.2	3	12.637	-0.007	5866	2.2
Aroclor-1268	4	12.771	-0.001	7371	4.7	4	12.784	0.001	4262	6.5
Total Col1Ave (4 peaks):					38.3	Total Col2Ave (4 peaks):				49.9 RPD = 26

Corrected Ave (3 peaks): 29.6 Corrected Ave (3 peaks): 23.9 RPD = 21

Total PCB Area Col1 (5.169 - 13.066) = 1398917 Col1 Total PCB = 0.6 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 5304779 Col2 Total PCB = 0.6 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132142ECD7.D
Data file 2: /210813.b/210813.b/08132142ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV2
Client ID:
Injection Date: 14-AUG-2021 08:41
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	132285	5.416	-0.001	383386	42.4	41.2	2.9	Tetrachloro-m-xylene
13.167	0.001	167664	13.849	-0.031	892912	40.6	40.1	1.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258029	-0.3
Hexabromobiphenyl	425681	455205	6.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	724238	0.5
Hexabromobiphenyl	863111	1002202	16.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	19016	207.8	1	7.058	0.002	84149	203.8
Aroclor-1016	2	7.036	0.007	56530	202.0	2	7.655	0.007	190019	205.7
Aroclor-1016	3	7.182	0.006	26016	207.1	3	7.861	0.006	75921	209.4
Aroclor-1016	4	7.291	0.006	16388	208.1	4	8.108	0.003	48471	220.9
Total Col1Ave (4 peaks): 206.3						Total Col2Ave (4 peaks): 210.0 RPD = 2				
Corrected Ave (3 peaks): 205.6						Corrected Ave (3 peaks): 206.3 RPD = 0				
Aroclor-1221	1	4.028	0.013	116	5.7	1	---			0.0
Aroclor-1221	2	5.452	0.001	2495	78.1	2	6.082	0.010	11569	93.0
Aroclor-1221	3	5.727	0.003	12904	149.5	3	6.414	0.005	39789	183.5
Total Col1Ave (3 peaks): 77.8						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	4.028	0.010	116	9.3	1	---			0.0
Aroclor-1232	2	5.727	0.001	12904	189.7	2	7.058	0.000	84149	444.9
Aroclor-1232	3	7.036	0.003	56530	544.5	3	7.655	0.004	190019	502.0
Aroclor-1232	4	7.974	0.001	26547	621.6	4	8.522	0.000	61015	618.7
Total Col1Ave (4 peaks): 341.3						Total Col2Ave (3 peaks): 521.9 RPD = 42*				
Corrected Ave (3 peaks): 247.8						Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.662	0.003	19016	267.5	1	7.058	0.001	84149	252.7
Aroclor-1242	2	7.036	0.006	56530	266.7	2	7.655	0.006	190019	262.7
Aroclor-1242	3	8.383	0.009	29618	246.7	3	8.960	0.011	88042	260.5
Aroclor-1242	4	8.677	0.003	16945	345.4	4	9.035	0.007	96759	252.3
Total Col1Ave (4 peaks): 281.6						Total Col2Ave (4 peaks): 257.1 RPD = 9				
Corrected Ave (3 peaks): 260.3						Corrected Ave (3 peaks): 255.2 RPD = 2				
Aroclor-1248	1	7.804	0.005	17658	163.3	1	8.108	0.002	48471	161.5
Aroclor-1248	2	7.974	0.006	26547	188.1	2	8.522	0.002	61015	167.0
Aroclor-1248	3	8.383	0.009	29618	143.3	3	8.960	0.014	88042	151.3
Aroclor-1248	4	8.677	0.004	16945	143.6	4	9.387	0.011	85570	173.2
Total Col1Ave (4 peaks): 159.6						Total Col2Ave (4 peaks): 163.2 RPD = 2				
Corrected Ave (3 peaks): 150.1						Corrected Ave (3 peaks): 159.9 RPD = 6				
Aroclor-1254	1	8.677	0.002	16945	76.1	1	9.243	0.003	29242	47.5
Aroclor-1254	2	8.749	0.003	9630	93.4	2	9.387	0.056	85570	236.6
Aroclor-1254	3	9.048	0.007	7009	48.3	3	9.768	0.005	22605	48.1
Aroclor-1254	4	9.185	0.010	12002	43.3	4	9.920	0.006	43258	41.6
Aroclor-1254	5	9.892	0.025	8818	50.7	5	10.159	0.012	45764	43.4
Total Col1Ave (5 peaks): 62.4						Total Col2Ave (5 peaks): 83.4 RPD = 29				
Corrected Ave (4 peaks): 54.6						Corrected Ave (4 peaks): 45.1 RPD = 19				
Aroclor-1260	1	10.393	0.010	159	0.8	1	11.445	0.020	5299	6.4
Aroclor-1260	2	10.708	0.008	221	1.1	2	11.687	0.006	3878	1.6
Aroclor-1260	3	11.059	0.009	267	0.5	3	12.271	0.010	3933	2.5
Aroclor-1260	4	11.460	0.007	376	1.6	4	13.053	0.081	5398	7.3
Aroclor-1260	5	---			0.0	NS	---			----
Total Col1Ave (4 peaks): 1.0						Total Col2Ave (4 peaks): 4.4 RPD = 128*				
Corrected Ave (3 peaks): 0.8						Corrected Ave (3 peaks): 3.5 RPD = 126*				
Aroclor-1262	1	10.393	0.009	159	0.6	1	10.901	-0.069	17524	14.3
Aroclor-1262	2	11.460	0.005	376	2.1	2	11.687	0.001	3878	1.5
Aroclor-1262	3	---			0.0	3	12.271	0.083	3933	3.4
Aroclor-1262	4	---			0.0	4	13.053	0.081	5398	5.0
Col1Ave: <3 Quant Peaks						Col2Ave: 6.1				
Aroclor-1268	1	11.460	-0.097	376	0.6	1	12.271	0.071	3933	1.4
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	11.914	-0.086	1770	3.5	3	12.639	-0.005	1023	0.4
Aroclor-1268	4	12.775	0.003	794	0.5	4	12.790	0.006	1260	1.9
Total Col1Ave (3 peaks): 1.5						Total Col2Ave (3 peaks): 1.2 RPD = 24				
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				

Total PCB Area Col1 (5.169 - 13.066) = 482960 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1884416 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132142ECD7.D Injection Date: 14-AUG-2021 08:41

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132143ECD7.D
Data file 2: /210813.b/210813.b/08132143ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV3
Client ID:
Injection Date: 14-AUG-2021 09:02
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	133217	5.416	-0.001	384693	41.7	40.4	3.0	Tetrachloro-m-xylene
13.165	-0.001	166922	13.848	-0.032	892438	39.5	38.4	2.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264526	2.2
Hexabromobiphenyl	425681	465895	9.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740726	2.7
Hexabromobiphenyl	863111	1045189	21.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	9682	103.2	1	7.058	0.001	46276	109.6
Aroclor-1016	2	7.035	0.006	37972	132.4	2	7.654	0.006	128803	136.3
Aroclor-1016	3	7.185	0.009	16001	124.3	3	7.862	0.007	26557	71.6
Aroclor-1016	4	7.292	0.007	10150	125.7	4	8.107	0.002	83644	372.8
Total Col1Ave (4 peaks):					121.4	Total Col2Ave (4 peaks):				172.6 RPD = 35
Corrected Ave (3 peaks):					117.7	Corrected Ave (3 peaks):				105.8 RPD = 11
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	5.455	0.004	449	13.7	2	6.091	0.019	6638	52.2
Aroclor-1221	3	5.728	0.004	2260	25.5	3	6.414	0.005	8501	38.3
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	5.728	0.002	2260	32.4	2	7.058	-0.000	46276	239.2
Aroclor-1232	3	7.035	0.002	37972	356.8	3	7.654	0.003	128803	332.7
Aroclor-1232	4	7.972	-0.000	39250	896.5	4	8.523	0.001	102298	1014.3
Total Col1Ave (3 peaks):					428.6	Total Col2Ave (3 peaks):				528.7 RPD = 21
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.663	0.004	9682	132.8	1	7.058	0.000	46276	135.9
Aroclor-1242	2	7.035	0.005	37972	174.8	2	7.654	0.005	128803	174.1
Aroclor-1242	3	8.381	0.007	54555	443.2	3	8.956	0.007	151640	438.8
Aroclor-1242	4	8.678	0.004	31259	621.5	4	9.034	0.006	104178	265.6
Total Col1Ave (4 peaks):					343.1	Total Col2Ave (4 peaks):				253.6 RPD = 30
Corrected Ave (3 peaks):					250.3	Corrected Ave (3 peaks):				191.9 RPD = 26
Aroclor-1248	1	7.802	0.004	28742	259.3	1	8.107	0.002	83644	272.5
Aroclor-1248	2	7.972	0.004	39250	271.2	2	8.523	0.003	102298	273.8
Aroclor-1248	3	8.381	0.007	54555	257.5	3	8.956	0.009	151640	254.8
Aroclor-1248	4	8.678	0.004	31259	258.4	4	9.383	0.006	151004	298.8
Total Col1Ave (4 peaks):					261.6	Total Col2Ave (4 peaks):				275.0 RPD = 5
Corrected Ave (3 peaks):					258.4	Corrected Ave (3 peaks):				267.0 RPD = 3
Aroclor-1254	1	8.678	0.002	31259	137.0	1	9.242	0.003	54333	86.2
Aroclor-1254	2	8.749	0.003	18396	174.1	2	9.383	0.052	151004	408.3
Aroclor-1254	3	9.047	0.006	14863	99.9	3	9.767	0.004	47940	99.8
Aroclor-1254	4	9.184	0.008	25850	91.0	4	9.918	0.004	90159	84.7
Aroclor-1254	5	9.891	0.024	17966	100.7	5	10.157	0.010	92605	85.8
Total Col1Ave (5 peaks):					120.5	Total Col2Ave (5 peaks):				152.9 RPD = 24
Corrected Ave (4 peaks):					107.1	Corrected Ave (4 peaks):				89.1 RPD = 18
Aroclor-1260	1	10.390	0.007	578	2.8	1	11.440	0.015	6820	7.8
Aroclor-1260	2	10.706	0.006	437	2.1	2	11.683	0.002	7655	3.0
Aroclor-1260	3	11.059	0.008	1267	2.3	3	12.263	0.002	5159	3.2
Aroclor-1260	4	11.460	0.007	540	2.2	4	12.973	0.001	2451	3.2
Aroclor-1260	5	11.559	0.005	490	4.0	NS	---			----
Total Col1Ave (5 peaks):					2.7	Total Col2Ave (4 peaks):				4.3 RPD = 47*
Corrected Ave (4 peaks):					2.3	Corrected Ave (3 peaks):				3.1 RPD = 29
Aroclor-1262	1	10.390	0.006	578	2.0	1	10.972	0.001	4108	3.2
Aroclor-1262	2	11.460	0.005	540	2.9	2	11.683	-0.002	7655	2.8
Aroclor-1262	3	11.632	0.005	592	2.2	3	12.188	-0.000	3699	3.1
Aroclor-1262	4	12.278	0.004	571	2.6	4	12.973	0.001	2451	2.2
Total Col1Ave (4 peaks):					2.5	Total Col2Ave (4 peaks):				2.8 RPD = 14
Corrected Ave (3 peaks):					2.3	Corrected Ave (3 peaks):				2.7 RPD = 17
Aroclor-1268	1	11.559	0.002	490	0.8	1	12.188	-0.012	3699	1.2
Aroclor-1268	2	11.632	0.006	592	0.9	2	12.263	-0.004	5159	1.6
Aroclor-1268	3	11.915	-0.086	879	1.7	3	12.643	-0.001	909	0.3
Aroclor-1268	4	12.775	0.003	932	0.6	4	12.788	0.005	972	1.4
Total Col1Ave (4 peaks):					1.0	Total Col2Ave (4 peaks):				1.1 RPD = 13
Corrected Ave (3 peaks):					0.7	Corrected Ave (3 peaks):				1.0 RPD = 27

Total PCB Area Col1 (5.169 - 13.066) = 608290 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 2317749 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-35 Manual Integration: NO

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132143ECD7.D Injection Date: 14-AUG-2021 09:02

Manual Integration (After)



Processed Integration (Before)



Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132144ECD7.D
Data file 2: /210813.b/210813.b/08132144ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV4
Client ID:
Injection Date: 14-AUG-2021 09:22
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	134141	5.416	-0.001	389116	42.6	41.4	2.8	Tetrachloro-m-xylene
13.166	0.000	166634	13.848	-0.032	887620	40.1	38.6	3.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	260417	0.6
Hexabromobiphenyl	425681	458139	7.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	730797	1.4
Hexabromobiphenyl	863111	1034233	19.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	131	1.4	1	7.062	0.005	1136	2.7
Aroclor-1016	2	7.039	0.009	605	2.1	2	7.659	0.011	3270	3.5
Aroclor-1016	3	7.189	0.014	416	3.3	3	7.909	0.054	1836	5.0
Aroclor-1016	4	---			0.0	4	8.109	0.004	59728	269.8
Total Col1Ave (3 peaks): 2.3						Total Col2Ave (4 peaks): 70.3 RPD = 187*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 3.8				
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	---			0.0	2	6.094	0.021	4462	35.5
Aroclor-1221	3	---			0.0	3	6.411	0.002	1085	5.0
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	---			0.0	2	7.062	0.004	1136	6.0
Aroclor-1232	3	7.039	0.005	605	5.8	3	7.659	0.008	3270	8.6
Aroclor-1232	4	7.975	0.003	5517	128.0	4	8.524	0.002	40317	405.2
Col1Ave: <3 Quant Peaks						Col2Ave: 139.9				
Aroclor-1242	1	6.663	0.004	131	1.8	1	7.062	0.005	1136	3.4
Aroclor-1242	2	7.039	0.008	605	2.8	2	7.659	0.010	3270	4.5
Aroclor-1242	3	8.385	0.011	48414	399.6	3	8.960	0.012	63036	184.9
Aroclor-1242	4	8.679	0.005	62054	1253.2	4	9.035	0.007	12438	32.1
Total Col1Ave (4 peaks): 414.4						Total Col2Ave (4 peaks): 56.2 RPD = 152*				
Corrected Ave (3 peaks): 134.7						Corrected Ave (3 peaks): 13.3 RPD = 164*				
Aroclor-1248	1	7.804	0.005	12376	113.4	1	8.109	0.003	59728	197.2
Aroclor-1248	2	7.975	0.007	5517	38.7	2	8.524	0.004	40317	109.4
Aroclor-1248	3	8.385	0.011	48414	232.1	3	8.960	0.014	63036	107.4
Aroclor-1248	4	8.679	0.005	62054	521.1	4	9.335	-0.041	91889	184.3
Total Col1Ave (4 peaks): 226.3						Total Col2Ave (4 peaks): 149.6 RPD = 41*				
Corrected Ave (3 peaks): 128.1						Corrected Ave (3 peaks): 133.7 RPD = 4				
Aroclor-1254	1	8.679	0.003	62054	276.2	1	9.242	0.003	166697	268.1
Aroclor-1254	2	8.751	0.005	29615	284.7	2	9.335	0.004	91889	251.8
Aroclor-1254	3	9.046	0.005	40463	276.3	3	9.766	0.003	128036	270.1
Aroclor-1254	4	9.181	0.005	78989	282.3	4	9.918	0.004	270040	257.1
Aroclor-1254	5	9.873	0.006	50845	289.4	5	10.155	0.008	293166	275.2
Total Col1Ave (5 peaks): 281.8						Total Col2Ave (5 peaks): 264.5 RPD = 6				
Corrected Ave (4 peaks): 279.9						Corrected Ave (4 peaks): 261.8 RPD = 7				
Aroclor-1260	1	10.386	0.003	4281	20.8	1	11.441	0.015	77320	89.9
Aroclor-1260	2	10.706	0.006	4756	23.5	2	11.684	0.003	61993	24.8
Aroclor-1260	3	11.057	0.007	11820	21.6	3	12.266	0.005	35733	22.2
Aroclor-1260	4	11.458	0.005	9286	38.1	4	12.973	0.001	1994	2.6
Aroclor-1260	5	11.627	0.073	440	3.6	NS	---			----
Total Col1Ave (5 peaks): 21.5						Total Col2Ave (4 peaks): 34.9 RPD = 47*				
Corrected Ave (4 peaks): 17.4						Corrected Ave (3 peaks): 16.5 RPD = 5				
Aroclor-1262	1	10.386	0.002	4281	15.3	1	10.897	-0.073	251611	198.9
Aroclor-1262	2	11.458	0.003	9286	51.3	2	11.684	-0.001	61993	23.2
Aroclor-1262	3	11.627	0.000	440	1.7	3	12.205	0.017	9780	8.3
Aroclor-1262	4	12.279	0.005	629	2.9	4	12.973	0.000	1994	1.8
Total Col1Ave (4 peaks): 17.8						Total Col2Ave (4 peaks): 58.1 RPD = 106*				
Corrected Ave (3 peaks): 6.6						Corrected Ave (3 peaks): 11.1 RPD = 50*				
Aroclor-1268	1	11.627	0.070	440	0.7	1	12.205	0.005	9780	3.3
Aroclor-1268	2	---			0.0	2	12.266	-0.001	35733	11.0
Aroclor-1268	3	11.912	-0.088	968	1.9	3	12.633	-0.011	400	0.1
Aroclor-1268	4	12.774	0.002	1001	0.6	4	12.861	0.078	15819	22.8
Total Col1Ave (3 peaks): 1.1						Total Col2Ave (4 peaks): 9.3 RPD = 158*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 4.8				

Total PCB Area Col1 (5.169 - 13.066) = 819275 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 3111878 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132145ECD7.D
Data file 2: /210813.b/210813.b/08132145ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV5
Client ID:
Injection Date: 14-AUG-2021 09:43
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	131998	5.417	-0.000	375118	40.6	39.1	3.6	Tetrachloro-m-xylene
13.166	-0.000	164634	13.848	-0.032	881936	38.8	37.6	3.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	269058	3.9
Hexabromobiphenyl	425681	467004	9.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	745766	3.4
Hexabromobiphenyl	863111	1054321	22.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	1551	16.3	1	7.061	0.004	17081	40.2
Aroclor-1016	2	7.039	0.009	4280	14.7	2	7.658	0.011	15832	16.6
Aroclor-1016	3	7.184	0.008	2282	17.4	3	7.865	0.010	6703	18.0
Aroclor-1016	4	7.294	0.009	1564	19.1	4	8.109	0.004	3939	17.4
Total Col1Ave (4 peaks):				16.8		Total Col2Ave (4 peaks):			23.1	RPD = 31
Corrected Ave (3 peaks):				16.1		Corrected Ave (3 peaks):			17.3	RPD = 7
Aroclor-1221	1	4.018	0.002	6262	294.7	1	4.680	0.004	15071	269.2
Aroclor-1221	2	5.454	0.003	9982	299.7	2	6.075	0.003	33472	261.2
Aroclor-1221	3	5.728	0.004	25492	283.3	3	6.413	0.004	59675	267.2
Total Col1Ave (3 peaks):				292.6		Total Col2Ave (3 peaks):			265.9	RPD = 10
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.018	-0.000	6262	479.9	1	4.680	0.001	15071	452.2
Aroclor-1232	2	5.728	0.002	25492	359.4	2	7.061	0.003	17081	87.7
Aroclor-1232	3	7.039	0.005	4280	39.5	3	7.658	0.007	15832	40.6
Aroclor-1232	4	7.978	0.006	798	17.9	4	8.525	0.003	2523	24.8
Total Col1Ave (4 peaks):				224.2		Total Col2Ave (4 peaks):			151.3	RPD = 39
Corrected Ave (3 peaks):				139.0		Corrected Ave (3 peaks):			51.1	RPD = 93*
Aroclor-1242	1	6.663	0.004	1551	20.9	1	7.061	0.004	17081	49.8
Aroclor-1242	2	7.039	0.009	4280	19.4	2	7.658	0.010	15832	21.3
Aroclor-1242	3	8.388	0.013	9148	73.1	3	8.966	0.018	6505	18.7
Aroclor-1242	4	8.680	0.006	9619	188.0	4	9.089	0.061	25267	64.0
Total Col1Ave (4 peaks):				75.3		Total Col2Ave (4 peaks):			38.4	RPD = 65*
Corrected Ave (3 peaks):				37.8		Corrected Ave (3 peaks):			29.9	RPD = 23
Aroclor-1248	1	7.805	0.007	1067	9.5	1	8.109	0.003	3939	12.7
Aroclor-1248	2	7.978	0.010	798	5.4	2	8.525	0.005	2523	6.7
Aroclor-1248	3	8.388	0.013	9148	42.4	3	8.966	0.020	6505	10.9
Aroclor-1248	4	8.680	0.007	9619	78.2	4	9.396	0.019	4022	7.9
Total Col1Ave (4 peaks):				33.9		Total Col2Ave (4 peaks):			9.6	RPD = 112*
Corrected Ave (3 peaks):				19.1		Corrected Ave (3 peaks):			8.5	RPD = 77*
Aroclor-1254	1	8.680	0.005	9619	41.4	1	9.245	0.005	26890	42.4
Aroclor-1254	2	---			0.0	2	9.336	0.005	2650	7.1
Aroclor-1254	3	9.050	0.008	1343	8.9	3	9.769	0.007	4242	8.8
Aroclor-1254	4	9.145	-0.031	9990	34.6	4	9.932	0.019	121430	113.3
Aroclor-1254	5	9.858	-0.010	13751	75.8	5	10.160	0.013	143957	132.4
Total Col1Ave (4 peaks):				40.2		Total Col2Ave (5 peaks):			60.8	RPD = 41*
Corrected Ave (3 peaks):				28.3		Corrected Ave (4 peaks):			42.9	RPD = 41*
Aroclor-1260	1	10.387	0.004	74432	354.3	1	11.427	0.001	248521	283.6
Aroclor-1260	2	10.705	0.005	63581	308.3	2	11.682	0.001	656259	257.6
Aroclor-1260	3	11.056	0.005	158724	284.8	3	12.261	0.000	468343	285.9
Aroclor-1260	4	11.457	0.004	49425	199.0	4	12.974	0.001	287502	367.1
Aroclor-1260	5	11.557	0.003	61640	495.8	NS	---			----
Total Col1Ave (5 peaks):				328.4		Total Col2Ave (4 peaks):			298.6	RPD = 10
Corrected Ave (4 peaks):				286.6		Corrected Ave (3 peaks):			275.7	RPD = 4
Aroclor-1262	1	10.387	0.003	74432	261.2	1	10.970	-0.000	313779	243.4
Aroclor-1262	2	11.457	0.002	49425	267.8	2	11.682	-0.003	656259	241.2
Aroclor-1262	3	11.628	0.001	70335	264.4	3	12.188	0.000	303167	251.1
Aroclor-1262	4	12.278	0.003	58296	266.9	4	12.974	0.001	287502	255.5
Total Col1Ave (4 peaks):				265.1		Total Col2Ave (4 peaks):			247.8	RPD = 7
Corrected Ave (3 peaks):				264.2		Corrected Ave (3 peaks):			245.2	RPD = 7
Aroclor-1268	1	11.557	0.000	61640	98.4	1	12.188	-0.012	303167	100.1
Aroclor-1268	2	11.628	0.002	70335	107.0	2	12.261	-0.006	468343	141.7
Aroclor-1268	3	12.031	0.030	24251	46.9	3	12.635	-0.009	18559	6.5
Aroclor-1268	4	12.770	-0.001	19100	11.5	4	12.783	0.000	11203	15.9
Total Col1Ave (4 peaks):				65.9		Total Col2Ave (4 peaks):			66.0	RPD = 0

Corrected Ave (3 peaks): 52.2 Corrected Ave (3 peaks): 40.8 RPD = 25

Total PCB Area Col1 (5.169 - 13.066) = 1098701 Col1 Total PCB = 0.4 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4504756 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132146ECD7.D
Data file 2: /210813.b/210813.b/08132146ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV6
Client ID:
Injection Date: 14-AUG-2021 10:03
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	131287	5.416	-0.000	375338	41.2	39.7	3.8	Tetrachloro-m-xylene
13.165	-0.001	248059	13.848	-0.032	1383308	59.6	59.3	0.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263445	1.8
Hexabromobiphenyl	425681	458283	7.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	736133	2.1
Hexabromobiphenyl	863111	1049914	21.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	11471	122.8	1	7.059	0.002	54454	129.7
Aroclor-1016	2	7.037	0.008	32172	112.6	2	7.656	0.009	111127	118.4
Aroclor-1016	3	7.183	0.007	15436	120.4	3	7.862	0.007	47184	128.0
Aroclor-1016	4	7.292	0.007	9103	113.2	4	8.108	0.003	26255	117.7
Total Col1Ave (4 peaks):				117.2		Total Col2Ave (4 peaks):			123.5	RPD = 5
Corrected Ave (3 peaks):				115.4		Corrected Ave (3 peaks):			121.4	RPD = 5
Aroclor-1221	1	4.017	0.002	3341	160.6	1	4.679	0.002	8452	153.0
Aroclor-1221	2	5.453	0.002	5429	166.5	2	6.077	0.004	21053	166.4
Aroclor-1221	3	5.727	0.003	17948	203.7	3	6.414	0.005	55556	252.0
Total Col1Ave (3 peaks):				176.9		Total Col2Ave (3 peaks):			190.5	RPD = 7
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.001	3341	261.5	1	4.679	-0.000	8452	256.9
Aroclor-1232	2	5.727	0.001	17948	258.4	2	7.059	0.001	54454	283.3
Aroclor-1232	3	7.037	0.003	32172	303.5	3	7.656	0.005	111127	288.8
Aroclor-1232	4	7.974	0.002	13693	314.0	4	8.524	0.002	31722	316.5
Total Col1Ave (4 peaks):				284.4		Total Col2Ave (4 peaks):			286.4	RPD = 1
Corrected Ave (3 peaks):				274.5		Corrected Ave (3 peaks):			276.3	RPD = 1
Aroclor-1242	1	6.663	0.004	11471	158.0	1	7.059	0.002	54454	160.9
Aroclor-1242	2	7.037	0.007	32172	148.7	2	7.656	0.008	111127	151.2
Aroclor-1242	3	8.385	0.010	20544	167.6	3	8.959	0.010	61163	178.1
Aroclor-1242	4	8.676	0.002	6934	138.4	4	9.041	0.013	55525	142.5
Total Col1Ave (4 peaks):				153.2		Total Col2Ave (4 peaks):			158.1	RPD = 3
Corrected Ave (3 peaks):				148.4		Corrected Ave (3 peaks):			151.5	RPD = 2
Aroclor-1248	1	7.804	0.005	9056	82.0	1	8.108	0.002	26255	86.1
Aroclor-1248	2	7.974	0.006	13693	95.0	2	8.524	0.003	31722	85.4
Aroclor-1248	3	8.385	0.010	20544	97.4	3	8.959	0.012	61163	103.4
Aroclor-1248	4	8.676	0.002	6934	57.6	4	9.391	0.015	44441	88.5
Total Col1Ave (4 peaks):				83.0		Total Col2Ave (4 peaks):			90.8	RPD = 9
Corrected Ave (3 peaks):				78.2		Corrected Ave (3 peaks):			86.7	RPD = 10
Aroclor-1254	1	8.676	0.000	6934	30.5	1	9.243	0.003	10554	16.9
Aroclor-1254	2	8.748	0.002	3715	35.3	2	9.391	0.060	44441	120.9
Aroclor-1254	3	9.050	0.008	2122	14.3	3	9.769	0.007	7619	16.0
Aroclor-1254	4	9.187	0.011	3159	11.2	4	9.922	0.009	13052	12.3
Aroclor-1254	5	9.896	0.029	1953	11.0	5	10.167	0.020	14279	13.3
Total Col1Ave (5 peaks):				20.5		Total Col2Ave (5 peaks):			35.9	RPD = 55*
Corrected Ave (4 peaks):				16.7		Corrected Ave (4 peaks):			14.6	RPD = 14
Aroclor-1260	1	10.388	0.005	30028	145.6	1	11.405	-0.020	170014	194.8
Aroclor-1260	2	10.704	0.004	2256	11.1	2	11.680	-0.001	78239	30.8
Aroclor-1260	3	11.056	0.005	17997	32.9	3	12.254	-0.007	838267	513.9
Aroclor-1260	4	11.458	0.006	301	1.2	4	12.972	0.000	307546	394.4
Aroclor-1260	5	11.557	0.003	165147	1353.6	NS	---			----
Total Col1Ave (5 peaks):				308.9		Total Col2Ave (4 peaks):			283.5	RPD = 9
Corrected Ave (4 peaks):				47.7		Corrected Ave (3 peaks):			206.7	RPD = 125*
Aroclor-1262	1	10.388	0.004	30028	107.4	1	10.971	0.001	118268	92.1
Aroclor-1262	2	11.458	0.004	301	1.7	2	11.680	-0.005	78239	28.9
Aroclor-1262	3	11.626	-0.000	172148	659.4	3	12.187	-0.001	744741	619.3
Aroclor-1262	4	12.276	0.002	62869	293.3	4	12.972	-0.000	307546	274.4
Total Col1Ave (4 peaks):				265.4		Total Col2Ave (4 peaks):			253.7	RPD = 5
Corrected Ave (3 peaks):				134.1		Corrected Ave (3 peaks):			131.8	RPD = 2
Aroclor-1268	1	11.557	-0.000	165147	268.6	1	12.187	-0.013	744741	246.9
Aroclor-1268	2	11.626	0.001	172148	266.9	2	12.254	-0.013	838267	254.7
Aroclor-1268	3	12.000	-0.000	135416	266.9	3	12.635	-0.009	744001	261.5
Aroclor-1268	4	12.770	-0.002	428256	261.7	4	12.782	-0.001	187584	266.5
Total Col1Ave (4 peaks):				266.0		Total Col2Ave (4 peaks):			257.4	RPD = 3

Corrected Ave (3 peaks): 265.2 Corrected Ave (3 peaks): 254.3 RPD = 4

Total PCB Area Col1 (5.169 - 13.066) = 1378298 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4537494 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-35 Manual Integration: NO

Analytical Resources Inc.
8082 DDT SCREEN REPORT

Data file 1: /210813.b/08132147ECD7.D ARI ID: 0.1PPMDDTS

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
8.655	0.000	378282	9.708	0.000	2247303	0.100	0.100	0.0	2,4-DDE
0.000	-9.668	0	10.472	0.000	3202027	0.000	0.200#	----	2,4-DDT
9.066	0.000	627072	10.014	0.000	1432754	0.100	0.100	0.0	4,4-DDE
9.630	0.000	957342	10.472	0.000	3202027	0.100	0.200#	66.7*	4,4-DDD

# Indicates value is from co-eluting peaks
* Indicates RPD > 40%

Analytical Resources Inc.
8082 DDT SCREEN REPORT

Data file 1: /210813.b/08132148ECD7.D ARI ID: DS

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
0.000	-8.655	0	9.713	0.005	45188	0.000	0.002	----	2,4-DDE
0.000	-9.668	0	10.469	-0.002	386231	0.000	0.024#	----	2,4-DDT
9.074	0.008	8164	10.015	0.001	1431	0.001	0.000	171.3*	4,4-DDE
9.633	0.003	99838	10.469	-0.002	386231	0.010	0.024#	79.8*	4,4-DDD

# Indicates value is from co-eluting peaks
* Indicates RPD > 40%

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV1
Sequence Name: AR1660SCV1
Standard ID: J008139

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1016	250.00	285	13.9	20.00
Aroclor 1016 [2C]	250.00	281	12.5	20.00
Aroclor 1260	250.00	276	10.3	20.00
Aroclor 1260 [2C]	250.00	259	3.4	20.00
Decachlorobiphenyl	40.000	41.9	4.8	20.00
Tetrachlorometaxylene	40.000	43.6	9.1	20.00
Decachlorobiphenyl [2C]	40.000	41.2	3.0	20.00
Tetrachlorometaxylene [2C]	40.000	41.9	4.9	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132141ECD7.D
Data file 2: /210813.b/210813.b/08132141ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV1
Client ID:
Injection Date: 14-AUG-2021 08:21
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	130620	5.416	-0.001	380301	43.6	41.9	4.0	Tetrachloro-m-xylene
13.166	0.000	166891	13.848	-0.032	891664	41.9	41.2	1.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	247644	-4.3
Hexabromobiphenyl	425681	438534	3.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	705551	-2.1
Hexabromobiphenyl	863111	973863	12.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	25008	284.7	1	7.059	0.002	110603	274.9
Aroclor-1016	2	7.036	0.006	75849	282.4	2	7.653	0.006	251287	279.2
Aroclor-1016	3	7.182	0.006	34421	285.6	3	7.860	0.005	101098	286.3
Aroclor-1016	4	7.291	0.006	21611	286.0	4	8.108	0.003	60866	284.8
Total Col1Ave (4 peaks):					284.7	Total Col2Ave (4 peaks):				281.3 RPD = 1
Corrected Ave (3 peaks):					284.2	Corrected Ave (3 peaks):				279.6 RPD = 2
Aroclor-1221	1	4.024	0.008	183	9.4	1	4.683	0.006	532	10.0
Aroclor-1221	2	5.453	0.002	3388	110.5	2	6.080	0.008	14283	117.8
Aroclor-1221	3	5.728	0.004	17440	210.6	3	6.414	0.005	53146	251.5
Total Col1Ave (3 peaks):					110.2	Total Col2Ave (3 peaks):				126.5 RPD = 14
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.024	0.006	183	15.2	1	4.683	0.004	532	16.9
Aroclor-1232	2	5.728	0.002	17440	267.1	2	7.059	0.001	110603	600.3
Aroclor-1232	3	7.036	0.002	75849	761.3	3	7.653	0.002	251287	681.4
Aroclor-1232	4	7.973	0.001	32123	783.7	4	8.522	0.000	77885	810.7
Total Col1Ave (4 peaks):					456.8	Total Col2Ave (4 peaks):				527.3 RPD = 14
Corrected Ave (3 peaks):					347.9	Corrected Ave (3 peaks):				432.8 RPD = 22
Aroclor-1242	1	6.662	0.003	25008	366.5	1	7.059	0.002	110603	341.0
Aroclor-1242	2	7.036	0.006	75849	372.9	2	7.653	0.005	251287	356.6
Aroclor-1242	3	8.386	0.011	23127	200.7	3	8.934	-0.015	43631	132.5
Aroclor-1242	4	8.601	-0.072	2264	48.1	4	9.087	0.060	61086	163.5
Total Col1Ave (4 peaks):					247.1	Total Col2Ave (4 peaks):				248.4 RPD = 1
Corrected Ave (3 peaks):					205.1	Corrected Ave (3 peaks):				212.3 RPD = 3
Aroclor-1248	1	7.803	0.005	21981	211.8	1	8.108	0.002	60866	208.2
Aroclor-1248	2	7.973	0.005	32123	237.1	2	8.522	0.002	77885	218.9
Aroclor-1248	3	8.386	0.011	23127	116.6	3	8.934	-0.013	43631	77.0
Aroclor-1248	4	8.678	0.004	18050	159.4	4	9.393	0.016	3902	8.1
Total Col1Ave (4 peaks):					181.2	Total Col2Ave (4 peaks):				128.0 RPD = 34
Corrected Ave (3 peaks):					162.6	Corrected Ave (3 peaks):				97.8 RPD = 50*
Aroclor-1254	1	8.678	0.003	18050	84.5	1	9.242	0.003	55374	92.2
Aroclor-1254	2	---			0.0	2	9.393	0.062	3902	11.1
Aroclor-1254	3	9.048	0.006	1874	13.5	3	9.768	0.005	7503	16.4
Aroclor-1254	4	9.179	0.003	8064	30.3	4	9.930	0.017	138725	136.8
Aroclor-1254	5	9.859	-0.008	24786	148.4	5	10.160	0.012	181859	176.8
Total Col1Ave (4 peaks):					69.2	Total Col2Ave (5 peaks):				86.7 RPD = 22
Corrected Ave (3 peaks):					42.8	Corrected Ave (4 peaks):				64.1 RPD = 40*
Aroclor-1260	1	10.386	0.003	52476	266.0	1	11.427	0.002	206923	255.6
Aroclor-1260	2	10.705	0.005	54460	281.2	2	11.681	-0.000	606031	257.6
Aroclor-1260	3	11.055	0.005	146267	279.5	3	12.264	0.003	390976	258.4
Aroclor-1260	4	11.458	0.005	67567	289.8	4	12.974	0.002	190042	262.7
Aroclor-1260	5	11.557	0.003	30592	262.0	NS	---			----
Total Col1Ave (5 peaks):					275.7	Total Col2Ave (4 peaks):				258.6 RPD = 6
Corrected Ave (4 peaks):					272.2	Corrected Ave (3 peaks):				257.2 RPD = 6
Aroclor-1262	1	10.386	0.002	52476	196.1	1	10.970	-0.000	227139	190.7
Aroclor-1262	2	11.458	0.003	67567	389.9	2	11.681	-0.004	606031	241.2
Aroclor-1262	3	11.630	0.003	39662	158.8	3	12.190	0.002	176119	157.9
Aroclor-1262	4	12.278	0.004	37281	181.8	4	12.974	0.001	190042	182.8
Total Col1Ave (4 peaks):					231.6	Total Col2Ave (4 peaks):				193.2 RPD = 18
Corrected Ave (3 peaks):					178.9	Corrected Ave (3 peaks):				177.2 RPD = 1
Aroclor-1268	1	11.557	-0.000	30592	52.0	1	12.190	-0.010	176119	62.9
Aroclor-1268	2	11.630	0.004	39662	64.3	2	12.264	-0.003	390976	128.0
Aroclor-1268	3	12.031	0.031	15649	32.2	3	12.637	-0.007	5866	2.2
Aroclor-1268	4	12.771	-0.001	7371	4.7	4	12.784	0.001	4262	6.5
Total Col1Ave (4 peaks):					38.3	Total Col2Ave (4 peaks):				49.9 RPD = 26

Corrected Ave (3 peaks): 29.6 Corrected Ave (3 peaks): 23.9 RPD = 21

Total PCB Area Col1 (5.169 - 13.066) = 1398917 Col1 Total PCB = 0.6 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 5304779 Col2 Total PCB = 0.6 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV2
Sequence Name: AR1242SCV2
Standard ID: J008140

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1242	250.00	282	12.6	20.00
Aroclor 1242 [2C]	250.00	257	2.8	20.00
Decachlorobiphenyl	40.000	40.6	1.4	20.00
Tetrachlorometaxylene	40.000	42.4	6.0	20.00
Decachlorobiphenyl [2C]	40.000	40.1	0.2	20.00
Tetrachlorometaxylene [2C]	40.000	41.2	3.0	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132142ECD7.D
Data file 2: /210813.b/210813.b/08132142ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV2
Client ID:
Injection Date: 14-AUG-2021 08:41
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	132285	5.416	-0.001	383386	42.4	41.2	2.9	Tetrachloro-m-xylene
13.167	0.001	167664	13.849	-0.031	892912	40.6	40.1	1.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258029	-0.3
Hexabromobiphenyl	425681	455205	6.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	724238	0.5
Hexabromobiphenyl	863111	1002202	16.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	19016	207.8	1	7.058	0.002	84149	203.8
Aroclor-1016	2	7.036	0.007	56530	202.0	2	7.655	0.007	190019	205.7
Aroclor-1016	3	7.182	0.006	26016	207.1	3	7.861	0.006	75921	209.4
Aroclor-1016	4	7.291	0.006	16388	208.1	4	8.108	0.003	48471	220.9
Total Col1Ave (4 peaks): 206.3						Total Col2Ave (4 peaks): 210.0 RPD = 2				
Corrected Ave (3 peaks): 205.6						Corrected Ave (3 peaks): 206.3 RPD = 0				
Aroclor-1221	1	4.028	0.013	116	5.7	1	---			0.0
Aroclor-1221	2	5.452	0.001	2495	78.1	2	6.082	0.010	11569	93.0
Aroclor-1221	3	5.727	0.003	12904	149.5	3	6.414	0.005	39789	183.5
Total Col1Ave (3 peaks): 77.8						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	4.028	0.010	116	9.3	1	---			0.0
Aroclor-1232	2	5.727	0.001	12904	189.7	2	7.058	0.000	84149	444.9
Aroclor-1232	3	7.036	0.003	56530	544.5	3	7.655	0.004	190019	502.0
Aroclor-1232	4	7.974	0.001	26547	621.6	4	8.522	0.000	61015	618.7
Total Col1Ave (4 peaks): 341.3						Total Col2Ave (3 peaks): 521.9 RPD = 42*				
Corrected Ave (3 peaks): 247.8						Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.662	0.003	19016	267.5	1	7.058	0.001	84149	252.7
Aroclor-1242	2	7.036	0.006	56530	266.7	2	7.655	0.006	190019	262.7
Aroclor-1242	3	8.383	0.009	29618	246.7	3	8.960	0.011	88042	260.5
Aroclor-1242	4	8.677	0.003	16945	345.4	4	9.035	0.007	96759	252.3
Total Col1Ave (4 peaks): 281.6						Total Col2Ave (4 peaks): 257.1 RPD = 9				
Corrected Ave (3 peaks): 260.3						Corrected Ave (3 peaks): 255.2 RPD = 2				
Aroclor-1248	1	7.804	0.005	17658	163.3	1	8.108	0.002	48471	161.5
Aroclor-1248	2	7.974	0.006	26547	188.1	2	8.522	0.002	61015	167.0
Aroclor-1248	3	8.383	0.009	29618	143.3	3	8.960	0.014	88042	151.3
Aroclor-1248	4	8.677	0.004	16945	143.6	4	9.387	0.011	85570	173.2
Total Col1Ave (4 peaks): 159.6						Total Col2Ave (4 peaks): 163.2 RPD = 2				
Corrected Ave (3 peaks): 150.1						Corrected Ave (3 peaks): 159.9 RPD = 6				
Aroclor-1254	1	8.677	0.002	16945	76.1	1	9.243	0.003	29242	47.5
Aroclor-1254	2	8.749	0.003	9630	93.4	2	9.387	0.056	85570	236.6
Aroclor-1254	3	9.048	0.007	7009	48.3	3	9.768	0.005	22605	48.1
Aroclor-1254	4	9.185	0.010	12002	43.3	4	9.920	0.006	43258	41.6
Aroclor-1254	5	9.892	0.025	8818	50.7	5	10.159	0.012	45764	43.4
Total Col1Ave (5 peaks): 62.4						Total Col2Ave (5 peaks): 83.4 RPD = 29				
Corrected Ave (4 peaks): 54.6						Corrected Ave (4 peaks): 45.1 RPD = 19				
Aroclor-1260	1	10.393	0.010	159	0.8	1	11.445	0.020	5299	6.4
Aroclor-1260	2	10.708	0.008	221	1.1	2	11.687	0.006	3878	1.6
Aroclor-1260	3	11.059	0.009	267	0.5	3	12.271	0.010	3933	2.5
Aroclor-1260	4	11.460	0.007	376	1.6	4	13.053	0.081	5398	7.3
Aroclor-1260	5	---			0.0	NS	---			----
Total Col1Ave (4 peaks): 1.0						Total Col2Ave (4 peaks): 4.4 RPD = 128*				
Corrected Ave (3 peaks): 0.8						Corrected Ave (3 peaks): 3.5 RPD = 126*				
Aroclor-1262	1	10.393	0.009	159	0.6	1	10.901	-0.069	17524	14.3
Aroclor-1262	2	11.460	0.005	376	2.1	2	11.687	0.001	3878	1.5
Aroclor-1262	3	---			0.0	3	12.271	0.083	3933	3.4
Aroclor-1262	4	---			0.0	4	13.053	0.081	5398	5.0
Col1Ave: <3 Quant Peaks						Col2Ave: 6.1				
Aroclor-1268	1	11.460	-0.097	376	0.6	1	12.271	0.071	3933	1.4
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	11.914	-0.086	1770	3.5	3	12.639	-0.005	1023	0.4
Aroclor-1268	4	12.775	0.003	794	0.5	4	12.790	0.006	1260	1.9
Total Col1Ave (3 peaks): 1.5						Total Col2Ave (3 peaks): 1.2 RPD = 24				
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				

Total PCB Area Col1 (5.169 - 13.066) = 482960 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1884416 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132142ECD7.D Injection Date: 14-AUG-2021 08:41

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV3
Sequence Name: AR1248SCV3
Standard ID: J008141

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1248	250.00	262	4.6	20.00
Aroclor 1248 [2C]	250.00	275	10.0	20.00
Decachlorobiphenyl	40.000	39.5	-1.3	20.00
Tetrachlorometaxylene	40.000	41.7	4.2	20.00
Decachlorobiphenyl [2C]	40.000	38.4	-3.9	20.00
Tetrachlorometaxylene [2C]	40.000	40.4	1.0	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132143ECD7.D
Data file 2: /210813.b/210813.b/08132143ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV3
Client ID:
Injection Date: 14-AUG-2021 09:02
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	133217	5.416	-0.001	384693	41.7	40.4	3.0	Tetrachloro-m-xylene
13.165	-0.001	166922	13.848	-0.032	892438	39.5	38.4	2.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264526	2.2
Hexabromobiphenyl	425681	465895	9.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740726	2.7
Hexabromobiphenyl	863111	1045189	21.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	9682	103.2	1	7.058	0.001	46276	109.6
Aroclor-1016	2	7.035	0.006	37972	132.4	2	7.654	0.006	128803	136.3
Aroclor-1016	3	7.185	0.009	16001	124.3	3	7.862	0.007	26557	71.6
Aroclor-1016	4	7.292	0.007	10150	125.7	4	8.107	0.002	83644	372.8
Total Col1Ave (4 peaks):					121.4	Total Col2Ave (4 peaks):				172.6 RPD = 35
Corrected Ave (3 peaks):					117.7	Corrected Ave (3 peaks):				105.8 RPD = 11
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	5.455	0.004	449	13.7	2	6.091	0.019	6638	52.2
Aroclor-1221	3	5.728	0.004	2260	25.5	3	6.414	0.005	8501	38.3
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	5.728	0.002	2260	32.4	2	7.058	-0.000	46276	239.2
Aroclor-1232	3	7.035	0.002	37972	356.8	3	7.654	0.003	128803	332.7
Aroclor-1232	4	7.972	-0.000	39250	896.5	4	8.523	0.001	102298	1014.3
Total Col1Ave (3 peaks):					428.6	Total Col2Ave (3 peaks):				528.7 RPD = 21
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.663	0.004	9682	132.8	1	7.058	0.000	46276	135.9
Aroclor-1242	2	7.035	0.005	37972	174.8	2	7.654	0.005	128803	174.1
Aroclor-1242	3	8.381	0.007	54555	443.2	3	8.956	0.007	151640	438.8
Aroclor-1242	4	8.678	0.004	31259	621.5	4	9.034	0.006	104178	265.6
Total Col1Ave (4 peaks):					343.1	Total Col2Ave (4 peaks):				253.6 RPD = 30
Corrected Ave (3 peaks):					250.3	Corrected Ave (3 peaks):				191.9 RPD = 26
Aroclor-1248	1	7.802	0.004	28742	259.3	1	8.107	0.002	83644	272.5
Aroclor-1248	2	7.972	0.004	39250	271.2	2	8.523	0.003	102298	273.8
Aroclor-1248	3	8.381	0.007	54555	257.5	3	8.956	0.009	151640	254.8
Aroclor-1248	4	8.678	0.004	31259	258.4	4	9.383	0.006	151004	298.8
Total Col1Ave (4 peaks):					261.6	Total Col2Ave (4 peaks):				275.0 RPD = 5
Corrected Ave (3 peaks):					258.4	Corrected Ave (3 peaks):				267.0 RPD = 3
Aroclor-1254	1	8.678	0.002	31259	137.0	1	9.242	0.003	54333	86.2
Aroclor-1254	2	8.749	0.003	18396	174.1	2	9.383	0.052	151004	408.3
Aroclor-1254	3	9.047	0.006	14863	99.9	3	9.767	0.004	47940	99.8
Aroclor-1254	4	9.184	0.008	25850	91.0	4	9.918	0.004	90159	84.7
Aroclor-1254	5	9.891	0.024	17966	100.7	5	10.157	0.010	92605	85.8
Total Col1Ave (5 peaks):					120.5	Total Col2Ave (5 peaks):				152.9 RPD = 24
Corrected Ave (4 peaks):					107.1	Corrected Ave (4 peaks):				89.1 RPD = 18
Aroclor-1260	1	10.390	0.007	578	2.8	1	11.440	0.015	6820	7.8
Aroclor-1260	2	10.706	0.006	437	2.1	2	11.683	0.002	7655	3.0
Aroclor-1260	3	11.059	0.008	1267	2.3	3	12.263	0.002	5159	3.2
Aroclor-1260	4	11.460	0.007	540	2.2	4	12.973	0.001	2451	3.2
Aroclor-1260	5	11.559	0.005	490	4.0	NS	---			----
Total Col1Ave (5 peaks):					2.7	Total Col2Ave (4 peaks):				4.3 RPD = 47*
Corrected Ave (4 peaks):					2.3	Corrected Ave (3 peaks):				3.1 RPD = 29
Aroclor-1262	1	10.390	0.006	578	2.0	1	10.972	0.001	4108	3.2
Aroclor-1262	2	11.460	0.005	540	2.9	2	11.683	-0.002	7655	2.8
Aroclor-1262	3	11.632	0.005	592	2.2	3	12.188	-0.000	3699	3.1
Aroclor-1262	4	12.278	0.004	571	2.6	4	12.973	0.001	2451	2.2
Total Col1Ave (4 peaks):					2.5	Total Col2Ave (4 peaks):				2.8 RPD = 14
Corrected Ave (3 peaks):					2.3	Corrected Ave (3 peaks):				2.7 RPD = 17
Aroclor-1268	1	11.559	0.002	490	0.8	1	12.188	-0.012	3699	1.2
Aroclor-1268	2	11.632	0.006	592	0.9	2	12.263	-0.004	5159	1.6
Aroclor-1268	3	11.915	-0.086	879	1.7	3	12.643	-0.001	909	0.3
Aroclor-1268	4	12.775	0.003	932	0.6	4	12.788	0.005	972	1.4
Total Col1Ave (4 peaks):					1.0	Total Col2Ave (4 peaks):				1.1 RPD = 13
Corrected Ave (3 peaks):					0.7	Corrected Ave (3 peaks):				1.0 RPD = 27

Total PCB Area Col1 (5.169 - 13.066) = 608290 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 2317749 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-35 Manual Integration: NO

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132143ECD7.D Injection Date: 14-AUG-2021 09:02

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV4
Sequence Name: AR1254SCV4
Standard ID: J008142

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1254	250.00	282	12.7	20.00
Aroclor 1254 [2C]	250.00	264	5.8	20.00
Decachlorobiphenyl	40.000	40.1	0.2	20.00
Tetrachlorometaxylene	40.000	42.6	6.5	20.00
Decachlorobiphenyl [2C]	40.000	38.6	-3.4	20.00
Tetrachlorometaxylene [2C]	40.000	41.4	3.6	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132144ECD7.D
Data file 2: /210813.b/210813.b/08132144ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV4
Client ID:
Injection Date: 14-AUG-2021 09:22
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	134141	5.416	-0.001	389116	42.6	41.4	2.8	Tetrachloro-m-xylene
13.166	0.000	166634	13.848	-0.032	887620	40.1	38.6	3.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	260417	0.6
Hexabromobiphenyl	425681	458139	7.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	730797	1.4
Hexabromobiphenyl	863111	1034233	19.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	131	1.4	1	7.062	0.005	1136	2.7
Aroclor-1016	2	7.039	0.009	605	2.1	2	7.659	0.011	3270	3.5
Aroclor-1016	3	7.189	0.014	416	3.3	3	7.909	0.054	1836	5.0
Aroclor-1016	4	---			0.0	4	8.109	0.004	59728	269.8
Total Col1Ave (3 peaks): 2.3						Total Col2Ave (4 peaks): 70.3 RPD = 187*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 3.8				
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	---			0.0	2	6.094	0.021	4462	35.5
Aroclor-1221	3	---			0.0	3	6.411	0.002	1085	5.0
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	---			0.0	2	7.062	0.004	1136	6.0
Aroclor-1232	3	7.039	0.005	605	5.8	3	7.659	0.008	3270	8.6
Aroclor-1232	4	7.975	0.003	5517	128.0	4	8.524	0.002	40317	405.2
Col1Ave: <3 Quant Peaks						Col2Ave: 139.9				
Aroclor-1242	1	6.663	0.004	131	1.8	1	7.062	0.005	1136	3.4
Aroclor-1242	2	7.039	0.008	605	2.8	2	7.659	0.010	3270	4.5
Aroclor-1242	3	8.385	0.011	48414	399.6	3	8.960	0.012	63036	184.9
Aroclor-1242	4	8.679	0.005	62054	1253.2	4	9.035	0.007	12438	32.1
Total Col1Ave (4 peaks): 414.4						Total Col2Ave (4 peaks): 56.2 RPD = 152*				
Corrected Ave (3 peaks): 134.7						Corrected Ave (3 peaks): 13.3 RPD = 164*				
Aroclor-1248	1	7.804	0.005	12376	113.4	1	8.109	0.003	59728	197.2
Aroclor-1248	2	7.975	0.007	5517	38.7	2	8.524	0.004	40317	109.4
Aroclor-1248	3	8.385	0.011	48414	232.1	3	8.960	0.014	63036	107.4
Aroclor-1248	4	8.679	0.005	62054	521.1	4	9.335	-0.041	91889	184.3
Total Col1Ave (4 peaks): 226.3						Total Col2Ave (4 peaks): 149.6 RPD = 41*				
Corrected Ave (3 peaks): 128.1						Corrected Ave (3 peaks): 133.7 RPD = 4				
Aroclor-1254	1	8.679	0.003	62054	276.2	1	9.242	0.003	166697	268.1
Aroclor-1254	2	8.751	0.005	29615	284.7	2	9.335	0.004	91889	251.8
Aroclor-1254	3	9.046	0.005	40463	276.3	3	9.766	0.003	128036	270.1
Aroclor-1254	4	9.181	0.005	78989	282.3	4	9.918	0.004	270040	257.1
Aroclor-1254	5	9.873	0.006	50845	289.4	5	10.155	0.008	293166	275.2
Total Col1Ave (5 peaks): 281.8						Total Col2Ave (5 peaks): 264.5 RPD = 6				
Corrected Ave (4 peaks): 279.9						Corrected Ave (4 peaks): 261.8 RPD = 7				
Aroclor-1260	1	10.386	0.003	4281	20.8	1	11.441	0.015	77320	89.9
Aroclor-1260	2	10.706	0.006	4756	23.5	2	11.684	0.003	61993	24.8
Aroclor-1260	3	11.057	0.007	11820	21.6	3	12.266	0.005	35733	22.2
Aroclor-1260	4	11.458	0.005	9286	38.1	4	12.973	0.001	1994	2.6
Aroclor-1260	5	11.627	0.073	440	3.6	NS	---			----
Total Col1Ave (5 peaks): 21.5						Total Col2Ave (4 peaks): 34.9 RPD = 47*				
Corrected Ave (4 peaks): 17.4						Corrected Ave (3 peaks): 16.5 RPD = 5				
Aroclor-1262	1	10.386	0.002	4281	15.3	1	10.897	-0.073	251611	198.9
Aroclor-1262	2	11.458	0.003	9286	51.3	2	11.684	-0.001	61993	23.2
Aroclor-1262	3	11.627	0.000	440	1.7	3	12.205	0.017	9780	8.3
Aroclor-1262	4	12.279	0.005	629	2.9	4	12.973	0.000	1994	1.8
Total Col1Ave (4 peaks): 17.8						Total Col2Ave (4 peaks): 58.1 RPD = 106*				
Corrected Ave (3 peaks): 6.6						Corrected Ave (3 peaks): 11.1 RPD = 50*				
Aroclor-1268	1	11.627	0.070	440	0.7	1	12.205	0.005	9780	3.3
Aroclor-1268	2	---			0.0	2	12.266	-0.001	35733	11.0
Aroclor-1268	3	11.912	-0.088	968	1.9	3	12.633	-0.011	400	0.1
Aroclor-1268	4	12.774	0.002	1001	0.6	4	12.861	0.078	15819	22.8
Total Col1Ave (3 peaks): 1.1						Total Col2Ave (4 peaks): 9.3 RPD = 158*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 4.8				

Total PCB Area Col1 (5.169 - 13.066) = 819275 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 3111878 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV5
Sequence Name: AR2162SCV5
Standard ID: J008143

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1221	250.00	293	17.0	20.00
Aroclor 1221 [2C]	250.00	266	6.4	20.00
Decachlorobiphenyl	40.000	38.8	-2.9	20.00
Tetrachlorometaxylene	40.000	40.6	1.5	20.00
Decachlorobiphenyl [2C]	40.000	37.6	-5.9	20.00
Tetrachlorometaxylene [2C]	40.000	39.1	-2.1	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132145ECD7.D
Data file 2: /210813.b/210813.b/08132145ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV5
Client ID:
Injection Date: 14-AUG-2021 09:43
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	131998	5.417	-0.000	375118	40.6	39.1	3.6	Tetrachloro-m-xylene
13.166	-0.000	164634	13.848	-0.032	881936	38.8	37.6	3.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	269058	3.9
Hexabromobiphenyl	425681	467004	9.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	745766	3.4
Hexabromobiphenyl	863111	1054321	22.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	1551	16.3	1	7.061	0.004	17081	40.2
Aroclor-1016	2	7.039	0.009	4280	14.7	2	7.658	0.011	15832	16.6
Aroclor-1016	3	7.184	0.008	2282	17.4	3	7.865	0.010	6703	18.0
Aroclor-1016	4	7.294	0.009	1564	19.1	4	8.109	0.004	3939	17.4
Total Col1Ave (4 peaks):				16.8		Total Col2Ave (4 peaks):			23.1	RPD = 31
Corrected Ave (3 peaks):				16.1		Corrected Ave (3 peaks):			17.3	RPD = 7
Aroclor-1221	1	4.018	0.002	6262	294.7	1	4.680	0.004	15071	269.2
Aroclor-1221	2	5.454	0.003	9982	299.7	2	6.075	0.003	33472	261.2
Aroclor-1221	3	5.728	0.004	25492	283.3	3	6.413	0.004	59675	267.2
Total Col1Ave (3 peaks):				292.6		Total Col2Ave (3 peaks):			265.9	RPD = 10
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.018	-0.000	6262	479.9	1	4.680	0.001	15071	452.2
Aroclor-1232	2	5.728	0.002	25492	359.4	2	7.061	0.003	17081	87.7
Aroclor-1232	3	7.039	0.005	4280	39.5	3	7.658	0.007	15832	40.6
Aroclor-1232	4	7.978	0.006	798	17.9	4	8.525	0.003	2523	24.8
Total Col1Ave (4 peaks):				224.2		Total Col2Ave (4 peaks):			151.3	RPD = 39
Corrected Ave (3 peaks):				139.0		Corrected Ave (3 peaks):			51.1	RPD = 93*
Aroclor-1242	1	6.663	0.004	1551	20.9	1	7.061	0.004	17081	49.8
Aroclor-1242	2	7.039	0.009	4280	19.4	2	7.658	0.010	15832	21.3
Aroclor-1242	3	8.388	0.013	9148	73.1	3	8.966	0.018	6505	18.7
Aroclor-1242	4	8.680	0.006	9619	188.0	4	9.089	0.061	25267	64.0
Total Col1Ave (4 peaks):				75.3		Total Col2Ave (4 peaks):			38.4	RPD = 65*
Corrected Ave (3 peaks):				37.8		Corrected Ave (3 peaks):			29.9	RPD = 23
Aroclor-1248	1	7.805	0.007	1067	9.5	1	8.109	0.003	3939	12.7
Aroclor-1248	2	7.978	0.010	798	5.4	2	8.525	0.005	2523	6.7
Aroclor-1248	3	8.388	0.013	9148	42.4	3	8.966	0.020	6505	10.9
Aroclor-1248	4	8.680	0.007	9619	78.2	4	9.396	0.019	4022	7.9
Total Col1Ave (4 peaks):				33.9		Total Col2Ave (4 peaks):			9.6	RPD = 112*
Corrected Ave (3 peaks):				19.1		Corrected Ave (3 peaks):			8.5	RPD = 77*
Aroclor-1254	1	8.680	0.005	9619	41.4	1	9.245	0.005	26890	42.4
Aroclor-1254	2	---			0.0	2	9.336	0.005	2650	7.1
Aroclor-1254	3	9.050	0.008	1343	8.9	3	9.769	0.007	4242	8.8
Aroclor-1254	4	9.145	-0.031	9990	34.6	4	9.932	0.019	121430	113.3
Aroclor-1254	5	9.858	-0.010	13751	75.8	5	10.160	0.013	143957	132.4
Total Col1Ave (4 peaks):				40.2		Total Col2Ave (5 peaks):			60.8	RPD = 41*
Corrected Ave (3 peaks):				28.3		Corrected Ave (4 peaks):			42.9	RPD = 41*
Aroclor-1260	1	10.387	0.004	74432	354.3	1	11.427	0.001	248521	283.6
Aroclor-1260	2	10.705	0.005	63581	308.3	2	11.682	0.001	656259	257.6
Aroclor-1260	3	11.056	0.005	158724	284.8	3	12.261	0.000	468343	285.9
Aroclor-1260	4	11.457	0.004	49425	199.0	4	12.974	0.001	287502	367.1
Aroclor-1260	5	11.557	0.003	61640	495.8	NS	---			----
Total Col1Ave (5 peaks):				328.4		Total Col2Ave (4 peaks):			298.6	RPD = 10
Corrected Ave (4 peaks):				286.6		Corrected Ave (3 peaks):			275.7	RPD = 4
Aroclor-1262	1	10.387	0.003	74432	261.2	1	10.970	-0.000	313779	243.4
Aroclor-1262	2	11.457	0.002	49425	267.8	2	11.682	-0.003	656259	241.2
Aroclor-1262	3	11.628	0.001	70335	264.4	3	12.188	0.000	303167	251.1
Aroclor-1262	4	12.278	0.003	58296	266.9	4	12.974	0.001	287502	255.5
Total Col1Ave (4 peaks):				265.1		Total Col2Ave (4 peaks):			247.8	RPD = 7
Corrected Ave (3 peaks):				264.2		Corrected Ave (3 peaks):			245.2	RPD = 7
Aroclor-1268	1	11.557	0.000	61640	98.4	1	12.188	-0.012	303167	100.1
Aroclor-1268	2	11.628	0.002	70335	107.0	2	12.261	-0.006	468343	141.7
Aroclor-1268	3	12.031	0.030	24251	46.9	3	12.635	-0.009	18559	6.5
Aroclor-1268	4	12.770	-0.001	19100	11.5	4	12.783	0.000	11203	15.9
Total Col1Ave (4 peaks):				65.9		Total Col2Ave (4 peaks):			66.0	RPD = 0

Corrected Ave (3 peaks): 52.2 Corrected Ave (3 peaks): 40.8 RPD = 25

Total PCB Area Col1 (5.169 - 13.066) = 1098701 Col1 Total PCB = 0.4 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4504756 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE CALIBRATION VERIFICATION

EPA 8082A

Laboratory: Analytical Resources, Inc.
Client: Anchor QEA, LLC
Calibration: EH00034
Sequence: SJH0177

SDG: 21G0330
Project: Lower Duwamish AOC4
Laboratory ID: SJH0177-SCV6
Sequence Name: AR3268SCV6
Standard ID: J008144

ANALYTE	EXPECTED (ug/L)	FOUND (ug/L)	% DRIFT	QC LIMIT
Aroclor 1232	250.00	284	13.8	20.00
Aroclor 1232 [2C]	250.00	286	14.5	20.00
Decachlorobiphenyl	40.000	59.6	49.1	20.00
Tetrachlorometaxylene	40.000	41.2	3.1	20.00
Decachlorobiphenyl [2C]	40.000	59.3	48.2	20.00
Tetrachlorometaxylene [2C]	40.000	39.7	-0.8	20.00

* Indicates values outside of QC limits
[2C] indicates second-column analyte.

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132146ECD7.D
Data file 2: /210813.b/210813.b/08132146ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV6
Client ID:
Injection Date: 14-AUG-2021 10:03
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	131287	5.416	-0.000	375338	41.2	39.7	3.8	Tetrachloro-m-xylene
13.165	-0.001	248059	13.848	-0.032	1383308	59.6	59.3	0.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263445	1.8
Hexabromobiphenyl	425681	458283	7.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	736133	2.1
Hexabromobiphenyl	863111	1049914	21.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	11471	122.8	1	7.059	0.002	54454	129.7
Aroclor-1016	2	7.037	0.008	32172	112.6	2	7.656	0.009	111127	118.4
Aroclor-1016	3	7.183	0.007	15436	120.4	3	7.862	0.007	47184	128.0
Aroclor-1016	4	7.292	0.007	9103	113.2	4	8.108	0.003	26255	117.7
Total Col1Ave (4 peaks):				117.2		Total Col2Ave (4 peaks):			123.5	RPD = 5
Corrected Ave (3 peaks):				115.4		Corrected Ave (3 peaks):			121.4	RPD = 5
Aroclor-1221	1	4.017	0.002	3341	160.6	1	4.679	0.002	8452	153.0
Aroclor-1221	2	5.453	0.002	5429	166.5	2	6.077	0.004	21053	166.4
Aroclor-1221	3	5.727	0.003	17948	203.7	3	6.414	0.005	55556	252.0
Total Col1Ave (3 peaks):				176.9		Total Col2Ave (3 peaks):			190.5	RPD = 7
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.001	3341	261.5	1	4.679	-0.000	8452	256.9
Aroclor-1232	2	5.727	0.001	17948	258.4	2	7.059	0.001	54454	283.3
Aroclor-1232	3	7.037	0.003	32172	303.5	3	7.656	0.005	111127	288.8
Aroclor-1232	4	7.974	0.002	13693	314.0	4	8.524	0.002	31722	316.5
Total Col1Ave (4 peaks):				284.4		Total Col2Ave (4 peaks):			286.4	RPD = 1
Corrected Ave (3 peaks):				274.5		Corrected Ave (3 peaks):			276.3	RPD = 1
Aroclor-1242	1	6.663	0.004	11471	158.0	1	7.059	0.002	54454	160.9
Aroclor-1242	2	7.037	0.007	32172	148.7	2	7.656	0.008	111127	151.2
Aroclor-1242	3	8.385	0.010	20544	167.6	3	8.959	0.010	61163	178.1
Aroclor-1242	4	8.676	0.002	6934	138.4	4	9.041	0.013	55525	142.5
Total Col1Ave (4 peaks):				153.2		Total Col2Ave (4 peaks):			158.1	RPD = 3
Corrected Ave (3 peaks):				148.4		Corrected Ave (3 peaks):			151.5	RPD = 2
Aroclor-1248	1	7.804	0.005	9056	82.0	1	8.108	0.002	26255	86.1
Aroclor-1248	2	7.974	0.006	13693	95.0	2	8.524	0.003	31722	85.4
Aroclor-1248	3	8.385	0.010	20544	97.4	3	8.959	0.012	61163	103.4
Aroclor-1248	4	8.676	0.002	6934	57.6	4	9.391	0.015	44441	88.5
Total Col1Ave (4 peaks):				83.0		Total Col2Ave (4 peaks):			90.8	RPD = 9
Corrected Ave (3 peaks):				78.2		Corrected Ave (3 peaks):			86.7	RPD = 10
Aroclor-1254	1	8.676	0.000	6934	30.5	1	9.243	0.003	10554	16.9
Aroclor-1254	2	8.748	0.002	3715	35.3	2	9.391	0.060	44441	120.9
Aroclor-1254	3	9.050	0.008	2122	14.3	3	9.769	0.007	7619	16.0
Aroclor-1254	4	9.187	0.011	3159	11.2	4	9.922	0.009	13052	12.3
Aroclor-1254	5	9.896	0.029	1953	11.0	5	10.167	0.020	14279	13.3
Total Col1Ave (5 peaks):				20.5		Total Col2Ave (5 peaks):			35.9	RPD = 55*
Corrected Ave (4 peaks):				16.7		Corrected Ave (4 peaks):			14.6	RPD = 14
Aroclor-1260	1	10.388	0.005	30028	145.6	1	11.405	-0.020	170014	194.8
Aroclor-1260	2	10.704	0.004	2256	11.1	2	11.680	-0.001	78239	30.8
Aroclor-1260	3	11.056	0.005	17997	32.9	3	12.254	-0.007	838267	513.9
Aroclor-1260	4	11.458	0.006	301	1.2	4	12.972	0.000	307546	394.4
Aroclor-1260	5	11.557	0.003	165147	1353.6	NS	---			----
Total Col1Ave (5 peaks):				308.9		Total Col2Ave (4 peaks):			283.5	RPD = 9
Corrected Ave (4 peaks):				47.7		Corrected Ave (3 peaks):			206.7	RPD = 125*
Aroclor-1262	1	10.388	0.004	30028	107.4	1	10.971	0.001	118268	92.1
Aroclor-1262	2	11.458	0.004	301	1.7	2	11.680	-0.005	78239	28.9
Aroclor-1262	3	11.626	-0.000	172148	659.4	3	12.187	-0.001	744741	619.3
Aroclor-1262	4	12.276	0.002	62869	293.3	4	12.972	-0.000	307546	274.4
Total Col1Ave (4 peaks):				265.4		Total Col2Ave (4 peaks):			253.7	RPD = 5
Corrected Ave (3 peaks):				134.1		Corrected Ave (3 peaks):			131.8	RPD = 2
Aroclor-1268	1	11.557	-0.000	165147	268.6	1	12.187	-0.013	744741	246.9
Aroclor-1268	2	11.626	0.001	172148	266.9	2	12.254	-0.013	838267	254.7
Aroclor-1268	3	12.000	-0.000	135416	266.9	3	12.635	-0.009	744001	261.5
Aroclor-1268	4	12.770	-0.002	428256	261.7	4	12.782	-0.001	187584	266.5
Total Col1Ave (4 peaks):				266.0		Total Col2Ave (4 peaks):			257.4	RPD = 3

Corrected Ave (3 peaks): 265.2 Corrected Ave (3 peaks): 254.3 RPD = 4

Total PCB Area Col1 (5.169 - 13.066) = 1378298 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4537494 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192102ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-ICV1	Injection Time:	10:39
Sequence Name:	AR1254ICV1		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1254	A	250.00	248	0.0571741	0.0575038		-0.6	
Aroclor-1254 (1)	A	250.00	261	0.0690183	0.0720818		4.4	
Aroclor-1254 (2)	A	250.00	254	0.0319506	0.0324231		1.6	
Aroclor-1254 (3)	A	250.00	195	0.0449859	0.0350941		-22.0	
Aroclor-1254 (4)	A	250.00	258	0.0859427	0.0887195		3.2	
Aroclor-1254 (5)	A	250.00	274	0.0539731	0.0592008		9.6	
Aroclor 1254 [2C]	A	250.00	238	0.0782980	0.0742678		-4.8	
Aroclor-1254 (1) [2C]	A	250.00	238	0.0680651	0.0649330		-4.8	
Aroclor-1254 (2) [2C]	A	250.00	239	0.0399453	0.0381640		-4.4	
Aroclor-1254 (3) [2C]	A	250.00	242	0.0518895	0.0501739		-3.2	
Aroclor-1254 (4) [2C]	A	250.00	222	0.1149829	0.1019829		-11.2	
Aroclor-1254 (5) [2C]	A	250.00	249	0.1166073	0.1160852		-0.4	
Decachlorobiphenyl	A	40.000	40.7	0.7261970	0.7383723		1.8	
Tetrachlorometaxylene	A	40.000	41.7	0.9669678	1.0073410		4.3	
Decachlorobiphenyl [2C]	A	40.000	36.5	1.7775950	1.6232050		-8.8	
Tetrachlorometaxylene [2C]	A	40.000	40.6	1.0280520	1.0438010		1.5	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192102ECD7.D
Data file 2: /210819.b/210819.b/08192102ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1254ICV1
Client ID:
Injection Date: 19-AUG-2021 10:39
Report Date: 08/19/2021 16:55
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.002	131244	5.410	-0.001	380158	41.7	40.6	2.6	Tetrachloro-m-xylene
13.166	0.002	160579	13.845	-0.000	750704	40.7	36.5	10.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	260575	0.7
Hexabromobiphenyl	425681	434954	2.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	728411	1.0
Hexabromobiphenyl	863111	924965	7.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col			
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.677	0.000	58696	261.1	1	9.238	0.000	147806	238.5
Aroclor-1254	2	8.750	0.000	26402	253.7	2	9.331	0.000	86872	238.9
Aroclor-1254	3	9.042	0.000	28577	195.0	3	9.761	0.000	114210	241.7
Aroclor-1254	4	9.180	0.000	72244	258.1	4	9.913	0.000	232142	221.7
Aroclor-1254	5	9.871	0.000	48207	274.2	5	10.148	0.000	264243	248.9

Total Col1Ave (5 peaks): 248.4 Total Col2Ave (5 peaks): 237.9 RPD = 4

Corrected Ave (4 peaks): 242.0 Corrected Ave (4 peaks): 235.2 RPD = 3

CalAmt %D: -0.6 CalAmt %D: -4.8

Total PCB Area Col1 (5.168 - 13.064) = 740718 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 2792394 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1254ICV1 19-AUG-2021 10:39, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1254ICV1 19-AUG-2021 10:39, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192103ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-ICV2	Injection Time:	11:00
Sequence Name:	AR1660ICV2		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1016	A	250.00	272	0.0446218	0.0486416		8.6	
Aroclor-1016 (1)	A	250.00	269	0.0283733	0.0305241		7.6	
Aroclor-1016 (2)	A	250.00	275	0.0867650	0.0955237		10.0	
Aroclor-1016 (3)	A	250.00	268	0.0389383	0.0417929		7.2	
Aroclor-1016 (4)	A	250.00	274	0.0244108	0.0267258		9.6	
Aroclor 1016 [2C]	A	250.00	271	0.0529840	0.0573952		8.4	
Aroclor-1016 (1) [2C]	A	250.00	265	0.0456173	0.0484390		6.0	
Aroclor-1016 (2) [2C]	A	250.00	270	0.1020378	0.1104334		8.0	
Aroclor-1016 (3) [2C]	A	250.00	276	0.0400455	0.0442740		10.4	
Aroclor-1016 (4) [2C]	A	250.00	273	0.0242353	0.0264343		9.2	
Aroclor 1260	A	250.00	264	0.0461251	0.0487502		5.5	
Aroclor-1260 (1)	A	250.00	252	0.0359923	0.0362264		0.8	
Aroclor-1260 (2)	A	250.00	268	0.0353250	0.0379305		7.2	
Aroclor-1260 (3)	A	250.00	265	0.0954741	0.1011038		6.0	
Aroclor-1260 (4)	A	250.00	271	0.0425365	0.0461128		8.4	
Aroclor-1260 (5)	A	250.00	263	0.0212978	0.0223774		5.2	
Aroclor 1260 [2C]	A	250.00	236	0.1108773	0.1046060		-5.7	
Aroclor-1260 (1) [2C]	A	250.00	239	0.0665032	0.0635638		-4.4	
Aroclor-1260 (2) [2C]	A	250.00	236	0.1932922	0.1822856		-5.6	
Aroclor-1260 (3) [2C]	A	250.00	236	0.1242917	0.1173889		-5.6	
Aroclor-1260 (4) [2C]	A	250.00	232	0.0594222	0.0551856		-7.2	
Decachlorobiphenyl	A	40.000	42.4	0.7261970	0.7689728		6.0	
Tetrachlorometaxylene	A	40.000	43.5	0.9669678	1.0511950		8.8	
Decachlorobiphenyl [2C]	A	40.000	38.0	1.7775950	1.6887470		-5.0	
Tetrachlorometaxylene [2C]	A	40.000	41.9	1.0280520	1.0776370		4.8	

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192103ECD7.D
Data file 2: /210819.b/210819.b/08192103ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660ICV2
Client ID:
Injection Date: 19-AUG-2021 11:00
Report Date: 08/19/2021 16:55
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.001	131956	5.411	0.000	385946	43.5	41.9	3.6	Tetrachloro-m-xylene
13.166	0.001	160713	13.846	0.001	783489	42.4	38.0	10.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	251059	-3.0
Hexabromobiphenyl	425681	417994	-1.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	716282	-0.6
Hexabromobiphenyl	863111	927894	7.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	0.000	23948	269.0	1	7.055	-0.000	108425	265.5
Aroclor-1016	2	7.032	-0.000	74944	275.2	2	7.650	-0.001	247192	270.6
Aroclor-1016	3	7.179	0.000	32789	268.3	3	7.856	-0.001	99102	276.4
Aroclor-1016	4	7.288	-0.000	20968	273.7	4	8.105	0.000	59170	272.7

Total Col1Ave (4 peaks): 271.6 Total Col2Ave (4 peaks): 271.3 RPD = 0
Corrected Ave (3 peaks): 270.3 Corrected Ave (3 peaks): 269.6 RPD = 0

CalAmt %D: 8.6 CalAmt %D: 8.5

Aroclor-1260	1	10.386	0.001	47320	251.6	1	11.424	0.001	184314	239.0
Aroclor-1260	2	10.703	0.000	49546	268.4	2	11.677	0.000	528568	235.8
Aroclor-1260	3	11.054	-0.001	132065	264.7	3	12.260	0.001	340389	236.1
Aroclor-1260	4	11.455	-0.000	60234	271.0	4	12.971	0.001	160020	232.2
Aroclor-1260	5	11.556	0.001	29230	262.7	NS	---			----

Total Col1Ave (5 peaks): 263.7 Total Col2Ave (4 peaks): 235.8 RPD = 11
Corrected Ave (4 peaks): 261.9 Corrected Ave (3 peaks): 234.7 RPD = 11

CalAmt %D: 5.5 CalAmt %D: -5.7

Total PCB Area Col1 (5.168 - 13.064) = 1312782 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 4934190 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660ICV2 19-AUG-2021 11:00, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660ICV2 19-AUG-2021 11:00, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272103ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/27/21
Lab Sample ID:	SJH0396-ICV1	Injection Time:	16:39
Sequence Name:	AR1254ICV1		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1254	A	250.00	237	0.0571741	0.0549412		-5.1	+/-20
Aroclor-1254 (1)	A	250.00	242	0.0690183	0.0667671		-3.2	
Aroclor-1254 (2)	A	250.00	262	0.0319506	0.0334395		4.8	
Aroclor-1254 (3)	A	250.00	151	0.0449859	0.0272019		-39.6	
Aroclor-1254 (4)	A	250.00	255	0.0859427	0.0877861		2.0	
Aroclor-1254 (5)	A	250.00	276	0.0539731	0.0595112		10.4	
Aroclor 1254 [2C]	A	250.00	228	0.0782980	0.0710141		-8.7	+/-20
Aroclor-1254 (1) [2C]	A	250.00	222	0.0680651	0.0605961		-11.2	
Aroclor-1254 (2) [2C]	A	250.00	238	0.0399453	0.0379800		-4.8	
Aroclor-1254 (3) [2C]	A	250.00	230	0.0518895	0.0476401		-8.0	
Aroclor-1254 (4) [2C]	A	250.00	208	0.1149829	0.0956121		-16.8	
Aroclor-1254 (5) [2C]	A	250.00	243	0.1166073	0.1132422		-2.8	
Decachlorobiphenyl	A	40.000	42.1	0.7261970	0.7644939		5.3	+/-20
Tetrachlorometaxylene	A	40.000	41.9	0.9669678	1.0131240		4.8	+/-20
Decachlorobiphenyl [2C]	A	40.000	37.7	1.7775950	1.6761700		-5.8	+/-20
Tetrachlorometaxylene [2C]	A	40.000	40.8	1.0280520	1.0486190		2.0	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272103ECD7.D
Data file 2: /2108127.b/2108127.b/08272103ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1254ICV1
Client ID:
Injection Date: 27-AUG-2021 16:39
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.001	130380	5.413	-0.001	363013	41.9	40.8	2.7	Tetrachloro-m-xylene
13.165	-0.001	158027	13.844	0.000	753276	42.1	37.7	11.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	257382	-0.6
Hexabromobiphenyl	425681	413416	-2.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	692364	-4.0
Hexabromobiphenyl	863111	898806	4.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1254	1	8.678	0.000	53702	241.8	1	9.238	0.000	131108	222.6
Aroclor-1254	2	8.749	0.000	26896	261.6	2	9.332	0.000	82175	237.7
Aroclor-1254	3	9.045	0.000	21879	151.2	3	9.762	0.000	103076	229.5
Aroclor-1254	4	9.181	0.000	70608	255.4	4	9.914	0.000	206870	207.9
Aroclor-1254	5	9.870	0.000	47866	275.7	5	10.151	0.000	245015	242.8

Total Col1Ave (5 peaks): 237.1 Total Col2Ave (5 peaks): 228.1 RPD = 4
Corrected Ave (4 peaks): 227.5 Corrected Ave (4 peaks): 224.4 RPD = 1

CalAmt %D: -5.1 CalAmt %D: -8.8

Total PCB Area Col1 (5.170 - 13.066) = 736831 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 2641248 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1254ICV1 27-AUG-2021 16:39, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1254ICV1 27-AUG-2021 16:39, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272104ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/27/21
Lab Sample ID:	SJH0396-ICV2	Injection Time:	17:00
Sequence Name:	AR1660ICV2		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1016	A	250.00	267	0.0446218	0.0478558		6.8	+/-20
Aroclor-1016 (1)	A	250.00	266	0.0283733	0.0301632		6.4	
Aroclor-1016 (2)	A	250.00	270	0.0867650	0.0938495		8.0	
Aroclor-1016 (3)	A	250.00	267	0.0389383	0.0415344		6.8	
Aroclor-1016 (4)	A	250.00	265	0.0244108	0.0258760		6.0	
Aroclor 1016 [2C]	A	250.00	268	0.0529840	0.0563061		7.0	+/-20
Aroclor-1016 (1) [2C]	A	250.00	263	0.0456173	0.0479480		5.2	
Aroclor-1016 (2) [2C]	A	250.00	263	0.1020378	0.1073291		5.2	
Aroclor-1016 (3) [2C]	A	250.00	271	0.0400455	0.0434571		8.4	
Aroclor-1016 (4) [2C]	A	250.00	273	0.0242353	0.0264904		9.2	
Aroclor 1260	A	250.00	267	0.0461251	0.0493090		6.8	+/-20
Aroclor-1260 (1)	A	250.00	254	0.0359923	0.0365437		1.6	
Aroclor-1260 (2)	A	250.00	272	0.0353250	0.0384237		8.8	
Aroclor-1260 (3)	A	250.00	267	0.0954741	0.1021194		6.8	
Aroclor-1260 (4)	A	250.00	274	0.0425365	0.0466413		9.6	
Aroclor-1260 (5)	A	250.00	268	0.0212978	0.0228168		7.2	
Aroclor 1260 [2C]	A	250.00	231	0.1108773	0.1026824		-7.5	+/-20
Aroclor-1260 (1) [2C]	A	250.00	230	0.0665032	0.0611951		-8.0	
Aroclor-1260 (2) [2C]	A	250.00	231	0.1932922	0.1787892		-7.6	
Aroclor-1260 (3) [2C]	A	250.00	233	0.1242917	0.1157632		-6.8	
Aroclor-1260 (4) [2C]	A	250.00	231	0.0594222	0.0549821		-7.6	
Decachlorobiphenyl	A	40.000	43.2	0.7261970	0.7846294		8.0	+/-20
Tetrachlorometaxylene	A	40.000	43.7	0.9669678	1.0570070		9.3	+/-20
Decachlorobiphenyl [2C]	A	40.000	39.0	1.7775950	1.7344660		-2.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.8	1.0280520	1.0746990		4.5	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272104ECD7.D
Data file 2: /2108127.b/2108127.b/08272104ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660ICV2
Client ID:
Injection Date: 27-AUG-2021 17:00
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.069	-0.001	129468	5.412	-0.002	360490	43.7	41.8	4.5	Tetrachloro-m-xylene
13.165	-0.001	154725	13.844	0.000	763484	43.2	39.0	10.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	244971	-5.4
Hexabromobiphenyl	425681	394390	-7.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	670867	-6.9
Hexabromobiphenyl	863111	880368	2.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	-0.002	23091	265.8	1	7.056	0.000	100521	262.8
Aroclor-1016	2	7.035	-0.003	71845	270.4	2	7.651	-0.002	225011	263.0
Aroclor-1016	3	7.182	-0.000	31796	266.7	3	7.858	0.000	91106	271.3
Aroclor-1016	4	7.291	-0.001	19809	265.0	4	8.105	-0.000	55536	273.3

Total Col1Ave (4 peaks): 267.0 Total Col2Ave (4 peaks): 267.6 RPD = 0
Corrected Ave (3 peaks): 265.8 Corrected Ave (3 peaks): 265.7 RPD = 0

CalAmt %D: 6.8 CalAmt %D: 7.0

Aroclor-1260	1	10.386	-0.001	45039	253.8	1	11.423	-0.001	168357	230.0
Aroclor-1260	2	10.703	-0.001	47356	271.9	2	11.677	0.000	491876	231.2
Aroclor-1260	3	11.053	-0.002	125859	267.4	3	12.259	0.000	318482	232.8
Aroclor-1260	4	11.454	-0.002	57484	274.1	4	12.969	-0.000	151264	231.3
Aroclor-1260	5	11.556	-0.001	28121	267.8	NS	---			----

Total Col1Ave (5 peaks): 267.0 Total Col2Ave (4 peaks): 231.4 RPD = 14
Corrected Ave (4 peaks): 265.2 Corrected Ave (3 peaks): 230.9 RPD = 14

CalAmt %D: 6.8 CalAmt %D: -7.5

Total PCB Area Col1 (5.170 - 13.066) = 1252364 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 4563191 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660ICV2 27-AUG-2021 17:00, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660ICV2 27-AUG-2021 17:00, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282102ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-ICV3	Injection Time:	17:04
Sequence Name:	AR1254ICV3		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1254	A	250.00	257	0.0571741	0.0591579		3.0	+/-20
Aroclor-1254 (1)	A	250.00	254	0.0690183	0.0700549		1.6	
Aroclor-1254 (2)	A	250.00	257	0.0319506	0.0328994		2.8	
Aroclor-1254 (3)	A	250.00	248	0.0449859	0.0446613		-0.8	
Aroclor-1254 (4)	A	250.00	268	0.0859427	0.0921093		7.2	
Aroclor-1254 (5)	A	250.00	260	0.0539731	0.0560643		4.0	
Aroclor 1254 [2C]	A	250.00	236	0.0782980	0.0745929		-5.4	+/-20
Aroclor-1254 (1) [2C]	A	250.00	238	0.0680651	0.0647175		-4.8	
Aroclor-1254 (2) [2C]	A	250.00	225	0.0399453	0.0359936		-10.0	
Aroclor-1254 (3) [2C]	A	250.00	239	0.0518895	0.0496432		-4.4	
Aroclor-1254 (4) [2C]	A	250.00	238	0.1149829	0.1096324		-4.8	
Aroclor-1254 (5) [2C]	A	250.00	242	0.1166073	0.1129777		-3.2	
Decachlorobiphenyl	A	40.000	45.9	0.7261970	0.8335397		14.8	+/-20
Tetrachlorometaxylene	A	40.000	40.2	0.9669678	0.9723244		0.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	42.4	1.7775950	1.8821870		6.0	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.0	1.0280520	1.0031430		-2.5	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282102ECD7.D
Data file 2: /210828.b/210828.b/08282102ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1254ICV1
Client ID:
Injection Date: 28-AUG-2021 17:04
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.002	137440	5.410	-0.000	377539	40.2	39.0	3.0	Tetrachloro-m-xylene
13.167	0.004	202333	13.847	0.004	1010248	45.9	42.4	8.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	282704	9.2
Hexabromobiphenyl	425681	485479	14.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	752712	4.4
Hexabromobiphenyl	863111	1073483	24.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1254	1	8.679	0.000	61890	253.8	1	9.238	0.000	152230	237.7
Aroclor-1254	2	8.751	0.000	29065	257.4	2	9.332	0.000	84665	225.3
Aroclor-1254	3	9.047	0.000	39456	248.2	3	9.762	0.000	116772	239.2
Aroclor-1254	4	9.182	0.000	81374	267.9	4	9.914	0.000	257880	238.4
Aroclor-1254	5	9.873	0.000	49530	259.7	5	10.151	0.000	265749	242.2

Total Col1Ave (5 peaks): 257.4 Total Col2Ave (5 peaks): 236.5 RPD = 8

Corrected Ave (4 peaks): 254.8 Corrected Ave (4 peaks): 235.1 RPD = 8

CalAmt %D: 3.0 CalAmt %D: -5.4

Total PCB Area Col1 (5.168 - 13.064) = 805426 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 2839315 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1254ICV1 28-AUG-2021 17:04, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1254ICV1 28-AUG-2021 17:04, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION CHECK

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282103ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-ICV4	Injection Time:	17:24
Sequence Name:	AR1660ICV4		

		CONC. (ug/L)		RESPONSE FACTOR			% DRIFT/DIFF	
COMPOUND	TYPE	STD	ICV	ICAL	ICV	MIN	ICV	LIMIT
Aroclor 1016	A	250.00	271	0.0446218	0.0483169		8.4	+/-20
Aroclor-1016 (1)	A	250.00	272	0.0283733	0.0309132		8.8	
Aroclor-1016 (2)	A	250.00	268	0.0867650	0.0932065		7.2	
Aroclor-1016 (3)	A	250.00	275	0.0389383	0.0428449		10.0	
Aroclor-1016 (4)	A	250.00	269	0.0244108	0.0263029		7.6	
Aroclor 1016 [2C]	A	250.00	269	0.0529840	0.0565520		7.5	+/-20
Aroclor-1016 (1) [2C]	A	250.00	264	0.0456173	0.0482037		5.6	
Aroclor-1016 (2) [2C]	A	250.00	265	0.1020378	0.1080499		6.0	
Aroclor-1016 (3) [2C]	A	250.00	269	0.0400455	0.0431006		7.6	
Aroclor-1016 (4) [2C]	A	250.00	277	0.0242353	0.0268536		10.8	
Aroclor 1260	A	250.00	265	0.0461251	0.0489452		5.9	+/-20
Aroclor-1260 (1)	A	250.00	250	0.0359923	0.0359945		0.0	
Aroclor-1260 (2)	A	250.00	270	0.0353250	0.0382078		8.0	
Aroclor-1260 (3)	A	250.00	266	0.0954741	0.1017146		6.4	
Aroclor-1260 (4)	A	250.00	270	0.0425365	0.0459331		8.0	
Aroclor-1260 (5)	A	250.00	268	0.0212978	0.0228758		7.2	
Aroclor 1260 [2C]	A	250.00	223	0.1108773	0.0981716		-10.9	+/-20
Aroclor-1260 (1) [2C]	A	250.00	222	0.0665032	0.0591302		-11.2	
Aroclor-1260 (2) [2C]	A	250.00	215	0.1932922	0.1663898		-14.0	
Aroclor-1260 (3) [2C]	A	250.00	228	0.1242917	0.1135496		-8.8	
Aroclor-1260 (4) [2C]	A	250.00	226	0.0594222	0.0536167		-9.6	
Decachlorobiphenyl	A	40.000	43.1	0.7261970	0.7833672		7.8	+/-20
Tetrachlorometaxylene	A	40.000	43.4	0.9669678	1.0493650		8.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.6	1.7775950	1.7135480		-3.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	42.0	1.0280520	1.0789350		5.0	+/-20

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282103ECD7.D
Data file 2: /210828.b/210828.b/08282103ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660ICV2
Client ID:
Injection Date: 28-AUG-2021 17:24
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	121199	5.411	0.000	330639	43.4	42.0	3.3	Tetrachloro-m-xylene
13.164	0.000	145711	13.844	0.000	713524	43.1	38.6	11.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	230995	-10.8
Hexabromobiphenyl	425681	372012	-12.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	612899	-15.0
Hexabromobiphenyl	863111	832803	-3.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.660	0.000	22315	272.4	1	7.054	-0.000	92325	264.2
Aroclor-1016	2	7.034	-0.001	67282	268.6	2	7.651	-0.001	206949	264.7
Aroclor-1016	3	7.182	0.000	30928	275.1	3	7.857	-0.001	82551	269.1
Aroclor-1016	4	7.290	-0.000	18987	269.4	4	8.104	0.000	51433	277.0

Total Col1Ave (4 peaks): 271.3 Total Col2Ave (4 peaks): 268.7 RPD = 1
Corrected Ave (3 peaks): 270.1 Corrected Ave (3 peaks): 266.0 RPD = 2

CalAmt %D: 8.5 CalAmt %D: 7.5

Aroclor-1260	1	10.386	-0.000	41845	250.0	1	11.423	-0.000	153887	222.3
Aroclor-1260	2	10.703	-0.000	44418	270.4	2	11.676	-0.000	433031	215.2
Aroclor-1260	3	11.054	0.000	118247	266.3	3	12.258	-0.001	295514	228.4
Aroclor-1260	4	11.455	-0.000	53399	270.0	4	12.969	-0.001	139538	225.6
Aroclor-1260	5	11.556	0.001	26594	268.5	NS	---			----

Total Col1Ave (5 peaks): 265.0 Total Col2Ave (4 peaks): 222.9 RPD = 17
Corrected Ave (4 peaks): 263.7 Corrected Ave (3 peaks): 221.0 RPD = 18

CalAmt %D: 6.0 CalAmt %D: -10.9

Total PCB Area Col1 (5.168 - 13.064) = 1197256 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 4191443 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660ICV2 28-AUG-2021 17:24, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660ICV2 28-AUG-2021 17:24, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132141ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV1	Injection Time:	08:21
Sequence Name:	AR1660SCV1		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	285	0.0446218	0.0506821		13.9	+/-20
Aroclor 1016 [2C]	A	250.00	281	0.0529840	0.0593980		12.5	+/-20
Aroclor 1260	A	250.00	276	0.0461251	0.0512781		10.3	+/-20
Aroclor 1260 [2C]	A	250.00	259	0.1108773	0.1145107		3.4	+/-20
Decachlorobiphenyl	A	40.000	41.9	0.7261970	0.7611314		4.8	+/-20
Tetrachlorometaxylene	A	40.000	43.6	0.9669678	1.0549010		9.1	+/-20
Decachlorobiphenyl [2C]	A	40.000	41.2	1.7775950	1.8311900		3.0	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.9	1.0280520	1.0780260		4.9	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132141ECD7.D
Data file 2: /210813.b/210813.b/08132141ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV1
Client ID:
Injection Date: 14-AUG-2021 08:21
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	130620	5.416	-0.001	380301	43.6	41.9	4.0	Tetrachloro-m-xylene
13.166	0.000	166891	13.848	-0.032	891664	41.9	41.2	1.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	247644	-4.3
Hexabromobiphenyl	425681	438534	3.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	705551	-2.1
Hexabromobiphenyl	863111	973863	12.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	25008	284.7	1	7.059	0.002	110603	274.9
Aroclor-1016	2	7.036	0.006	75849	282.4	2	7.653	0.006	251287	279.2
Aroclor-1016	3	7.182	0.006	34421	285.6	3	7.860	0.005	101098	286.3
Aroclor-1016	4	7.291	0.006	21611	286.0	4	8.108	0.003	60866	284.8
Total Col1Ave (4 peaks):					284.7	Total Col2Ave (4 peaks):				281.3 RPD = 1
Corrected Ave (3 peaks):					284.2	Corrected Ave (3 peaks):				279.6 RPD = 2
Aroclor-1221	1	4.024	0.008	183	9.4	1	4.683	0.006	532	10.0
Aroclor-1221	2	5.453	0.002	3388	110.5	2	6.080	0.008	14283	117.8
Aroclor-1221	3	5.728	0.004	17440	210.6	3	6.414	0.005	53146	251.5
Total Col1Ave (3 peaks):					110.2	Total Col2Ave (3 peaks):				126.5 RPD = 14
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.024	0.006	183	15.2	1	4.683	0.004	532	16.9
Aroclor-1232	2	5.728	0.002	17440	267.1	2	7.059	0.001	110603	600.3
Aroclor-1232	3	7.036	0.002	75849	761.3	3	7.653	0.002	251287	681.4
Aroclor-1232	4	7.973	0.001	32123	783.7	4	8.522	0.000	77885	810.7
Total Col1Ave (4 peaks):					456.8	Total Col2Ave (4 peaks):				527.3 RPD = 14
Corrected Ave (3 peaks):					347.9	Corrected Ave (3 peaks):				432.8 RPD = 22
Aroclor-1242	1	6.662	0.003	25008	366.5	1	7.059	0.002	110603	341.0
Aroclor-1242	2	7.036	0.006	75849	372.9	2	7.653	0.005	251287	356.6
Aroclor-1242	3	8.386	0.011	23127	200.7	3	8.934	-0.015	43631	132.5
Aroclor-1242	4	8.601	-0.072	2264	48.1	4	9.087	0.060	61086	163.5
Total Col1Ave (4 peaks):					247.1	Total Col2Ave (4 peaks):				248.4 RPD = 1
Corrected Ave (3 peaks):					205.1	Corrected Ave (3 peaks):				212.3 RPD = 3
Aroclor-1248	1	7.803	0.005	21981	211.8	1	8.108	0.002	60866	208.2
Aroclor-1248	2	7.973	0.005	32123	237.1	2	8.522	0.002	77885	218.9
Aroclor-1248	3	8.386	0.011	23127	116.6	3	8.934	-0.013	43631	77.0
Aroclor-1248	4	8.678	0.004	18050	159.4	4	9.393	0.016	3902	8.1
Total Col1Ave (4 peaks):					181.2	Total Col2Ave (4 peaks):				128.0 RPD = 34
Corrected Ave (3 peaks):					162.6	Corrected Ave (3 peaks):				97.8 RPD = 50*
Aroclor-1254	1	8.678	0.003	18050	84.5	1	9.242	0.003	55374	92.2
Aroclor-1254	2	---			0.0	2	9.393	0.062	3902	11.1
Aroclor-1254	3	9.048	0.006	1874	13.5	3	9.768	0.005	7503	16.4
Aroclor-1254	4	9.179	0.003	8064	30.3	4	9.930	0.017	138725	136.8
Aroclor-1254	5	9.859	-0.008	24786	148.4	5	10.160	0.012	181859	176.8
Total Col1Ave (4 peaks):					69.2	Total Col2Ave (5 peaks):				86.7 RPD = 22
Corrected Ave (3 peaks):					42.8	Corrected Ave (4 peaks):				64.1 RPD = 40*
Aroclor-1260	1	10.386	0.003	52476	266.0	1	11.427	0.002	206923	255.6
Aroclor-1260	2	10.705	0.005	54460	281.2	2	11.681	-0.000	606031	257.6
Aroclor-1260	3	11.055	0.005	146267	279.5	3	12.264	0.003	390976	258.4
Aroclor-1260	4	11.458	0.005	67567	289.8	4	12.974	0.002	190042	262.7
Aroclor-1260	5	11.557	0.003	30592	262.0	NS	---			----
Total Col1Ave (5 peaks):					275.7	Total Col2Ave (4 peaks):				258.6 RPD = 6
Corrected Ave (4 peaks):					272.2	Corrected Ave (3 peaks):				257.2 RPD = 6
Aroclor-1262	1	10.386	0.002	52476	196.1	1	10.970	-0.000	227139	190.7
Aroclor-1262	2	11.458	0.003	67567	389.9	2	11.681	-0.004	606031	241.2
Aroclor-1262	3	11.630	0.003	39662	158.8	3	12.190	0.002	176119	157.9
Aroclor-1262	4	12.278	0.004	37281	181.8	4	12.974	0.001	190042	182.8
Total Col1Ave (4 peaks):					231.6	Total Col2Ave (4 peaks):				193.2 RPD = 18
Corrected Ave (3 peaks):					178.9	Corrected Ave (3 peaks):				177.2 RPD = 1
Aroclor-1268	1	11.557	-0.000	30592	52.0	1	12.190	-0.010	176119	62.9
Aroclor-1268	2	11.630	0.004	39662	64.3	2	12.264	-0.003	390976	128.0
Aroclor-1268	3	12.031	0.031	15649	32.2	3	12.637	-0.007	5866	2.2
Aroclor-1268	4	12.771	-0.001	7371	4.7	4	12.784	0.001	4262	6.5
Total Col1Ave (4 peaks):					38.3	Total Col2Ave (4 peaks):				49.9 RPD = 26

Corrected Ave (3 peaks): 29.6 Corrected Ave (3 peaks): 23.9 RPD = 21

Total PCB Area Col1 (5.169 - 13.066) = 1398917 Col1 Total PCB = 0.6 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 5304779 Col2 Total PCB = 0.6 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV1 14-AUG-2021 08:21, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132142ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV2	Injection Time:	08:41
Sequence Name:	AR1242SCV2		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1242	A	250.00	282	0.0350459	0.0378590		12.6	+/-20
Aroclor 1242 [2C]	A	250.00	257	0.0490898	0.0506982		2.8	+/-20
Decachlorobiphenyl	A	40.000	40.6	0.7261970	0.7366527		1.4	+/-20
Tetrachlorometaxylene	A	40.000	42.4	0.9669678	1.0253500		6.0	+/-20
Decachlorobiphenyl [2C]	A	40.000	40.1	1.7775950	1.7819000		0.2	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.2	1.0280520	1.0587290		3.0	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132142ECD7.D
Data file 2: /210813.b/210813.b/08132142ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV2
Client ID:
Injection Date: 14-AUG-2021 08:41
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	132285	5.416	-0.001	383386	42.4	41.2	2.9	Tetrachloro-m-xylene
13.167	0.001	167664	13.849	-0.031	892912	40.6	40.1	1.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258029	-0.3
Hexabromobiphenyl	425681	455205	6.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	724238	0.5
Hexabromobiphenyl	863111	1002202	16.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col				ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.004	19016	207.8	1	7.058	0.002	84149	203.8
Aroclor-1016	2	7.036	0.007	56530	202.0	2	7.655	0.007	190019	205.7
Aroclor-1016	3	7.182	0.006	26016	207.1	3	7.861	0.006	75921	209.4
Aroclor-1016	4	7.291	0.006	16388	208.1	4	8.108	0.003	48471	220.9
Total Col1Ave (4 peaks):				206.3		Total Col2Ave (4 peaks):			210.0	RPD = 2
Corrected Ave (3 peaks):				205.6		Corrected Ave (3 peaks):			206.3	RPD = 0
Aroclor-1221	1	4.028	0.013	116	5.7	1	---			0.0
Aroclor-1221	2	5.452	0.001	2495	78.1	2	6.082	0.010	11569	93.0
Aroclor-1221	3	5.727	0.003	12904	149.5	3	6.414	0.005	39789	183.5
Total Col1Ave (3 peaks):				77.8		Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	4.028	0.010	116	9.3	1	---			0.0
Aroclor-1232	2	5.727	0.001	12904	189.7	2	7.058	0.000	84149	444.9
Aroclor-1232	3	7.036	0.003	56530	544.5	3	7.655	0.004	190019	502.0
Aroclor-1232	4	7.974	0.001	26547	621.6	4	8.522	0.000	61015	618.7
Total Col1Ave (4 peaks):				341.3		Total Col2Ave (3 peaks):			521.9	RPD = 42*
Corrected Ave (3 peaks):				247.8		Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.662	0.003	19016	267.5	1	7.058	0.001	84149	252.7
Aroclor-1242	2	7.036	0.006	56530	266.7	2	7.655	0.006	190019	262.7
Aroclor-1242	3	8.383	0.009	29618	246.7	3	8.960	0.011	88042	260.5
Aroclor-1242	4	8.677	0.003	16945	345.4	4	9.035	0.007	96759	252.3
Total Col1Ave (4 peaks):				281.6		Total Col2Ave (4 peaks):			257.1	RPD = 9
Corrected Ave (3 peaks):				260.3		Corrected Ave (3 peaks):			255.2	RPD = 2
Aroclor-1248	1	7.804	0.005	17658	163.3	1	8.108	0.002	48471	161.5
Aroclor-1248	2	7.974	0.006	26547	188.1	2	8.522	0.002	61015	167.0
Aroclor-1248	3	8.383	0.009	29618	143.3	3	8.960	0.014	88042	151.3
Aroclor-1248	4	8.677	0.004	16945	143.6	4	9.387	0.011	85570	173.2
Total Col1Ave (4 peaks):				159.6		Total Col2Ave (4 peaks):			163.2	RPD = 2
Corrected Ave (3 peaks):				150.1		Corrected Ave (3 peaks):			159.9	RPD = 6
Aroclor-1254	1	8.677	0.002	16945	76.1	1	9.243	0.003	29242	47.5
Aroclor-1254	2	8.749	0.003	9630	93.4	2	9.387	0.056	85570	236.6
Aroclor-1254	3	9.048	0.007	7009	48.3	3	9.768	0.005	22605	48.1
Aroclor-1254	4	9.185	0.010	12002	43.3	4	9.920	0.006	43258	41.6
Aroclor-1254	5	9.892	0.025	8818	50.7	5	10.159	0.012	45764	43.4
Total Col1Ave (5 peaks):				62.4		Total Col2Ave (5 peaks):			83.4	RPD = 29
Corrected Ave (4 peaks):				54.6		Corrected Ave (4 peaks):			45.1	RPD = 19
Aroclor-1260	1	10.393	0.010	159	0.8	1	11.445	0.020	5299	6.4
Aroclor-1260	2	10.708	0.008	221	1.1	2	11.687	0.006	3878	1.6
Aroclor-1260	3	11.059	0.009	267	0.5	3	12.271	0.010	3933	2.5
Aroclor-1260	4	11.460	0.007	376	1.6	4	13.053	0.081	5398	7.3
Aroclor-1260	5	---			0.0	NS	---			----
Total Col1Ave (4 peaks):				1.0		Total Col2Ave (4 peaks):			4.4	RPD = 128*
Corrected Ave (3 peaks):				0.8		Corrected Ave (3 peaks):			3.5	RPD = 126*
Aroclor-1262	1	10.393	0.009	159	0.6	1	10.901	-0.069	17524	14.3
Aroclor-1262	2	11.460	0.005	376	2.1	2	11.687	0.001	3878	1.5
Aroclor-1262	3	---			0.0	3	12.271	0.083	3933	3.4
Aroclor-1262	4	---			0.0	4	13.053	0.081	5398	5.0
Col1Ave: <3 Quant Peaks						Col2Ave:			6.1	
Aroclor-1268	1	11.460	-0.097	376	0.6	1	12.271	0.071	3933	1.4
Aroclor-1268	2	---			0.0	2	---			0.0
Aroclor-1268	3	11.914	-0.086	1770	3.5	3	12.639	-0.005	1023	0.4
Aroclor-1268	4	12.775	0.003	794	0.5	4	12.790	0.006	1260	1.9
Total Col1Ave (3 peaks):				1.5		Total Col2Ave (3 peaks):			1.2	RPD = 24
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				

Total PCB Area Col1 (5.169 - 13.066) = 482960 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 1884416 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV2 14-AUG-2021 08:41, 2ul



ZB-35 Manual Integration: YES

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132142ECD7.D Injection Date: 14-AUG-2021 08:41

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132143ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV3	Injection Time:	09:02
Sequence Name:	AR1248SCV3		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1248	A	250.00	262	0.0444871	0.0465152		4.6	+/-20
Aroclor 1248 [2C]	A	250.00	275	0.0480909	0.0527683		10.0	+/-20
Decachlorobiphenyl	A	40.000	39.5	0.7261970	0.7165649		-1.3	+/-20
Tetrachlorometaxylene	A	40.000	41.7	0.9669678	1.0072130		4.2	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.4	1.7775950	1.7077060		-3.9	+/-20
Tetrachlorometaxylene [2C]	A	40.000	40.4	1.0280520	1.0386920		1.0	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132143ECD7.D
Data file 2: /210813.b/210813.b/08132143ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV3
Client ID:
Injection Date: 14-AUG-2021 09:02
Report Date: 08/16/2021 17:58
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	133217	5.416	-0.001	384693	41.7	40.4	3.0	Tetrachloro-m-xylene
13.165	-0.001	166922	13.848	-0.032	892438	39.5	38.4	2.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	264526	2.2
Hexabromobiphenyl	425681	465895	9.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	740726	2.7
Hexabromobiphenyl	863111	1045189	21.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	9682	103.2	1	7.058	0.001	46276	109.6
Aroclor-1016	2	7.035	0.006	37972	132.4	2	7.654	0.006	128803	136.3
Aroclor-1016	3	7.185	0.009	16001	124.3	3	7.862	0.007	26557	71.6
Aroclor-1016	4	7.292	0.007	10150	125.7	4	8.107	0.002	83644	372.8
Total Col1Ave (4 peaks): 121.4						Total Col2Ave (4 peaks): 172.6				RPD = 35
Corrected Ave (3 peaks): 117.7						Corrected Ave (3 peaks): 105.8				RPD = 11
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	5.455	0.004	449	13.7	2	6.091	0.019	6638	52.2
Aroclor-1221	3	5.728	0.004	2260	25.5	3	6.414	0.005	8501	38.3
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	5.728	0.002	2260	32.4	2	7.058	-0.000	46276	239.2
Aroclor-1232	3	7.035	0.002	37972	356.8	3	7.654	0.003	128803	332.7
Aroclor-1232	4	7.972	-0.000	39250	896.5	4	8.523	0.001	102298	1014.3
Total Col1Ave (3 peaks): 428.6						Total Col2Ave (3 peaks): 528.7				RPD = 21
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1242	1	6.663	0.004	9682	132.8	1	7.058	0.000	46276	135.9
Aroclor-1242	2	7.035	0.005	37972	174.8	2	7.654	0.005	128803	174.1
Aroclor-1242	3	8.381	0.007	54555	443.2	3	8.956	0.007	151640	438.8
Aroclor-1242	4	8.678	0.004	31259	621.5	4	9.034	0.006	104178	265.6
Total Col1Ave (4 peaks): 343.1						Total Col2Ave (4 peaks): 253.6				RPD = 30
Corrected Ave (3 peaks): 250.3						Corrected Ave (3 peaks): 191.9				RPD = 26
Aroclor-1248	1	7.802	0.004	28742	259.3	1	8.107	0.002	83644	272.5
Aroclor-1248	2	7.972	0.004	39250	271.2	2	8.523	0.003	102298	273.8
Aroclor-1248	3	8.381	0.007	54555	257.5	3	8.956	0.009	151640	254.8
Aroclor-1248	4	8.678	0.004	31259	258.4	4	9.383	0.006	151004	298.8
Total Col1Ave (4 peaks): 261.6						Total Col2Ave (4 peaks): 275.0				RPD = 5
Corrected Ave (3 peaks): 258.4						Corrected Ave (3 peaks): 267.0				RPD = 3
Aroclor-1254	1	8.678	0.002	31259	137.0	1	9.242	0.003	54333	86.2
Aroclor-1254	2	8.749	0.003	18396	174.1	2	9.383	0.052	151004	408.3
Aroclor-1254	3	9.047	0.006	14863	99.9	3	9.767	0.004	47940	99.8
Aroclor-1254	4	9.184	0.008	25850	91.0	4	9.918	0.004	90159	84.7
Aroclor-1254	5	9.891	0.024	17966	100.7	5	10.157	0.010	92605	85.8
Total Col1Ave (5 peaks): 120.5						Total Col2Ave (5 peaks): 152.9				RPD = 24
Corrected Ave (4 peaks): 107.1						Corrected Ave (4 peaks): 89.1				RPD = 18
Aroclor-1260	1	10.390	0.007	578	2.8	1	11.440	0.015	6820	7.8
Aroclor-1260	2	10.706	0.006	437	2.1	2	11.683	0.002	7655	3.0
Aroclor-1260	3	11.059	0.008	1267	2.3	3	12.263	0.002	5159	3.2
Aroclor-1260	4	11.460	0.007	540	2.2	4	12.973	0.001	2451	3.2
Aroclor-1260	5	11.559	0.005	490	4.0	NS	---			----
Total Col1Ave (5 peaks): 2.7						Total Col2Ave (4 peaks): 4.3				RPD = 47*
Corrected Ave (4 peaks): 2.3						Corrected Ave (3 peaks): 3.1				RPD = 29
Aroclor-1262	1	10.390	0.006	578	2.0	1	10.972	0.001	4108	3.2
Aroclor-1262	2	11.460	0.005	540	2.9	2	11.683	-0.002	7655	2.8
Aroclor-1262	3	11.632	0.005	592	2.2	3	12.188	-0.000	3699	3.1
Aroclor-1262	4	12.278	0.004	571	2.6	4	12.973	0.001	2451	2.2
Total Col1Ave (4 peaks): 2.5						Total Col2Ave (4 peaks): 2.8				RPD = 14
Corrected Ave (3 peaks): 2.3						Corrected Ave (3 peaks): 2.7				RPD = 17
Aroclor-1268	1	11.559	0.002	490	0.8	1	12.188	-0.012	3699	1.2
Aroclor-1268	2	11.632	0.006	592	0.9	2	12.263	-0.004	5159	1.6
Aroclor-1268	3	11.915	-0.086	879	1.7	3	12.643	-0.001	909	0.3
Aroclor-1268	4	12.775	0.003	932	0.6	4	12.788	0.005	972	1.4
Total Col1Ave (4 peaks): 1.0						Total Col2Ave (4 peaks): 1.1				RPD = 13
Corrected Ave (3 peaks): 0.7						Corrected Ave (3 peaks): 1.0				RPD = 27

Total PCB Area Col1 (5.169 - 13.066) = 608290 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 2317749 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 SEQ-SCV3 14-AUG-2021 09:02, 2ul



ZB-35 Manual Integration: NO

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210813.b/08132143ECD7.D Injection Date: 14-AUG-2021 09:02

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132144ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV4	Injection Time:	09:22
Sequence Name:	AR1254SCV4		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1254	A	250.00	282	0.0571741	0.0643807		12.7	+/-20
Aroclor 1254 [2C]	A	250.00	264	0.0782980	0.0831818		5.8	+/-20
Decachlorobiphenyl	A	40.000	40.1	0.7261970	0.7274386		0.2	+/-20
Tetrachlorometaxylene	A	40.000	42.6	0.9669678	1.0302020		6.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.6	1.7775950	1.7164800		-3.4	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.4	1.0280520	1.0649090		3.6	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132144ECD7.D
Data file 2: /210813.b/210813.b/08132144ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV4
Client ID:
Injection Date: 14-AUG-2021 09:22
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.002	134141	5.416	-0.001	389116	42.6	41.4	2.8	Tetrachloro-m-xylene
13.166	0.000	166634	13.848	-0.032	887620	40.1	38.6	3.7	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	260417	0.6
Hexabromobiphenyl	425681	458139	7.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	730797	1.4
Hexabromobiphenyl	863111	1034233	19.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	ZB5 Col Peak#	RT	Shift	Area	Amount	ZB35 Col Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	131	1.4	1	7.062	0.005	1136	2.7
Aroclor-1016	2	7.039	0.009	605	2.1	2	7.659	0.011	3270	3.5
Aroclor-1016	3	7.189	0.014	416	3.3	3	7.909	0.054	1836	5.0
Aroclor-1016	4	---			0.0	4	8.109	0.004	59728	269.8
Total Col1Ave (3 peaks): 2.3						Total Col2Ave (4 peaks): 70.3 RPD = 187*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 3.8				
Aroclor-1221	1	---			0.0	1	---			0.0
Aroclor-1221	2	---			0.0	2	6.094	0.021	4462	35.5
Aroclor-1221	3	---			0.0	3	6.411	0.002	1085	5.0
Col1Ave: <3 Quant Peaks						Col2Ave: <3 Quant Peaks				
Aroclor-1232	1	---			0.0	1	---			0.0
Aroclor-1232	2	---			0.0	2	7.062	0.004	1136	6.0
Aroclor-1232	3	7.039	0.005	605	5.8	3	7.659	0.008	3270	8.6
Aroclor-1232	4	7.975	0.003	5517	128.0	4	8.524	0.002	40317	405.2
Col1Ave: <3 Quant Peaks						Col2Ave: 139.9				
Aroclor-1242	1	6.663	0.004	131	1.8	1	7.062	0.005	1136	3.4
Aroclor-1242	2	7.039	0.008	605	2.8	2	7.659	0.010	3270	4.5
Aroclor-1242	3	8.385	0.011	48414	399.6	3	8.960	0.012	63036	184.9
Aroclor-1242	4	8.679	0.005	62054	1253.2	4	9.035	0.007	12438	32.1
Total Col1Ave (4 peaks): 414.4						Total Col2Ave (4 peaks): 56.2 RPD = 152*				
Corrected Ave (3 peaks): 134.7						Corrected Ave (3 peaks): 13.3 RPD = 164*				
Aroclor-1248	1	7.804	0.005	12376	113.4	1	8.109	0.003	59728	197.2
Aroclor-1248	2	7.975	0.007	5517	38.7	2	8.524	0.004	40317	109.4
Aroclor-1248	3	8.385	0.011	48414	232.1	3	8.960	0.014	63036	107.4
Aroclor-1248	4	8.679	0.005	62054	521.1	4	9.335	-0.041	91889	184.3
Total Col1Ave (4 peaks): 226.3						Total Col2Ave (4 peaks): 149.6 RPD = 41*				
Corrected Ave (3 peaks): 128.1						Corrected Ave (3 peaks): 133.7 RPD = 4				
Aroclor-1254	1	8.679	0.003	62054	276.2	1	9.242	0.003	166697	268.1
Aroclor-1254	2	8.751	0.005	29615	284.7	2	9.335	0.004	91889	251.8
Aroclor-1254	3	9.046	0.005	40463	276.3	3	9.766	0.003	128036	270.1
Aroclor-1254	4	9.181	0.005	78989	282.3	4	9.918	0.004	270040	257.1
Aroclor-1254	5	9.873	0.006	50845	289.4	5	10.155	0.008	293166	275.2
Total Col1Ave (5 peaks): 281.8						Total Col2Ave (5 peaks): 264.5 RPD = 6				
Corrected Ave (4 peaks): 279.9						Corrected Ave (4 peaks): 261.8 RPD = 7				
Aroclor-1260	1	10.386	0.003	4281	20.8	1	11.441	0.015	77320	89.9
Aroclor-1260	2	10.706	0.006	4756	23.5	2	11.684	0.003	61993	24.8
Aroclor-1260	3	11.057	0.007	11820	21.6	3	12.266	0.005	35733	22.2
Aroclor-1260	4	11.458	0.005	9286	38.1	4	12.973	0.001	1994	2.6
Aroclor-1260	5	11.627	0.073	440	3.6	NS	---			----
Total Col1Ave (5 peaks): 21.5						Total Col2Ave (4 peaks): 34.9 RPD = 47*				
Corrected Ave (4 peaks): 17.4						Corrected Ave (3 peaks): 16.5 RPD = 5				
Aroclor-1262	1	10.386	0.002	4281	15.3	1	10.897	-0.073	251611	198.9
Aroclor-1262	2	11.458	0.003	9286	51.3	2	11.684	-0.001	61993	23.2
Aroclor-1262	3	11.627	0.000	440	1.7	3	12.205	0.017	9780	8.3
Aroclor-1262	4	12.279	0.005	629	2.9	4	12.973	0.000	1994	1.8
Total Col1Ave (4 peaks): 17.8						Total Col2Ave (4 peaks): 58.1 RPD = 106*				
Corrected Ave (3 peaks): 6.6						Corrected Ave (3 peaks): 11.1 RPD = 50*				
Aroclor-1268	1	11.627	0.070	440	0.7	1	12.205	0.005	9780	3.3
Aroclor-1268	2	---			0.0	2	12.266	-0.001	35733	11.0
Aroclor-1268	3	11.912	-0.088	968	1.9	3	12.633	-0.011	400	0.1
Aroclor-1268	4	12.774	0.002	1001	0.6	4	12.861	0.078	15819	22.8
Total Col1Ave (3 peaks): 1.1						Total Col2Ave (4 peaks): 9.3 RPD = 158*				
Corrected Ave: < 3 Peaks						Corrected Ave (3 peaks): 4.8				

Total PCB Area Col1 (5.169 - 13.066) = 819275 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 3111878 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV4 14-AUG-2021 09:22, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132145ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV5	Injection Time:	09:43
Sequence Name:	AR2162SCV5		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1221	A	250.00	293	0.0143248	0.0165460		17.0	+/-20
Aroclor 1221 [2C]	A	250.00	266	0.0145693	0.0154784		6.4	+/-20
Decachlorobiphenyl	A	40.000	38.8	0.7261970	0.7050646		-2.9	+/-20
Tetrachlorometaxylene	A	40.000	40.6	0.9669678	0.9811862		1.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	37.6	1.7775950	1.6729930		-5.9	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.1	1.0280520	1.0059940		-2.1	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132145ECD7.D
Data file 2: /210813.b/210813.b/08132145ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV5
Client ID:
Injection Date: 14-AUG-2021 09:43
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.003	131998	5.417	-0.000	375118	40.6	39.1	3.6	Tetrachloro-m-xylene
13.166	-0.000	164634	13.848	-0.032	881936	38.8	37.6	3.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	269058	3.9
Hexabromobiphenyl	425681	467004	9.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	745766	3.4
Hexabromobiphenyl	863111	1054321	22.2

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

	ZB5 Col					ZB35 Col				
Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	1551	16.3	1	7.061	0.004	17081	40.2
Aroclor-1016	2	7.039	0.009	4280	14.7	2	7.658	0.011	15832	16.6
Aroclor-1016	3	7.184	0.008	2282	17.4	3	7.865	0.010	6703	18.0
Aroclor-1016	4	7.294	0.009	1564	19.1	4	8.109	0.004	3939	17.4
Total Col1Ave (4 peaks):				16.8		Total Col2Ave (4 peaks):			23.1	RPD = 31
Corrected Ave (3 peaks):				16.1		Corrected Ave (3 peaks):			17.3	RPD = 7
Aroclor-1221	1	4.018	0.002	6262	294.7	1	4.680	0.004	15071	269.2
Aroclor-1221	2	5.454	0.003	9982	299.7	2	6.075	0.003	33472	261.2
Aroclor-1221	3	5.728	0.004	25492	283.3	3	6.413	0.004	59675	267.2
Total Col1Ave (3 peaks):				292.6		Total Col2Ave (3 peaks):			265.9	RPD = 10
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.018	-0.000	6262	479.9	1	4.680	0.001	15071	452.2
Aroclor-1232	2	5.728	0.002	25492	359.4	2	7.061	0.003	17081	87.7
Aroclor-1232	3	7.039	0.005	4280	39.5	3	7.658	0.007	15832	40.6
Aroclor-1232	4	7.978	0.006	798	17.9	4	8.525	0.003	2523	24.8
Total Col1Ave (4 peaks):				224.2		Total Col2Ave (4 peaks):			151.3	RPD = 39
Corrected Ave (3 peaks):				139.0		Corrected Ave (3 peaks):			51.1	RPD = 93*
Aroclor-1242	1	6.663	0.004	1551	20.9	1	7.061	0.004	17081	49.8
Aroclor-1242	2	7.039	0.009	4280	19.4	2	7.658	0.010	15832	21.3
Aroclor-1242	3	8.388	0.013	9148	73.1	3	8.966	0.018	6505	18.7
Aroclor-1242	4	8.680	0.006	9619	188.0	4	9.089	0.061	25267	64.0
Total Col1Ave (4 peaks):				75.3		Total Col2Ave (4 peaks):			38.4	RPD = 65*
Corrected Ave (3 peaks):				37.8		Corrected Ave (3 peaks):			29.9	RPD = 23
Aroclor-1248	1	7.805	0.007	1067	9.5	1	8.109	0.003	3939	12.7
Aroclor-1248	2	7.978	0.010	798	5.4	2	8.525	0.005	2523	6.7
Aroclor-1248	3	8.388	0.013	9148	42.4	3	8.966	0.020	6505	10.9
Aroclor-1248	4	8.680	0.007	9619	78.2	4	9.396	0.019	4022	7.9
Total Col1Ave (4 peaks):				33.9		Total Col2Ave (4 peaks):			9.6	RPD = 112*
Corrected Ave (3 peaks):				19.1		Corrected Ave (3 peaks):			8.5	RPD = 77*
Aroclor-1254	1	8.680	0.005	9619	41.4	1	9.245	0.005	26890	42.4
Aroclor-1254	2	---			0.0	2	9.336	0.005	2650	7.1
Aroclor-1254	3	9.050	0.008	1343	8.9	3	9.769	0.007	4242	8.8
Aroclor-1254	4	9.145	-0.031	9990	34.6	4	9.932	0.019	121430	113.3
Aroclor-1254	5	9.858	-0.010	13751	75.8	5	10.160	0.013	143957	132.4
Total Col1Ave (4 peaks):				40.2		Total Col2Ave (5 peaks):			60.8	RPD = 41*
Corrected Ave (3 peaks):				28.3		Corrected Ave (4 peaks):			42.9	RPD = 41*
Aroclor-1260	1	10.387	0.004	74432	354.3	1	11.427	0.001	248521	283.6
Aroclor-1260	2	10.705	0.005	63581	308.3	2	11.682	0.001	656259	257.6
Aroclor-1260	3	11.056	0.005	158724	284.8	3	12.261	0.000	468343	285.9
Aroclor-1260	4	11.457	0.004	49425	199.0	4	12.974	0.001	287502	367.1
Aroclor-1260	5	11.557	0.003	61640	495.8	NS	---			----
Total Col1Ave (5 peaks):				328.4		Total Col2Ave (4 peaks):			298.6	RPD = 10
Corrected Ave (4 peaks):				286.6		Corrected Ave (3 peaks):			275.7	RPD = 4
Aroclor-1262	1	10.387	0.003	74432	261.2	1	10.970	-0.000	313779	243.4
Aroclor-1262	2	11.457	0.002	49425	267.8	2	11.682	-0.003	656259	241.2
Aroclor-1262	3	11.628	0.001	70335	264.4	3	12.188	0.000	303167	251.1
Aroclor-1262	4	12.278	0.003	58296	266.9	4	12.974	0.001	287502	255.5
Total Col1Ave (4 peaks):				265.1		Total Col2Ave (4 peaks):			247.8	RPD = 7
Corrected Ave (3 peaks):				264.2		Corrected Ave (3 peaks):			245.2	RPD = 7
Aroclor-1268	1	11.557	0.000	61640	98.4	1	12.188	-0.012	303167	100.1
Aroclor-1268	2	11.628	0.002	70335	107.0	2	12.261	-0.006	468343	141.7
Aroclor-1268	3	12.031	0.030	24251	46.9	3	12.635	-0.009	18559	6.5
Aroclor-1268	4	12.770	-0.001	19100	11.5	4	12.783	0.000	11203	15.9
Total Col1Ave (4 peaks):				65.9		Total Col2Ave (4 peaks):			66.0	RPD = 0

Corrected Ave (3 peaks): 52.2 Corrected Ave (3 peaks): 40.8 RPD = 25

Total PCB Area Col1 (5.169 - 13.066) = 1098701 Col1 Total PCB = 0.4 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4504756 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV5 14-AUG-2021 09:43, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SECOND-SOURCE
CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08132146ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0177	Injection Date:	08/14/21
Lab Sample ID:	SJH0177-SCV6	Injection Time:	10:03
Sequence Name:	AR3268SCV6		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1232	A	250.00	284	0.0175991	0.0203926		13.8	+/-20
Aroclor 1232 [2C]	A	250.00	286	0.0192937	0.0223606		14.5	+/-20
Decachlorobiphenyl	A	40.000	59.6	0.7261970	1.0825580		49.1	+/-20
Tetrachlorometaxylene	A	40.000	41.2	0.9669678	0.9966938		3.1	+/-20
Decachlorobiphenyl [2C]	A	40.000	59.3	1.7775950	2.6350880		48.2	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.7	1.0280520	1.0197560		-0.8	+/-20

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210813.b/08132146ECD7.D
Data file 2: /210813.b/210813.b/08132146ECD7.D
Method: \\target\share\chem4\ecd7.i\210813.b\PCB.m
Compound Sublist: PCB.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: SEQ-SCV6
Client ID:
Injection Date: 14-AUG-2021 10:03
Report Date: 08/14/2021 15:27
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col			ZB35 Col			ZB5	ZB35		
RT	Shift	Response	RT	Shift	Response	on col	on col	RPD	Compound/Flag
5.071	0.002	131287	5.416	-0.000	375338	41.2	39.7	3.8	Tetrachloro-m-xylene
13.165	-0.001	248059	13.848	-0.032	1383308	59.6	59.3	0.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	263445	1.8
Hexabromobiphenyl	425681	458283	7.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	736133	2.1
Hexabromobiphenyl	863111	1049914	21.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.663	0.005	11471	122.8	1	7.059	0.002	54454	129.7
Aroclor-1016	2	7.037	0.008	32172	112.6	2	7.656	0.009	111127	118.4
Aroclor-1016	3	7.183	0.007	15436	120.4	3	7.862	0.007	47184	128.0
Aroclor-1016	4	7.292	0.007	9103	113.2	4	8.108	0.003	26255	117.7
Total Col1Ave (4 peaks):					117.2	Total Col2Ave (4 peaks):				123.5 RPD = 5
Corrected Ave (3 peaks):					115.4	Corrected Ave (3 peaks):				121.4 RPD = 5
Aroclor-1221	1	4.017	0.002	3341	160.6	1	4.679	0.002	8452	153.0
Aroclor-1221	2	5.453	0.002	5429	166.5	2	6.077	0.004	21053	166.4
Aroclor-1221	3	5.727	0.003	17948	203.7	3	6.414	0.005	55556	252.0
Total Col1Ave (3 peaks):					176.9	Total Col2Ave (3 peaks):				190.5 RPD = 7
Corrected Ave: < 3 Peaks						Corrected Ave: < 3 Peaks				
Aroclor-1232	1	4.017	-0.001	3341	261.5	1	4.679	-0.000	8452	256.9
Aroclor-1232	2	5.727	0.001	17948	258.4	2	7.059	0.001	54454	283.3
Aroclor-1232	3	7.037	0.003	32172	303.5	3	7.656	0.005	111127	288.8
Aroclor-1232	4	7.974	0.002	13693	314.0	4	8.524	0.002	31722	316.5
Total Col1Ave (4 peaks):					284.4	Total Col2Ave (4 peaks):				286.4 RPD = 1
Corrected Ave (3 peaks):					274.5	Corrected Ave (3 peaks):				276.3 RPD = 1
Aroclor-1242	1	6.663	0.004	11471	158.0	1	7.059	0.002	54454	160.9
Aroclor-1242	2	7.037	0.007	32172	148.7	2	7.656	0.008	111127	151.2
Aroclor-1242	3	8.385	0.010	20544	167.6	3	8.959	0.010	61163	178.1
Aroclor-1242	4	8.676	0.002	6934	138.4	4	9.041	0.013	55525	142.5
Total Col1Ave (4 peaks):					153.2	Total Col2Ave (4 peaks):				158.1 RPD = 3
Corrected Ave (3 peaks):					148.4	Corrected Ave (3 peaks):				151.5 RPD = 2
Aroclor-1248	1	7.804	0.005	9056	82.0	1	8.108	0.002	26255	86.1
Aroclor-1248	2	7.974	0.006	13693	95.0	2	8.524	0.003	31722	85.4
Aroclor-1248	3	8.385	0.010	20544	97.4	3	8.959	0.012	61163	103.4
Aroclor-1248	4	8.676	0.002	6934	57.6	4	9.391	0.015	44441	88.5
Total Col1Ave (4 peaks):					83.0	Total Col2Ave (4 peaks):				90.8 RPD = 9
Corrected Ave (3 peaks):					78.2	Corrected Ave (3 peaks):				86.7 RPD = 10
Aroclor-1254	1	8.676	0.000	6934	30.5	1	9.243	0.003	10554	16.9
Aroclor-1254	2	8.748	0.002	3715	35.3	2	9.391	0.060	44441	120.9
Aroclor-1254	3	9.050	0.008	2122	14.3	3	9.769	0.007	7619	16.0
Aroclor-1254	4	9.187	0.011	3159	11.2	4	9.922	0.009	13052	12.3
Aroclor-1254	5	9.896	0.029	1953	11.0	5	10.167	0.020	14279	13.3
Total Col1Ave (5 peaks):					20.5	Total Col2Ave (5 peaks):				35.9 RPD = 55*
Corrected Ave (4 peaks):					16.7	Corrected Ave (4 peaks):				14.6 RPD = 14
Aroclor-1260	1	10.388	0.005	30028	145.6	1	11.405	-0.020	170014	194.8
Aroclor-1260	2	10.704	0.004	2256	11.1	2	11.680	-0.001	78239	30.8
Aroclor-1260	3	11.056	0.005	17997	32.9	3	12.254	-0.007	838267	513.9
Aroclor-1260	4	11.458	0.006	301	1.2	4	12.972	0.000	307546	394.4
Aroclor-1260	5	11.557	0.003	165147	1353.6	NS	---			----
Total Col1Ave (5 peaks):					308.9	Total Col2Ave (4 peaks):				283.5 RPD = 9
Corrected Ave (4 peaks):					47.7	Corrected Ave (3 peaks):				206.7 RPD = 125*
Aroclor-1262	1	10.388	0.004	30028	107.4	1	10.971	0.001	118268	92.1
Aroclor-1262	2	11.458	0.004	301	1.7	2	11.680	-0.005	78239	28.9
Aroclor-1262	3	11.626	-0.000	172148	659.4	3	12.187	-0.001	744741	619.3
Aroclor-1262	4	12.276	0.002	62869	293.3	4	12.972	-0.000	307546	274.4
Total Col1Ave (4 peaks):					265.4	Total Col2Ave (4 peaks):				253.7 RPD = 5
Corrected Ave (3 peaks):					134.1	Corrected Ave (3 peaks):				131.8 RPD = 2
Aroclor-1268	1	11.557	-0.000	165147	268.6	1	12.187	-0.013	744741	246.9
Aroclor-1268	2	11.626	0.001	172148	266.9	2	12.254	-0.013	838267	254.7
Aroclor-1268	3	12.000	-0.000	135416	266.9	3	12.635	-0.009	744001	261.5
Aroclor-1268	4	12.770	-0.002	428256	261.7	4	12.782	-0.001	187584	266.5
Total Col1Ave (4 peaks):					266.0	Total Col2Ave (4 peaks):				257.4 RPD = 3

Corrected Ave (3 peaks): 265.2 Corrected Ave (3 peaks): 254.3 RPD = 4

Total PCB Area Col1 (5.169 - 13.066) = 1378298 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.169 - 13.066) = 4537494 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 SEQ-SCV6 14-AUG-2021 10:03, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192108ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV1	Injection Time:	12:42
Sequence Name:	AR1248CCV1		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1248	A	250.00	265	0.0444871	0.0473075		5.9	
Aroclor-1248 (1)	A	250.00	267	0.0335259	0.0358615		6.8	
Aroclor-1248 (2)	A	250.00	273	0.0437624	0.0477680		9.2	
Aroclor-1248 (3)	A	250.00	270	0.0640809	0.0691951		8.0	
Aroclor-1248 (4)	A	250.00	249	0.0365791	0.0364053		-0.4	
Aroclor 1248 [2C]	A	250.00	256	0.0480909	0.0489445		2.2	
Aroclor-1248 (1) [2C]	A	250.00	262	0.0331517	0.0346898		4.8	
Aroclor-1248 (2) [2C]	A	250.00	257	0.0403519	0.0414411		2.8	
Aroclor-1248 (3) [2C]	A	250.00	254	0.0642727	0.0652041		1.6	
Aroclor-1248 (4) [2C]	A	250.00	249	0.0545874	0.0544429		-0.4	
Decachlorobiphenyl	A	40.000	41.0	0.7261970	0.7437866		2.5	
Tetrachlorometaxylene	A	40.000	41.7	0.9669678	1.0075650		4.3	
Decachlorobiphenyl [2C]	A	40.000	36.3	1.7775950	1.6141280		-9.3	
Tetrachlorometaxylene [2C]	A	40.000	40.1	1.0280520	1.0304760		0.3	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192108ECD7.D
Data file 2: /210819.b/210819.b/08192108ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1248CCV1
Client ID:
Injection Date: 19-AUG-2021 12:42
Report Date: 08/19/2021 16:55
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	-0.000	129264	5.411	-0.000	378314	41.7	40.1	3.9	Tetrachloro-m-xylene
13.164	-0.000	163610	13.844	-0.001	831088	41.0	36.3	12.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	256587	-0.9
Hexabromobiphenyl	425681	439938	3.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	734251	1.8
Hexabromobiphenyl	863111	1029767	19.3

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.801	0.000	28755	267.4	1	8.105	0.000	79597	261.6
Aroclor-1248	2	7.971	0.000	38302	272.9	2	8.520	0.000	95088	256.7
Aroclor-1248	3	8.380	0.000	55483	270.0	3	8.951	0.000	149613	253.6
Aroclor-1248	4	8.676	0.000	29191	248.8	4	9.380	0.000	124921	249.3

Total Col1Ave (4 peaks): 264.8 Total Col2Ave (4 peaks): 255.3 RPD = 4

Corrected Ave (3 peaks): 262.1 Corrected Ave (3 peaks): 253.2 RPD = 3

CalAmt %D: 5.9 CalAmt %D: 2.1

Total PCB Area Col1 (5.168 - 13.064) = 592263 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 2176400 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1248CCV1 19-AUG-2021 12:42, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1248CCV1 19-AUG-2021 12:42, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192109ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV2	Injection Time:	13:03
Sequence Name:	AR1660CCV2		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	264	0.0446218	0.0473834		5.5	
Aroclor-1016 (1)	A	250.00	262	0.0283733	0.0298014		4.8	
Aroclor-1016 (2)	A	250.00	268	0.0867650	0.0930287		7.2	
Aroclor-1016 (3)	A	250.00	264	0.0389383	0.0411901		5.6	
Aroclor-1016 (4)	A	250.00	261	0.0244108	0.0255134		4.4	
Aroclor 1016 [2C]	A	250.00	273	0.0529840	0.0575186		9.0	
Aroclor-1016 (1) [2C]	A	250.00	265	0.0456173	0.0483843		6.0	
Aroclor-1016 (2) [2C]	A	250.00	270	0.1020378	0.1104054		8.0	
Aroclor-1016 (3) [2C]	A	250.00	276	0.0400455	0.0442402		10.4	
Aroclor-1016 (4) [2C]	A	250.00	279	0.0242353	0.0270445		11.6	
Aroclor 1260	A	250.00	259	0.0461251	0.0478391		3.5	
Aroclor-1260 (1)	A	250.00	245	0.0359923	0.0352178		-2.0	
Aroclor-1260 (2)	A	250.00	262	0.0353250	0.0371025		4.8	
Aroclor-1260 (3)	A	250.00	260	0.0954741	0.0994231		4.0	
Aroclor-1260 (4)	A	250.00	265	0.0425365	0.0451737		6.0	
Aroclor-1260 (5)	A	250.00	262	0.0212978	0.0222784		4.8	
Aroclor 1260 [2C]	A	250.00	236	0.1108773	0.1035037		-5.8	
Aroclor-1260 (1) [2C]	A	250.00	231	0.0665032	0.0613759		-7.6	
Aroclor-1260 (2) [2C]	A	250.00	230	0.1932922	0.1779058		-8.0	
Aroclor-1260 (3) [2C]	A	250.00	233	0.1242917	0.1157562		-6.8	
Aroclor-1260 (4) [2C]	A	250.00	248	0.0594222	0.0589767		-0.8	
Decachlorobiphenyl	A	40.000	42.2	0.7261970	0.7653051		5.5	
Tetrachlorometaxylene	A	40.000	43.0	0.9669678	1.0399570		7.5	
Decachlorobiphenyl [2C]	A	40.000	38.1	1.7775950	1.6937080		-4.8	
Tetrachlorometaxylene [2C]	A	40.000	41.9	1.0280520	1.0773550		4.8	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192109ECD7.D
Data file 2: /210819.b/210819.b/08192109ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV2
Client ID:
Injection Date: 19-AUG-2021 13:03
Report Date: 08/19/2021 16:55
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	130149	5.411	0.000	384425	43.0	41.9	2.6	Tetrachloro-m-xylene
13.164	0.000	162361	13.845	0.000	837098	42.2	38.1	10.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	250297	-3.3
Hexabromobiphenyl	425681	424304	-0.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	713646	-1.0
Hexabromobiphenyl	863111	988480	14.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.659	0.000	23310	262.6	1	7.055	0.000	107904	265.2
Aroclor-1016	2	7.033	0.000	72765	268.0	2	7.651	0.000	246220	270.5
Aroclor-1016	3	7.179	0.000	32218	264.5	3	7.857	0.000	98662	276.2
Aroclor-1016	4	7.288	0.000	19956	261.3	4	8.104	0.000	60313	279.0

Total Col1Ave (4 peaks): 264.1 Total Col2Ave (4 peaks): 272.7 RPD = 3
Corrected Ave (3 peaks): 262.8 Corrected Ave (3 peaks): 270.6 RPD = 3

CalAmt %D: 5.6 CalAmt %D: 9.1

Aroclor-1260	1	10.385	0.000	46697	244.6	1	11.424	0.000	189590	230.7
Aroclor-1260	2	10.703	0.000	49196	262.6	2	11.677	0.000	549551	230.1
Aroclor-1260	3	11.055	0.000	131830	260.3	3	12.259	0.000	357571	232.8
Aroclor-1260	4	11.455	0.000	59898	265.5	4	12.970	0.000	182179	248.1
Aroclor-1260	5	11.555	0.000	29540	261.5	NS	---			----

Total Col1Ave (5 peaks): 258.9 Total Col2Ave (4 peaks): 235.4 RPD = 9
Corrected Ave (4 peaks): 257.3 Corrected Ave (3 peaks): 231.2 RPD = 11

CalAmt %D: 3.6 CalAmt %D: -5.8

Total PCB Area Col1 (5.168 - 13.064) = 1291280 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 5039754 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV2 19-AUG-2021 13:03, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV2 19-AUG-2021 13:03, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192111ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV3	Injection Time:	15:57
Sequence Name:	AR1242CCV3		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1242	A	250.00	262	0.0350459	0.0372571		4.6	
Aroclor-1242 (1)	A	250.00	273	0.0220414	0.0240986		9.2	
Aroclor-1242 (2)	A	250.00	278	0.0657077	0.0731288		11.2	
Aroclor-1242 (3)	A	250.00	247	0.0372229	0.0367306		-1.2	
Aroclor-1242 (4)	A	250.00	248	0.0152114	0.0150704		-0.8	
Aroclor 1242 [2C]	A	250.00	259	0.0490898	0.0510278		3.4	
Aroclor-1242 (1) [2C]	A	250.00	264	0.0367813	0.0388802		5.6	
Aroclor-1242 (2) [2C]	A	250.00	265	0.0798974	0.0847359		6.0	
Aroclor-1242 (3) [2C]	A	250.00	249	0.0373257	0.0371932		-0.4	
Aroclor-1242 (4) [2C]	A	250.00	256	0.0423546	0.0433021		2.4	
Decachlorobiphenyl	A	40.000	40.1	0.7261970	0.7279838		0.3	
Tetrachlorometaxylene	A	40.000	42.2	0.9669678	1.0213540		5.5	
Decachlorobiphenyl [2C]	A	40.000	36.5	1.7775950	1.6224000		-8.8	
Tetrachlorometaxylene [2C]	A	40.000	41.2	1.0280520	1.0603340		3.0	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192111ECD7.D
Data file 2: /210819.b/210819.b/08192111ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1242CCV3
Client ID:
Injection Date: 19-AUG-2021 15:57
Report Date: 08/23/2021 17:02
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.002	139665	5.411	-0.001	409104	42.2	41.3	2.4	Tetrachloro-m-xylene
13.168	0.003	175241	13.847	-0.002	877372	40.1	36.5	9.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	273490	5.6
Hexabromobiphenyl	425681	481442	13.1

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	771651	7.0
Hexabromobiphenyl	863111	1081573	25.3

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1242	1	6.660	0.000	20596	273.3	1	7.054	0.000	93756	264.3
Aroclor-1242	2	7.034	0.000	62500	278.2	2	7.650	0.000	204333	265.1
Aroclor-1242	3	8.382	0.000	38930	305.9	3	8.953	0.000	89688	249.1
Aroclor-1242	4	8.675	0.000	12880	247.7	4	9.033	0.000	104419	255.6

Total Col1Ave (4 peaks): 276.3 Total Col2Ave (4 peaks): 258.5 RPD = 7

Corrected Ave (3 peaks): 266.4 Corrected Ave (3 peaks): 256.3 RPD = 4

CalAmt %D: 10.5 CalAmt %D: 3.4

Total PCB Area Col1 (5.168 - 13.065) = 467708 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 1898221 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1242CCV3 19-AUG-2021 15:57, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1242CCV3 19-AUG-2021 15:57, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192112ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV4	Injection Time:	16:17
Sequence Name:	AR1660CCV4		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	270	0.0446218	0.0483098		8.0	
Aroclor-1016 (1)	A	250.00	268	0.0283733	0.0304771		7.2	
Aroclor-1016 (2)	A	250.00	272	0.0867650	0.0946042		8.8	
Aroclor-1016 (3)	A	250.00	266	0.0389383	0.0413805		6.4	
Aroclor-1016 (4)	A	250.00	274	0.0244108	0.0267772		9.6	
Aroclor 1016 [2C]	A	250.00	273	0.0529840	0.0576291		9.1	
Aroclor-1016 (1) [2C]	A	250.00	266	0.0456173	0.0485394		6.4	
Aroclor-1016 (2) [2C]	A	250.00	271	0.1020378	0.1107403		8.4	
Aroclor-1016 (3) [2C]	A	250.00	277	0.0400455	0.0443601		10.8	
Aroclor-1016 (4) [2C]	A	250.00	277	0.0242353	0.0268764		10.8	
Aroclor 1260	A	250.00	259	0.0461251	0.0479150		3.5	
Aroclor-1260 (1)	A	250.00	244	0.0359923	0.0351012		-2.4	
Aroclor-1260 (2)	A	250.00	263	0.0353250	0.0371971		5.2	
Aroclor-1260 (3)	A	250.00	261	0.0954741	0.0997728		4.4	
Aroclor-1260 (4)	A	250.00	266	0.0425365	0.0453247		6.4	
Aroclor-1260 (5)	A	250.00	260	0.0212978	0.0221788		4.0	
Aroclor 1260 [2C]	A	250.00	231	0.1108773	0.1014985		-7.6	
Aroclor-1260 (1) [2C]	A	250.00	226	0.0665032	0.0602414		-9.6	
Aroclor-1260 (2) [2C]	A	250.00	225	0.1932922	0.1740206		-10.0	
Aroclor-1260 (3) [2C]	A	250.00	228	0.1242917	0.1135503		-8.8	
Aroclor-1260 (4) [2C]	A	250.00	245	0.0594222	0.0581815		-2.0	
Decachlorobiphenyl	A	40.000	42.0	0.7261970	0.7629838		5.0	
Tetrachlorometaxylene	A	40.000	43.2	0.9669678	1.0451880		8.0	
Decachlorobiphenyl [2C]	A	40.000	37.2	1.7775950	1.6553970		-7.0	
Tetrachlorometaxylene [2C]	A	40.000	42.1	1.0280520	1.0812050		5.3	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192112ECD7.D
Data file 2: /210819.b/210819.b/08192112ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV4
Client ID:
Injection Date: 19-AUG-2021 16:17
Report Date: 08/23/2021 17:03
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.002	134510	5.412	0.001	394474	43.2	42.1	2.7	Tetrachloro-m-xylene
13.165	-0.000	166002	13.845	-0.005	850437	42.0	37.3	12.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	257389	-0.6
Hexabromobiphenyl	425681	435139	2.2

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	729693	1.2
Hexabromobiphenyl	863111	1027472	19.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.660	0.001	24514	268.5	1	7.055	0.000	110684	266.0
Aroclor-1016	2	7.033	0.000	76094	272.6	2	7.651	0.000	252520	271.3
Aroclor-1016	3	7.179	0.000	33284	265.7	3	7.857	-0.000	101154	276.9
Aroclor-1016	4	7.289	0.001	21538	274.2	4	8.105	0.001	61286	277.2
Total Col1Ave (4 peaks):				270.3		Total Col2Ave (4 peaks):			272.9	RPD = 1
Corrected Ave (3 peaks):				268.9		Corrected Ave (3 peaks):			271.4	RPD = 1
CalAmt %D:				8.1		CalAmt %D:			9.2	
Aroclor-1260	1	10.386	0.001	47731	243.8	1	11.424	-0.000	193426	226.5
Aroclor-1260	2	10.704	0.000	50581	263.2	2	11.676	-0.002	558754	225.1
Aroclor-1260	3	11.054	0.000	135672	261.3	3	12.260	-0.000	364593	228.4
Aroclor-1260	4	11.455	0.001	61633	266.4	4	12.970	-0.000	186812	244.8
Aroclor-1260	5	11.557	0.001	30159	260.3	NS	---			----
Total Col1Ave (5 peaks):				259.0		Total Col2Ave (4 peaks):			231.2	RPD = 11
Corrected Ave (4 peaks):				257.2		Corrected Ave (3 peaks):			226.6	RPD = 13
CalAmt %D:				3.6		CalAmt %D:			-7.5	

Total PCB Area Col1 (5.168 - 13.065) = 1347344 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 5142985 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV4 19-AUG-2021 16:17, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV4 19-AUG-2021 16:17, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192126ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV5	Injection Time:	21:04
Sequence Name:	AR1254CCV5		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1254	A	250.00	254	0.0571741	0.0583305		1.6	
Aroclor-1254 (1)	A	250.00	261	0.0690183	0.0721212		4.4	
Aroclor-1254 (2)	A	250.00	266	0.0319506	0.0340657		6.4	
Aroclor-1254 (3)	A	250.00	211	0.0449859	0.0379318		-15.6	
Aroclor-1254 (4)	A	250.00	256	0.0859427	0.0878892		2.4	
Aroclor-1254 (5)	A	250.00	276	0.0539731	0.0596447		10.4	
Aroclor 1254 [2C]	A	250.00	248	0.0782980	0.0773646		-1.0	
Aroclor-1254 (1) [2C]	A	250.00	247	0.0680651	0.0673551		-1.2	
Aroclor-1254 (2) [2C]	A	250.00	244	0.0399453	0.0390178		-2.4	
Aroclor-1254 (3) [2C]	A	250.00	259	0.0518895	0.0538526		3.6	
Aroclor-1254 (4) [2C]	A	250.00	230	0.1149829	0.1060365		-8.0	
Aroclor-1254 (5) [2C]	A	250.00	258	0.1166073	0.1205608		3.2	
Decachlorobiphenyl	A	40.000	40.0	0.7261970	0.7261755		0.0	
Tetrachlorometaxylene	A	40.000	42.2	0.9669678	1.0212040		5.5	
Decachlorobiphenyl [2C]	A	40.000	38.1	1.7775950	1.6927460		-4.8	
Tetrachlorometaxylene [2C]	A	40.000	41.0	1.0280520	1.0547480		2.5	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192126ECD7.D
Data file 2: /210819.b/210819.b/08192126ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1254.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1254CCV5
Client ID:
Injection Date: 19-AUG-2021 21:04
Report Date: 08/23/2021 17:03
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.001	133383	5.412	0.001	397862	42.2	41.0	2.9	Tetrachloro-m-xylene
13.164	-0.001	167984	13.845	-0.004	895075	40.0	38.1	4.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	261227	0.9
Hexabromobiphenyl	425681	462654	8.7

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	754421	4.6
Hexabromobiphenyl	863111	1057542	22.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1254	1	8.677	0.000	58875	261.2	1	9.239	0.000	158794	247.4
Aroclor-1254	2	8.748	0.000	27809	266.5	2	9.332	0.000	91987	244.2
Aroclor-1254	3	9.042	0.000	30965	210.8	3	9.763	0.000	126961	259.5
Aroclor-1254	4	9.180	0.000	71747	255.7	4	9.914	0.000	249988	230.5
Aroclor-1254	5	9.871	0.000	48690	276.3	5	10.151	0.000	284230	258.5

Total Col1Ave (5 peaks): 254.1 Total Col2Ave (5 peaks): 248.0 RPD = 2
Corrected Ave (4 peaks): 248.6 Corrected Ave (4 peaks): 245.2 RPD = 1

CalAmt %D: 1.6 CalAmt %D: -0.8

Total PCB Area Col1 (5.168 - 13.065) = 759319 Col1 Total PCB = 0.3 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 3020633 Col2 Total PCB = 0.3 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1254CCV5 19-AUG-2021 21:04, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1254CCV5 19-AUG-2021 21:04, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192127ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/19/21
Lab Sample ID:	SJH0254-CCV6	Injection Time:	21:24
Sequence Name:	AR1660CCV6		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	272	0.0446218	0.0485823		8.6	
Aroclor-1016 (1)	A	250.00	269	0.0283733	0.0305642		7.6	
Aroclor-1016 (2)	A	250.00	274	0.0867650	0.0950744		9.6	
Aroclor-1016 (3)	A	250.00	270	0.0389383	0.0420665		8.0	
Aroclor-1016 (4)	A	250.00	273	0.0244108	0.0266241		9.2	
Aroclor 1016 [2C]	A	250.00	276	0.0529840	0.0582228		10.2	
Aroclor-1016 (1) [2C]	A	250.00	268	0.0456173	0.0488858		7.2	
Aroclor-1016 (2) [2C]	A	250.00	275	0.1020378	0.1122575		10.0	
Aroclor-1016 (3) [2C]	A	250.00	279	0.0400455	0.0446498		11.6	
Aroclor-1016 (4) [2C]	A	250.00	280	0.0242353	0.0270983		12.0	
Aroclor 1260	A	250.00	254	0.0461251	0.0470750		1.7	
Aroclor-1260 (1)	A	250.00	238	0.0359923	0.0342133		-4.8	
Aroclor-1260 (2)	A	250.00	258	0.0353250	0.0365280		3.2	
Aroclor-1260 (3)	A	250.00	257	0.0954741	0.0982157		2.8	
Aroclor-1260 (4)	A	250.00	262	0.0425365	0.0445924		4.8	
Aroclor-1260 (5)	A	250.00	256	0.0212978	0.0218257		2.4	
Aroclor 1260 [2C]	A	250.00	223	0.1108773	0.0987159		-10.7	
Aroclor-1260 (1) [2C]	A	250.00	220	0.0665032	0.0585413		-12.0	
Aroclor-1260 (2) [2C]	A	250.00	220	0.1932922	0.1699982		-12.0	
Aroclor-1260 (3) [2C]	A	250.00	226	0.1242917	0.1123583		-9.6	
Aroclor-1260 (4) [2C]	A	250.00	227	0.0594222	0.0539656		-9.2	
Decachlorobiphenyl	A	40.000	41.5	0.7261970	0.7533459		3.8	
Tetrachlorometaxylene	A	40.000	43.4	0.9669678	1.0486140		8.5	
Decachlorobiphenyl [2C]	A	40.000	37.8	1.7775950	1.6815250		-5.5	
Tetrachlorometaxylene [2C]	A	40.000	42.3	1.0280520	1.0872390		5.8	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192127ECD7.D
Data file 2: /210819.b/210819.b/08192127ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV6
Client ID:
Injection Date: 19-AUG-2021 21:24
Report Date: 08/23/2021 17:04
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.001	135494	5.412	0.001	403519	43.4	42.3	2.5	Tetrachloro-m-xylene
13.163	-0.002	169600	13.845	-0.004	907017	41.5	37.8	9.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	258425	-0.2
Hexabromobiphenyl	425681	450258	5.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	742282	3.0
Hexabromobiphenyl	863111	1078803	25.0

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.660	0.000	24683	269.3	1	7.055	0.000	113397	267.9
Aroclor-1016	2	7.032	-0.000	76780	273.9	2	7.650	-0.000	260396	275.0
Aroclor-1016	3	7.179	0.000	33972	270.1	3	7.856	-0.001	103571	278.7
Aroclor-1016	4	7.289	0.000	21501	272.7	4	8.105	0.000	62858	279.5

Total Col1Ave (4 peaks): 271.5 Total Col2Ave (4 peaks): 275.3 RPD = 1
Corrected Ave (3 peaks): 270.7 Corrected Ave (3 peaks): 273.9 RPD = 1

CalAmt %D: 8.6 CalAmt %D: 10.1

Aroclor-1260	1	10.384	-0.001	48140	237.6	1	11.424	0.000	197358	220.1
Aroclor-1260	2	10.702	-0.001	51397	258.5	2	11.677	-0.001	573108	219.9
Aroclor-1260	3	11.053	-0.001	138195	257.2	3	12.260	-0.000	378789	226.0
Aroclor-1260	4	11.454	-0.000	62744	262.1	4	12.971	0.000	181932	227.0
Aroclor-1260	5	11.556	-0.000	30710	256.2	NS	---			----

Total Col1Ave (5 peaks): 254.3 Total Col2Ave (4 peaks): 223.2 RPD = 13
Corrected Ave (4 peaks): 252.4 Corrected Ave (3 peaks): 222.0 RPD = 13

CalAmt %D: 1.7 CalAmt %D: -10.7

Total PCB Area Col1 (5.168 - 13.065) = 1366215 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 5274774 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV6 19-AUG-2021 21:24, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV6 19-AUG-2021 21:24, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192146ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/20/21
Lab Sample ID:	SJH0254-CCV7	Injection Time:	03:54
Sequence Name:	AR1248CCV7		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1248	A	250.00	264	0.0444871	0.0471952		5.7	
Aroclor-1248 (1)	A	250.00	268	0.0335259	0.0359361		7.2	
Aroclor-1248 (2)	A	250.00	273	0.0437624	0.0477480		9.2	
Aroclor-1248 (3)	A	250.00	269	0.0640809	0.0689752		7.6	
Aroclor-1248 (4)	A	250.00	247	0.0365791	0.0361215		-1.2	
Aroclor 1248 [2C]	A	250.00	257	0.0480909	0.0492128		2.7	
Aroclor-1248 (1) [2C]	A	250.00	264	0.0331517	0.0350100		5.6	
Aroclor-1248 (2) [2C]	A	250.00	259	0.0403519	0.0417828		3.6	
Aroclor-1248 (3) [2C]	A	250.00	255	0.0642727	0.0656064		2.0	
Aroclor-1248 (4) [2C]	A	250.00	249	0.0545874	0.0544519		-0.4	
Decachlorobiphenyl	A	40.000	40.2	0.7261970	0.7302663		0.5	
Tetrachlorometaxylene	A	40.000	41.5	0.9669678	1.0035690		3.8	
Decachlorobiphenyl [2C]	A	40.000	38.2	1.7775950	1.6971330		-4.5	
Tetrachlorometaxylene [2C]	A	40.000	40.1	1.0280520	1.0315080		0.3	

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192146ECD7.D
Data file 2: /210819.b/210819.b/08192146ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1248CCV7
Client ID:
Injection Date: 20-AUG-2021 03:54
Report Date: 08/23/2021 17:05
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.001	141174	5.411	0.000	420203	41.5	40.1	3.4	Tetrachloro-m-xylene
13.164	-0.001	177749	13.847	-0.003	1016250	40.2	38.2	5.2	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	281344	8.7
Hexabromobiphenyl	425681	486806	14.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	814735	13.0
Hexabromobiphenyl	863111	1197608	38.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.801	0.000	31595	268.0	1	8.105	0.000	89137	264.0
Aroclor-1248	2	7.971	0.000	41980	272.8	2	8.520	0.000	106381	258.9
Aroclor-1248	3	8.380	0.000	60643	269.1	3	8.952	0.000	167037	255.2
Aroclor-1248	4	8.676	0.000	31758	246.9	4	9.380	0.000	138637	249.4

Total Col1Ave (4 peaks): 264.2 Total Col2Ave (4 peaks): 256.9 RPD = 3

Corrected Ave (3 peaks): 261.3 Corrected Ave (3 peaks): 254.5 RPD = 3

CalAmt %D: 5.7 CalAmt %D: 2.7

Total PCB Area Col1 (5.168 - 13.065) = 653598 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 2434256 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1248CCV7 20-AUG-2021 03:54, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1248CCV7 20-AUG-2021 03:54, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08192147ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0254	Injection Date:	08/20/21
Lab Sample ID:	SJH0254-CCV8	Injection Time:	04:14
Sequence Name:	AR1660CCV8		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	265	0.0446218	0.0471605		5.9	
Aroclor-1016 (1)	A	250.00	264	0.0283733	0.0299821		5.6	
Aroclor-1016 (2)	A	250.00	264	0.0867650	0.0915204		5.6	
Aroclor-1016 (3)	A	250.00	264	0.0389383	0.0410464		5.6	
Aroclor-1016 (4)	A	250.00	267	0.0244108	0.0260932		6.8	
Aroclor 1016 [2C]	A	250.00	271	0.0529840	0.0571700		8.3	
Aroclor-1016 (1) [2C]	A	250.00	262	0.0456173	0.0477745		4.8	
Aroclor-1016 (2) [2C]	A	250.00	270	0.1020378	0.1101371		8.0	
Aroclor-1016 (3) [2C]	A	250.00	273	0.0400455	0.0438064		9.2	
Aroclor-1016 (4) [2C]	A	250.00	278	0.0242353	0.0269619		11.2	
Aroclor 1260	A	250.00	255	0.0461251	0.0471524		2.0	
Aroclor-1260 (1)	A	250.00	239	0.0359923	0.0344010		-4.4	
Aroclor-1260 (2)	A	250.00	259	0.0353250	0.0365428		3.6	
Aroclor-1260 (3)	A	250.00	257	0.0954741	0.0981747		2.8	
Aroclor-1260 (4)	A	250.00	262	0.0425365	0.0446328		4.8	
Aroclor-1260 (5)	A	250.00	258	0.0212978	0.0220106		3.2	
Aroclor 1260 [2C]	A	250.00	226	0.1108773	0.0989892		-9.8	
Aroclor-1260 (1) [2C]	A	250.00	218	0.0665032	0.0580481		-12.8	
Aroclor-1260 (2) [2C]	A	250.00	218	0.1932922	0.1688774		-12.8	
Aroclor-1260 (3) [2C]	A	250.00	225	0.1242917	0.1117488		-10.0	
Aroclor-1260 (4) [2C]	A	250.00	241	0.0594222	0.0572824		-3.6	
Decachlorobiphenyl	A	40.000	41.4	0.7261970	0.7517756		3.5	
Tetrachlorometaxylene	A	40.000	42.2	0.9669678	1.0194320		5.5	
Decachlorobiphenyl [2C]	A	40.000	39.0	1.7775950	1.7352430		-2.5	
Tetrachlorometaxylene [2C]	A	40.000	41.3	1.0280520	1.0611770		3.3	

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210819.b/08192147ECD7.D
Data file 2: /210819.b/210819.b/08192147ECD7.D
Method: \\target\share\chem4\ecd7.i\210819.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV8
Client ID:
Injection Date: 20-AUG-2021 04:14
Report Date: 08/23/2021 17:05
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	138029	5.411	0.000	413339	42.2	41.3	2.1	Tetrachloro-m-xylene
13.165	0.000	171683	13.849	0.000	988877	41.4	39.0	5.9	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	270796	4.6
Hexabromobiphenyl	425681	456740	7.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	779020	8.1
Hexabromobiphenyl	863111	1139756	32.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.659	0.000	25372	264.2	1	7.055	0.000	116304	261.8
Aroclor-1016	2	7.033	0.000	77448	263.7	2	7.651	0.000	268122	269.8
Aroclor-1016	3	7.179	0.000	34735	263.5	3	7.857	0.000	106644	273.5
Aroclor-1016	4	7.289	0.000	22081	267.2	4	8.104	0.000	65637	278.1
Total Col1Ave (4 peaks):				264.7		Total Col2Ave (4 peaks):			270.8	RPD = 2
Corrected Ave (3 peaks):				263.8		Corrected Ave (3 peaks):			268.4	RPD = 2
CalAmt %D:				5.9		CalAmt %D:			8.3	
Aroclor-1260	1	10.385	0.000	49101	238.9	1	11.424	0.000	206752	218.2
Aroclor-1260	2	10.703	0.000	52158	258.6	2	11.678	0.000	601497	218.4
Aroclor-1260	3	11.054	0.000	140126	257.1	3	12.260	0.000	398020	224.8
Aroclor-1260	4	11.454	0.000	63705	262.3	4	12.970	0.000	204025	241.0
Aroclor-1260	5	11.556	0.000	31416	258.4	NS	---			----
Total Col1Ave (5 peaks):				255.1		Total Col2Ave (4 peaks):			225.6	RPD = 12
Corrected Ave (4 peaks):				253.3		Corrected Ave (3 peaks):			220.5	RPD = 14
CalAmt %D:				2.0		CalAmt %D:			-9.8	

Total PCB Area Col1 (5.168 - 13.065) = 1392949 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.065) = 5470607 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV8 20-AUG-2021 04:14, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV8 20-AUG-2021 04:14, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272119ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/27/21
Lab Sample ID:	SJH0396-CCV1	Injection Time:	22:06
Sequence Name:	AR1248CCV1		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1248	A	250.00	263	0.0444871	0.0469527		5.3	+/-20
Aroclor-1248 (1)	A	250.00	272	0.0335259	0.0364568		8.8	
Aroclor-1248 (2)	A	250.00	273	0.0437624	0.0478371		9.2	
Aroclor-1248 (3)	A	250.00	266	0.0640809	0.0680922		6.4	
Aroclor-1248 (4)	A	250.00	242	0.0365791	0.0354249		-3.2	
Aroclor 1248 [2C]	A	250.00	249	0.0480909	0.0479788		-0.4	+/-20
Aroclor-1248 (1) [2C]	A	250.00	252	0.0331517	0.0334232		0.8	
Aroclor-1248 (2) [2C]	A	250.00	235	0.0403519	0.0378681		-6.0	
Aroclor-1248 (3) [2C]	A	250.00	244	0.0642727	0.0627115		-2.4	
Aroclor-1248 (4) [2C]	A	250.00	265	0.0545874	0.0579126		6.0	
Decachlorobiphenyl	A	40.000	41.6	0.7261970	0.7562126		4.0	+/-20
Tetrachlorometaxylene	A	40.000	41.2	0.9669678	0.9955841		3.0	+/-20
Decachlorobiphenyl [2C]	A	40.000	35.8	1.7775950	1.5935440		-10.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.5	1.0280520	1.0157630		-1.3	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272119ECD7.D
Data file 2: /2108127.b/2108127.b/08272119ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1248CCV1
Client ID:
Injection Date: 27-AUG-2021 22:06
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.001	137076	5.413	-0.001	379644	41.2	39.5	4.1	Tetrachloro-m-xylene
13.163	-0.003	169848	13.844	0.000	846429	41.7	35.9	15.0	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	275368	6.4
Hexabromobiphenyl	425681	449207	5.5

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	747505	3.7
Hexabromobiphenyl	863111	1062323	23.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1248	1	7.803	0.000	31372	271.9	1	8.106	0.000	78075	252.0
Aroclor-1248	2	7.974	0.000	41165	273.3	2	8.521	0.000	88458	234.6
Aroclor-1248	3	8.383	0.000	58595	265.6	3	8.954	0.000	146491	243.9
Aroclor-1248	4	8.677	0.000	30484	242.1	4	9.382	0.000	135281	265.2

Total Col1Ave (4 peaks): 263.2 Total Col2Ave (4 peaks): 249.0 RPD = 6

Corrected Ave (3 peaks): 259.9 Corrected Ave (3 peaks): 243.5 RPD = 6

CalAmt %D: 5.3 CalAmt %D: -0.4

Total PCB Area Col1 (5.170 - 13.066) = 656695 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 2104696 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1248CCV1 27-AUG-2021 22:06, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1248CCV1 27-AUG-2021 22:06, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272120ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/27/21
Lab Sample ID:	SJH0396-CCV2	Injection Time:	22:27
Sequence Name:	AR1660CCV2		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	267	0.0446218	0.0474344		6.7	+/-20
Aroclor-1016 (1)	A	250.00	268	0.0283733	0.0304328		7.2	
Aroclor-1016 (2)	A	250.00	263	0.0867650	0.0912573		5.2	
Aroclor-1016 (3)	A	250.00	268	0.0389383	0.0418239		7.2	
Aroclor-1016 (4)	A	250.00	268	0.0244108	0.0262235		7.2	
Aroclor 1016 [2C]	A	250.00	262	0.0529840	0.0551017		4.6	+/-20
Aroclor-1016 (1) [2C]	A	250.00	255	0.0456173	0.0465702		2.0	
Aroclor-1016 (2) [2C]	A	250.00	259	0.1020378	0.1057115		3.6	
Aroclor-1016 (3) [2C]	A	250.00	262	0.0400455	0.0419801		4.8	
Aroclor-1016 (4) [2C]	A	250.00	270	0.0242353	0.0261449		8.0	
Aroclor 1260	A	250.00	258	0.0461251	0.0476140		3.1	+/-20
Aroclor-1260 (1)	A	250.00	242	0.0359923	0.0349252		-3.2	
Aroclor-1260 (2)	A	250.00	262	0.0353250	0.0370277		4.8	
Aroclor-1260 (3)	A	250.00	259	0.0954741	0.0988273		3.6	
Aroclor-1260 (4)	A	250.00	264	0.0425365	0.0449541		5.6	
Aroclor-1260 (5)	A	250.00	262	0.0212978	0.0223355		4.8	
Aroclor 1260 [2C]	A	250.00	230	0.1108773	0.1008676		-8.0	+/-20
Aroclor-1260 (1) [2C]	A	250.00	220	0.0665032	0.0584442		-12.0	
Aroclor-1260 (2) [2C]	A	250.00	223	0.1932922	0.1726791		-10.8	
Aroclor-1260 (3) [2C]	A	250.00	227	0.1242917	0.1130050		-9.2	
Aroclor-1260 (4) [2C]	A	250.00	250	0.0594222	0.0593420		0.0	
Decachlorobiphenyl	A	40.000	41.8	0.7261970	0.7598340		4.5	+/-20
Tetrachlorometaxylene	A	40.000	42.3	0.9669678	1.0235390		5.8	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.5	1.7775950	1.7102120		-3.8	+/-20
Tetrachlorometaxylene [2C]	A	40.000	40.7	1.0280520	1.0460040		1.8	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272120ECD7.D
Data file 2: /2108127.b/2108127.b/08272120ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV2
Client ID:
Injection Date: 27-AUG-2021 22:27
Report Date: 08/30/2021 14:36
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.072	0.002	131776	5.414	0.000	363624	42.3	40.7	4.0	Tetrachloro-m-xylene
13.165	-0.001	160173	13.844	0.000	819892	41.9	38.5	8.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	257491	-0.5
Hexabromobiphenyl	425681	421600	-1.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	695263	-3.6
Hexabromobiphenyl	863111	958819	11.1

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.662	0.000	24488	268.1	1	7.056	0.001	101183	255.2
Aroclor-1016	2	7.037	-0.001	73431	262.9	2	7.653	-0.000	229679	259.0
Aroclor-1016	3	7.182	0.001	33654	268.5	3	7.859	0.001	91210	262.1
Aroclor-1016	4	7.292	0.001	21101	268.6	4	8.106	0.001	56805	269.7
Total Col1Ave (4 peaks):				267.0		Total Col2Ave (4 peaks):			261.5	RPD = 2
Corrected Ave (3 peaks):				266.5		Corrected Ave (3 peaks):			258.8	RPD = 3
CalAmt %D:				6.8		CalAmt %D:			4.6	
Aroclor-1260	1	10.387	-0.000	46014	242.6	1	11.423	-0.001	175117	219.7
Aroclor-1260	2	10.704	0.000	48784	262.0	2	11.678	0.001	517400	223.3
Aroclor-1260	3	11.054	-0.001	130205	258.8	3	12.259	0.001	338598	227.3
Aroclor-1260	4	11.456	0.000	59227	264.2	4	12.971	0.001	177807	249.7
Aroclor-1260	5	11.556	-0.001	29427	262.2	NS	---			----
Total Col1Ave (5 peaks):				258.0		Total Col2Ave (4 peaks):			230.0	RPD = 11
Corrected Ave (4 peaks):				256.4		Corrected Ave (3 peaks):			223.4	RPD = 14
CalAmt %D:				3.2		CalAmt %D:			-8.0	

Total PCB Area Col1 (5.170 - 13.066) = 1327546 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 4722990 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV2 27-AUG-2021 22:27, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV2 27-AUG-2021 22:27, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272133ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV3	Injection Time:	02:53
Sequence Name:	AR1242CCV3		

COMPOUND	TYPE	CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
		STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1242	A	250.00	269	0.0350459	0.0380596		7.7	+/-20
Aroclor-1242 (1)	A	250.00	269	0.0220414	0.0237564		7.6	
Aroclor-1242 (2)	A	250.00	264	0.0657077	0.0694116		5.6	
Aroclor-1242 (3)	A	250.00	295	0.0372229	0.0439375		18.0	
Aroclor-1242 (4)	A	250.00	249	0.0152114	0.0151328		-0.4	
Aroclor 1242 [2C]	A	250.00	242	0.0490898	0.0477472		-3.3	+/-20
Aroclor-1242 (1) [2C]	A	250.00	245	0.0367813	0.0360444		-2.0	
Aroclor-1242 (2) [2C]	A	250.00	249	0.0798974	0.0794643		-0.4	
Aroclor-1242 (3) [2C]	A	250.00	235	0.0373257	0.0350715		-6.0	
Aroclor-1242 (4) [2C]	A	250.00	238	0.0423546	0.0404084		-4.8	
Decachlorobiphenyl	A	40.000	40.7	0.7261970	0.7384736		1.8	+/-20
Tetrachlorometaxylene	A	40.000	41.0	0.9669678	0.9908623		2.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	37.4	1.7775950	1.6605170		-6.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.0	1.0280520	1.0030530		-2.5	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272133ECD7.D
Data file 2: /2108127.b/2108127.b/08272133ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1242CCV3
Client ID:
Injection Date: 28-AUG-2021 02:53
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.071	0.001	130233	5.414	-0.000	355142	41.0	39.0	4.9	Tetrachloro-m-xylene
13.165	-0.001	158592	13.844	0.001	820218	40.7	37.4	8.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	262868	1.5
Hexabromobiphenyl	425681	429513	0.9

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	708122	-1.8
Hexabromobiphenyl	863111	987907	14.5

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1242	1	6.662	0.000	19515	269.5	1	7.055	0.000	79762	245.0
Aroclor-1242	2	7.038	0.000	57019	264.1	2	7.653	0.000	175845	248.6
Aroclor-1242	3	8.385	0.000	36093	295.1	3	8.956	0.000	77609	234.9
Aroclor-1242	4	8.675	0.000	12431	248.7	4	9.038	0.000	89419	238.5

Total Col1Ave (4 peaks): 269.3 Total Col2Ave (4 peaks): 241.8 RPD = 11

Corrected Ave (3 peaks): 260.8 Corrected Ave (3 peaks): 239.5 RPD = 9

CalAmt %D: 7.7 CalAmt %D: -3.3

Total PCB Area Col1 (5.170 - 13.066) = 445406 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 1613469 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1242CCV3 28-AUG-2021 02:53, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1242CCV3 28-AUG-2021 02:53, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08272134ECD7.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV4	Injection Time:	03:13
Sequence Name:	AR1660CCV4		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	265	0.0446218	0.0470200		5.8	+/-20
Aroclor-1016 (1)	A	250.00	267	0.0283733	0.0303427		6.8	
Aroclor-1016 (2)	A	250.00	260	0.0867650	0.0903147		4.0	
Aroclor-1016 (3)	A	250.00	267	0.0389383	0.0416471		6.8	
Aroclor-1016 (4)	A	250.00	264	0.0244108	0.0257754		5.6	
Aroclor 1016 [2C]	A	250.00	255	0.0529840	0.0536268		1.9	+/-20
Aroclor-1016 (1) [2C]	A	250.00	248	0.0456173	0.0453016		-0.8	
Aroclor-1016 (2) [2C]	A	250.00	252	0.1020378	0.1028053		0.8	
Aroclor-1016 (3) [2C]	A	250.00	255	0.0400455	0.0408189		2.0	
Aroclor-1016 (4) [2C]	A	250.00	264	0.0242353	0.0255812		5.6	
Aroclor 1260	A	250.00	255	0.0461251	0.0470222		1.8	+/-20
Aroclor-1260 (1)	A	250.00	241	0.0359923	0.0346923		-3.6	
Aroclor-1260 (2)	A	250.00	259	0.0353250	0.0366352		3.6	
Aroclor-1260 (3)	A	250.00	255	0.0954741	0.0975415		2.0	
Aroclor-1260 (4)	A	250.00	259	0.0425365	0.0441385		3.6	
Aroclor-1260 (5)	A	250.00	259	0.0212978	0.0221033		3.6	
Aroclor 1260 [2C]	A	250.00	219	0.1108773	0.0969681		-12.4	+/-20
Aroclor-1260 (1) [2C]	A	250.00	213	0.0665032	0.0565636		-14.8	
Aroclor-1260 (2) [2C]	A	250.00	217	0.1932922	0.1678550		-13.2	
Aroclor-1260 (3) [2C]	A	250.00	221	0.1242917	0.1100383		-11.6	
Aroclor-1260 (4) [2C]	A	250.00	225	0.0594222	0.0534154		-10.0	
Decachlorobiphenyl	A	40.000	42.0	0.7261970	0.7619600		5.0	+/-20
Tetrachlorometaxylene	A	40.000	42.1	0.9669678	1.0177040		5.3	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.2	1.7775950	1.6980010		-4.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.8	1.0280520	1.0229840		-0.5	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /2108127.b/08272134ECD7.D
Data file 2: /2108127.b/2108127.b/08272134ECD7.D
Method: \\target\share\chem4\ecd7.i\2108127.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV4
Client ID:
Injection Date: 28-AUG-2021 03:13
Report Date: 08/30/2021 14:37
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.070	0.000	129165	5.414	0.000	346695	42.1	39.8	5.6	Tetrachloro-m-xylene
13.166	0.000	155673	13.844	0.000	810853	42.0	38.2	9.4	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	253836	-1.9
Hexabromobiphenyl	425681	408612	-4.0

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	677811	-6.0
Hexabromobiphenyl	863111	955068	10.7

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.662	0.000	24069	267.4	1	7.056	0.000	95956	248.3
Aroclor-1016	2	7.038	0.000	71641	260.2	2	7.653	0.000	217758	251.9
Aroclor-1016	3	7.182	0.000	33036	267.4	3	7.858	0.000	86461	254.8
Aroclor-1016	4	7.292	0.000	20446	264.0	4	8.105	0.000	54185	263.9

Total Col1Ave (4 peaks): 264.7 Total Col2Ave (4 peaks): 254.7 RPD = 4
Corrected Ave (3 peaks): 263.9 Corrected Ave (3 peaks): 251.7 RPD = 5

CalAmt %D: 5.9 CalAmt %D: 1.9

Aroclor-1260	1	10.387	0.000	44299	241.0	1	11.424	0.000	168819	212.6
Aroclor-1260	2	10.704	0.000	46780	259.3	2	11.677	0.000	500978	217.1
Aroclor-1260	3	11.055	0.000	124552	255.4	3	12.259	0.000	328419	221.3
Aroclor-1260	4	11.456	0.000	56361	259.4	4	12.970	0.000	159423	224.7
Aroclor-1260	5	11.557	0.000	28224	259.5	NS	---			----

Total Col1Ave (5 peaks): 254.9 Total Col2Ave (4 peaks): 218.9 RPD = 15
Corrected Ave (4 peaks): 253.8 Corrected Ave (3 peaks): 217.0 RPD = 16

CalAmt %D: 2.0 CalAmt %D: -12.4

Total PCB Area Col1 (5.170 - 13.066) = 1278456 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.170 - 13.066) = 4529119 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV4 28-AUG-2021 03:13, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV4 28-AUG-2021 03:13, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282109ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV5	Injection Time:	19:27
Sequence Name:	AR1248CCV5		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1248	A	250.00	265	0.0444871	0.0474165		6.0	+/-20
Aroclor-1248 (1)	A	250.00	268	0.0335259	0.0360179		7.2	
Aroclor-1248 (2)	A	250.00	277	0.0437624	0.0485281		10.8	
Aroclor-1248 (3)	A	250.00	270	0.0640809	0.0692183		8.0	
Aroclor-1248 (4)	A	250.00	245	0.0365791	0.0359016		-2.0	
Aroclor 1248 [2C]	A	250.00	235	0.0480909	0.0449411		-6.1	+/-20
Aroclor-1248 (1) [2C]	A	250.00	255	0.0331517	0.0338672		2.0	
Aroclor-1248 (2) [2C]	A	250.00	225	0.0403519	0.0362930		-10.0	
Aroclor-1248 (3) [2C]	A	250.00	243	0.0642727	0.0624926		-2.8	
Aroclor-1248 (4) [2C]	A	250.00	216	0.0545874	0.0471116		-13.6	
Decachlorobiphenyl	A	40.000	41.6	0.7261970	0.7557945		4.0	+/-20
Tetrachlorometaxylene	A	40.000	41.3	0.9669678	0.9993056		3.3	+/-20
Decachlorobiphenyl [2C]	A	40.000	37.4	1.7775950	1.6610860		-6.5	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.7	1.0280520	1.0202440		-0.8	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282109ECD7.D
Data file 2: /210828.b/210828.b/08282109ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1248.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1248CCV1
Client ID:
Injection Date: 28-AUG-2021 19:27
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.069	0.001	123768	5.412	0.002	342801	41.3	39.7	4.1	Tetrachloro-m-xylene
13.165	0.001	153144	13.843	-0.000	752187	41.6	37.4	10.8	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	247708	-4.3
Hexabromobiphenyl	425681	405253	-4.8

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	671998	-6.8
Hexabromobiphenyl	863111	905657	4.9

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1248	1	7.803	0.000	27881	268.6	1	8.105	0.000	71121	255.4
Aroclor-1248	2	7.974	0.000	37565	277.2	2	8.520	0.000	76215	224.9
Aroclor-1248	3	8.384	0.000	53581	270.0	3	8.954	0.000	131234	243.1
Aroclor-1248	4	8.678	0.000	27791	245.4	4	9.382	0.000	98934	215.8

Total Col1Ave (4 peaks): 265.3 Total Col2Ave (4 peaks): 234.8 RPD = 12

Corrected Ave (3 peaks): 261.3 Corrected Ave (3 peaks): 227.9 RPD = 14

CalAmt %D: 6.1 CalAmt %D: -6.1

Total PCB Area Col1 (5.168 - 13.064) = 598835 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 1871230 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1248CCV1 28-AUG-2021 19:27, 2ul



ZB-5 Manual Integration: YES

ECD7-ZB35 AR1248CCV1 28-AUG-2021 19:27, 2ul



ZB-35 Manual Integration: NO

Manual Peak Adjustment, ZB-5

Datafile: ecd7.i/210828.b/08282109ECD7.D Injection Date: 28-AUG-2021 19:27

Manual Integration (After)



Processed Integration (Before)



Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282110ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV6	Injection Time:	19:47
Sequence Name:	AR1660CCV6		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	270	0.0446218	0.0480020		8.0	+/-20
Aroclor-1016 (1)	A	250.00	273	0.0283733	0.0309634		9.2	
Aroclor-1016 (2)	A	250.00	266	0.0867650	0.0921709		6.4	
Aroclor-1016 (3)	A	250.00	276	0.0389383	0.0429787		10.4	
Aroclor-1016 (4)	A	250.00	265	0.0244108	0.0258951		6.0	
Aroclor 1016 [2C]	A	250.00	268	0.0529840	0.0563373		7.2	+/-20
Aroclor-1016 (1) [2C]	A	250.00	261	0.0456173	0.0477059		4.4	
Aroclor-1016 (2) [2C]	A	250.00	264	0.1020378	0.1077794		5.6	
Aroclor-1016 (3) [2C]	A	250.00	267	0.0400455	0.0427589		6.8	
Aroclor-1016 (4) [2C]	A	250.00	280	0.0242353	0.0271048		12.0	
Aroclor 1260	A	250.00	258	0.0461251	0.0477733		3.4	+/-20
Aroclor-1260 (1)	A	250.00	241	0.0359923	0.0347203		-3.6	
Aroclor-1260 (2)	A	250.00	265	0.0353250	0.0373937		6.0	
Aroclor-1260 (3)	A	250.00	261	0.0954741	0.0996045		4.4	
Aroclor-1260 (4)	A	250.00	263	0.0425365	0.0447813		5.2	
Aroclor-1260 (5)	A	250.00	262	0.0212978	0.0223666		4.8	
Aroclor 1260 [2C]	A	250.00	224	0.1108773	0.0993502		-10.3	+/-20
Aroclor-1260 (1) [2C]	A	250.00	220	0.0665032	0.0585700		-12.0	
Aroclor-1260 (2) [2C]	A	250.00	222	0.1932922	0.1718292		-11.2	
Aroclor-1260 (3) [2C]	A	250.00	227	0.1242917	0.1128185		-9.2	
Aroclor-1260 (4) [2C]	A	250.00	228	0.0594222	0.0541832		-8.8	
Decachlorobiphenyl	A	40.000	42.4	0.7261970	0.7702160		6.0	+/-20
Tetrachlorometaxylene	A	40.000	42.8	0.9669678	1.0356860		7.0	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.7	1.7775950	1.7204870		-3.3	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.6	1.0280520	1.0690160		4.0	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282110ECD7.D
Data file 2: /210828.b/210828.b/08282110ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV2
Client ID:
Injection Date: 28-AUG-2021 19:47
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	117932	5.411	0.001	326425	42.8	41.6	3.0	Tetrachloro-m-xylene
13.165	0.002	143777	13.844	0.001	729489	42.4	38.7	9.1	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	227737	-12.0
Hexabromobiphenyl	425681	373342	-12.3

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	610702	-15.3
Hexabromobiphenyl	863111	848003	-1.8

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	ZB5 Col RT	Shift	Area	Amount	Peak#	ZB35 Col RT	Shift	Area	Amount
Aroclor-1016	1	6.661	0.001	22036	272.8	1	7.055	0.001	91044	261.4
Aroclor-1016	2	7.036	0.001	65596	265.6	2	7.652	-0.001	205691	264.1
Aroclor-1016	3	7.182	0.000	30587	275.9	3	7.857	-0.000	81603	266.9
Aroclor-1016	4	7.290	-0.000	18429	265.2	4	8.105	0.001	51728	279.6

Total Col1Ave (4 peaks): 269.9 Total Col2Ave (4 peaks): 268.0 RPD = 1
Corrected Ave (3 peaks): 267.9 Corrected Ave (3 peaks): 264.2 RPD = 1

CalAmt %D: 8.0 CalAmt %D: 7.2

Aroclor-1260	1	10.386	0.001	40508	241.2	1	11.424	0.001	155211	220.2
Aroclor-1260	2	10.704	-0.000	43627	264.6	2	11.677	0.000	455349	222.2
Aroclor-1260	3	11.054	0.001	116208	260.8	3	12.259	-0.000	298970	226.9
Aroclor-1260	4	11.456	0.001	52246	263.2	4	12.969	-0.001	143586	228.0
Aroclor-1260	5	11.556	0.000	26095	262.5	NS	---			----

Total Col1Ave (5 peaks): 258.5 Total Col2Ave (4 peaks): 224.3 RPD = 14
Corrected Ave (4 peaks): 256.9 Corrected Ave (3 peaks): 223.1 RPD = 14

CalAmt %D: 3.4 CalAmt %D: -10.3

Total PCB Area Col1 (5.168 - 13.064) = 1175873 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 4169650 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV2 28-AUG-2021 19:47, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV2 28-AUG-2021 19:47, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282112ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV7	Injection Time:	20:28
Sequence Name:	AR1242CCV7		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1242	A	250.00	266	0.0350459	0.0378220		6.3	+/-20
Aroclor-1242 (1)	A	250.00	268	0.0220414	0.0236681		7.2	
Aroclor-1242 (2)	A	250.00	263	0.0657077	0.0690962		5.2	
Aroclor-1242 (3)	A	250.00	298	0.0372229	0.0443112		19.2	
Aroclor-1242 (4)	A	250.00	234	0.0152114	0.0142126		-6.4	
Aroclor 1242 [2C]	A	250.00	250	0.0490898	0.0492416		-0.2	+/-20
Aroclor-1242 (1) [2C]	A	250.00	252	0.0367813	0.0370704		0.8	
Aroclor-1242 (2) [2C]	A	250.00	255	0.0798974	0.0815930		2.0	
Aroclor-1242 (3) [2C]	A	250.00	245	0.0373257	0.0365312		-2.0	
Aroclor-1242 (4) [2C]	A	250.00	246	0.0423546	0.0417719		-1.6	
Decachlorobiphenyl	A	40.000	40.7	0.7261970	0.7383494		1.8	+/-20
Tetrachlorometaxylene	A	40.000	41.0	0.9669678	0.9905934		2.5	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.1	1.7775950	1.6916210		-4.8	+/-20
Tetrachlorometaxylene [2C]	A	40.000	39.9	1.0280520	1.0253910		-0.3	+/-20

* Values outside of QC limits

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282112ECD7.D
Data file 2: /210828.b/210828.b/08282112ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1242.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1242CCV3
Client ID:
Injection Date: 28-AUG-2021 20:28
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	ZB5 Col Shift	ZB5 Col Response	ZB35 Col RT	ZB35 Col Shift	ZB35 Col Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	118208	5.412	0.001	329237	41.0	39.9	2.7	Tetrachloro-m-xylene
13.165	0.001	147163	13.843	0.000	754627	40.7	38.1	6.6	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	238661	-7.8
Hexabromobiphenyl	425681	398627	-6.4

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	642169	-10.9
Hexabromobiphenyl	863111	892194	3.4

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT	Shift	Area	Amount	Peak#	RT	Shift	Area	Amount
		ZB5 Col					ZB35 Col			
Aroclor-1242	1	6.660	0.000	17652	268.4	1	7.054	0.000	74392	252.0
Aroclor-1242	2	7.036	0.000	51533	262.9	2	7.652	0.000	163739	255.3
Aroclor-1242	3	8.385	0.000	33048	297.6	3	8.958	0.000	73310	244.7
Aroclor-1242	4	8.675	0.000	10600	233.6	4	9.038	0.000	83827	246.6

Total Col1Ave (4 peaks): 265.6 Total Col2Ave (4 peaks): 249.6 RPD = 6

Corrected Ave (3 peaks): 255.0 Corrected Ave (3 peaks): 247.7 RPD = 3

CalAmt %D: 6.3 CalAmt %D: -0.1

Total PCB Area Col1 (5.168 - 13.064) = 395583 Col1 Total PCB = 0.2 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 1499462 Col2 Total PCB = 0.2 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1242CCV3 28-AUG-2021 20:28, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1242CCV3 28-AUG-2021 20:28, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

CONTINUING CALIBRATION CHECK
EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Instrument ID:	ECD7	Calibration:	EH00034
Lab File ID:	08282113ECD7B.D	Calibration Date:	08/13/2021
Sequence:	SJH0396	Injection Date:	08/28/21
Lab Sample ID:	SJH0396-CCV8	Injection Time:	20:49
Sequence Name:	AR1660CCV8		

		CONC. (ug/L)		RESPONSE FACTOR (RRF)			% DRIFT/DIFF	
COMPOUND	TYPE	STD	CCV	ICAL	CCV	MIN	CCV	LIMIT
Aroclor 1016	A	250.00	267	0.0446218	0.0474126		6.7	+/-20
Aroclor-1016 (1)	A	250.00	268	0.0283733	0.0303970		7.2	
Aroclor-1016 (2)	A	250.00	262	0.0867650	0.0911258		4.8	
Aroclor-1016 (3)	A	250.00	271	0.0389383	0.0421656		8.4	
Aroclor-1016 (4)	A	250.00	266	0.0244108	0.0259619		6.4	
Aroclor 1016 [2C]	A	250.00	266	0.0529840	0.0559346		6.4	+/-20
Aroclor-1016 (1) [2C]	A	250.00	259	0.0456173	0.0472399		3.6	
Aroclor-1016 (2) [2C]	A	250.00	262	0.1020378	0.1070804		4.8	
Aroclor-1016 (3) [2C]	A	250.00	265	0.0400455	0.0424629		6.0	
Aroclor-1016 (4) [2C]	A	250.00	278	0.0242353	0.0269551		11.2	
Aroclor 1260	A	250.00	255	0.0461251	0.0471239		2.0	+/-20
Aroclor-1260 (1)	A	250.00	237	0.0359923	0.0341666		-5.2	
Aroclor-1260 (2)	A	250.00	261	0.0353250	0.0368290		4.4	
Aroclor-1260 (3)	A	250.00	258	0.0954741	0.0983576		3.2	
Aroclor-1260 (4)	A	250.00	260	0.0425365	0.0441871		4.0	
Aroclor-1260 (5)	A	250.00	259	0.0212978	0.0220791		3.6	
Aroclor 1260 [2C]	A	250.00	223	0.1108773	0.0989237		-10.7	+/-20
Aroclor-1260 (1) [2C]	A	250.00	218	0.0665032	0.0581339		-12.8	
Aroclor-1260 (2) [2C]	A	250.00	221	0.1932922	0.1707813		-11.6	
Aroclor-1260 (3) [2C]	A	250.00	227	0.1242917	0.1127203		-9.2	
Aroclor-1260 (4) [2C]	A	250.00	227	0.0594222	0.0540591		-9.2	
Decachlorobiphenyl	A	40.000	42.1	0.7261970	0.7651809		5.3	+/-20
Tetrachlorometaxylene	A	40.000	42.4	0.9669678	1.0262260		6.0	+/-20
Decachlorobiphenyl [2C]	A	40.000	38.7	1.7775950	1.7203440		-3.3	+/-20
Tetrachlorometaxylene [2C]	A	40.000	41.2	1.0280520	1.0602270		3.0	+/-20

* Values outside of QC limits

Analytical Resources Inc.
Dual Column 608/8082 PCB Quantitation Report

Data file 1: /210828.b/08282113ECD7.D
Data file 2: /210828.b/210828.b/08282113ECD7.D
Method: \\target\share\chem4\ecd7.i\210828.b\PCB.m
Compound Sublist: AR1660.sub
Instrument, Inj. Vol.: ecd7.i, 2ul
Quant Method: Internal Std

ARI ID: AR1660CCV4
Client ID:
Injection Date: 28-AUG-2021 20:49
Report Date: 08/31/2021 08:40
Matrix: NONE
Dilution Factor: 1.0

SURROGATES

ZB5 Col RT	Shift	Response	ZB35 Col RT	Shift	Response	ZB5 on col	ZB35 on col	RPD	Compound/Flag
5.068	0.000	120950	5.410	0.000	336225	42.5	41.3	2.9	Tetrachloro-m-xylene
13.164	0.000	148900	13.843	0.000	762097	42.1	38.7	8.5	Decachlorobiphenyl

* Indicates RPD > 40%

INTERNAL STANDARD SUMMARY

Column 1

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	258866	235718	-8.9
Hexabromobiphenyl	425681	389189	-8.6

Column 2

Standard Cpnd	Standard Area*	Sample Area	%D
Bromo-Nitrobenzene	720956	634251	-12.0
Hexabromobiphenyl	863111	885982	2.6

* Standard Areas taken from Initial Cal Level 3
Initial Calibration Date: 13-AUG-2021
<- Indicates standard response outside Limits (-50 to +100%)

Aroclor	Peak#	RT (ZB5 Col)	Shift	Area	Amount	Peak#	RT (ZB35 Col)	Shift	Area	Amount
Aroclor-1016	1	6.660	0.000	22391	267.8	1	7.054	0.000	93631	258.9
Aroclor-1016	2	7.035	0.000	67125	262.6	2	7.652	0.000	212237	262.4
Aroclor-1016	3	7.182	0.000	31060	270.7	3	7.858	0.000	84163	265.1
Aroclor-1016	4	7.290	0.000	19124	265.9	4	8.104	0.000	53426	278.1

Total Col1Ave (4 peaks): 266.8 Total Col2Ave (4 peaks): 266.1 RPD = 0
Corrected Ave (3 peaks): 265.4 Corrected Ave (3 peaks): 262.1 RPD = 1

CalAmt %D: 6.7 CalAmt %D: 6.4

Aroclor-1260	1	10.386	0.000	41554	237.3	1	11.423	0.000	160955	218.5
Aroclor-1260	2	10.704	0.000	44792	260.6	2	11.676	0.000	472841	220.9
Aroclor-1260	3	11.054	0.000	119624	257.6	3	12.259	0.000	312088	226.7
Aroclor-1260	4	11.455	0.000	53741	259.7	4	12.970	0.000	149673	227.4
Aroclor-1260	5	11.556	0.000	26853	259.2	NS	---			----

Total Col1Ave (5 peaks): 254.9 Total Col2Ave (4 peaks): 223.4 RPD = 13
Corrected Ave (4 peaks): 253.4 Corrected Ave (3 peaks): 222.0 RPD = 13

CalAmt %D: 2.0 CalAmt %D: -10.6

Total PCB Area Col1 (5.168 - 13.064) = 1204664 Col1 Total PCB = 0.5 ppm*

Total PCB Area Col2 (5.168 - 13.064) = 4314719 Col2 Total PCB = 0.5 ppm*

* Quantitated against AR1660 0.25ppm in Ical

PCB-Form 10 Mod.

PCB Dual Column Chromatograms

ECD7-ZB5 AR1660CCV4 28-AUG-2021 20:49, 2ul



ZB-5 Manual Integration: NO

ECD7-ZB35 AR1660CCV4 28-AUG-2021 20:49, 2ul



ZB-35 Manual Integration: NO

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Dual Column

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0176	Instrument:	ECD7
		Calibration:	EH00034

Sample Name	Lab Sample ID	Column 1 File ID	Column 2 File ID	Matrix	Analysis Date/Time
Cal Standard	SJH0176-CAL1	08132105ECD7.D	08132105ECD7.D	NA	08/13/21 20:03
Cal Standard	SJH0176-CAL2	08132106ECD7.D	08132106ECD7.D	NA	08/13/21 20:24
Cal Standard	SJH0176-CAL3	08132107ECD7.D	08132107ECD7.D	NA	08/13/21 20:44
Cal Standard	SJH0176-CAL4	08132108ECD7.D	08132108ECD7.D	NA	08/13/21 21:05
Cal Standard	SJH0176-CAL5	08132109ECD7.D	08132109ECD7.D	NA	08/13/21 21:25
Cal Standard	SJH0176-CAL6	08132110ECD7.D	08132110ECD7.D	NA	08/13/21 21:46
Cal Standard	SJH0176-CAL7	08132111ECD7.D	08132111ECD7.D	NA	08/13/21 22:06
Cal Standard	SJH0176-CAL8	08132112ECD7.D	08132112ECD7.D	NA	08/13/21 22:27
Cal Standard	SJH0176-CAL9	08132113ECD7.D	08132113ECD7.D	NA	08/13/21 22:47
Cal Standard	SJH0176-CALA	08132114ECD7.D	08132114ECD7.D	NA	08/13/21 23:08
Cal Standard	SJH0176-CALB	08132115ECD7.D	08132115ECD7.D	NA	08/13/21 23:28
Cal Standard	SJH0176-CALC	08132116ECD7.D	08132116ECD7.D	NA	08/13/21 23:49
Cal Standard	SJH0176-CALD	08132117ECD7.D	08132117ECD7.D	NA	08/14/21 00:09
Cal Standard	SJH0176-CALE	08132118ECD7.D	08132118ECD7.D	NA	08/14/21 00:30
Cal Standard	SJH0176-CALF	08132119ECD7.D	08132119ECD7.D	NA	08/14/21 00:50
Cal Standard	SJH0176-CALG	08132120ECD7.D	08132120ECD7.D	NA	08/14/21 01:11
Cal Standard	SJH0176-CALH	08132121ECD7.D	08132121ECD7.D	NA	08/14/21 01:31
Cal Standard	SJH0176-CALI	08132122ECD7.D	08132122ECD7.D	NA	08/14/21 01:52

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:13:05PM

ANALYSIS SEQUENCE

SJH0176

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0176-CAL1	0.02PPM AR1660	QC		1	J008420	J008446	
SJH0176-CAL2	0.05PPM AR1660	QC		2	J008419	J008446	
SJH0176-CAL3	0.1PPM AR1660	QC		3	J008418	J008446	
SJH0176-CAL4	0.25PPM AR1660	QC		4	J008417	J008446	
SJH0176-CAL5	0.5PPM AR1660	QC		5	J008416	J008446	
SJH0176-CAL6	1PPM AR1660	QC		6	J008134	J008446	
SJH0176-CAL7	0.02PPM AR1242	QC		7	J008425	J008446	
SJH0176-CAL8	0.05PPM AR1242	QC		8	J008424	J008446	
SJH0176-CAL9	0.1PPM AR1242	QC		9	J008423	J008446	
SJH0176-CALA	0.25PPM AR1242	QC		10	J008422	J008446	
SJH0176-CALB	0.5PPM AR1242	QC		11	J008421	J008446	
SJH0176-CALC	1PPM AR1242	QC		12	J008397	J008446	
SJH0176-CALD	0.02PPM AR1248	QC		13	J008430	J008446	
SJH0176-CALE	0.05PPM AR1248	QC		14	J008429	J008446	
SJH0176-CALF	0.1PPM AR1248	QC		15	J008428	J008446	
SJH0176-CALG	0.25PPM AR1248	QC		16	J008427	J008446	
SJH0176-CALH	0.5PPM AR1248	QC		17	J008426	J008446	
SJH0176-CALI	1PPM AR1248	QC		18	J008398	J008446	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

ARI Job No.: RINS Method: PCB.m Instrument: ecd7.i Date: 13-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242,
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242,
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242,
2308	08132114.D	SEQ-CALA		1	Aroclor-1242,
2328	08132115.D	SEQ-CALB		1	Aroclor-1242,
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248,

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0030	08132118.D	SEQ-CALE		1	Aroclor-1248,
0050	08132119.D	SEQ-CALF		1	Aroclor-1248,
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	NO MANUAL INTEGRATION
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION
0841	08132142.D	SEQ-SCV2		1	NO MANUAL INTEGRATION
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242 [2C],
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242 [2C],
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242 [2C],
2308	08132114.D	SEQ-CALA		1	NO MANUAL INTEGRATION
2328	08132115.D	SEQ-CALB		1	NO MANUAL INTEGRATION
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248 [2C],
0030	08132118.D	SEQ-CALE		1	Aroclor-1248 [2C],
0050	08132119.D	SEQ-CALF		1	NO MANUAL INTEGRATION
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	Aroclor-1248 [2C],
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0841	08132142.D	SEQ-SCV2		1	Aroclor-1242 [2C], Aroclor-1248 [2C],
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	13-AUG-2021 18:41	08132101.D	1	RINSE	
2	13-AUG-2021 19:02	08132102.D	1	RINSE	
3	13-AUG-2021 19:22	08132103.D	1	RINSE	
4	13-AUG-2021 19:43	08132104.D	1	SEQ-IBL1	
5	13-AUG-2021 20:03	08132105.D	1	SEQ-CAL1	
6	13-AUG-2021 20:24	08132106.D	1	SEQ-CAL2	
7	13-AUG-2021 20:44	08132107.D	1	SEQ-CAL3	
8	13-AUG-2021 21:05	08132108.D	1	SEQ-CAL4	
9	13-AUG-2021 21:25	08132109.D	1	SEQ-CAL5	
10	13-AUG-2021 21:46	08132110.D	1	SEQ-CAL6	
11	13-AUG-2021 22:06	08132111.D	1	SEQ-CAL7	
12	13-AUG-2021 22:27	08132112.D	1	SEQ-CAL8	
13	13-AUG-2021 22:47	08132113.D	1	SEQ-CAL9	
14	13-AUG-2021 23:08	08132114.D	1	SEQ-CALA	
15	13-AUG-2021 23:28	08132115.D	1	SEQ-CALB	
16	13-AUG-2021 23:49	08132116.D	1	SEQ-CALC	
17	14-AUG-2021 00:09	08132117.D	1	SEQ-CALD	
18	14-AUG-2021 00:30	08132118.D	1	SEQ-CALE	
19	14-AUG-2021 00:50	08132119.D	1	SEQ-CALF	
20	14-AUG-2021 01:11	08132120.D	1	SEQ-CALG	
21	14-AUG-2021 01:31	08132121.D	1	SEQ-CALH	
22	14-AUG-2021 01:52	08132122.D	1	SEQ-CALI	
23	14-AUG-2021 02:12	08132123.D	1	SEQ-CALJ	
24	14-AUG-2021 02:33	08132124.D	1	SEQ-CALK	
25	14-AUG-2021 02:53	08132125.D	1	SEQ-CALL	
26	14-AUG-2021 03:13	08132126.D	1	SEQ-CALM	
27	14-AUG-2021 03:34	08132127.D	1	SEQ-CALN	
28	14-AUG-2021 03:54	08132128.D	1	SEQ-CALO	
29	14-AUG-2021 04:15	08132129.D	1	SEQ-CALP	
30	14-AUG-2021 04:35	08132130.D	1	SEQ-CALQ	
31	14-AUG-2021 04:56	08132131.D	1	SEQ-CALR	
32	14-AUG-2021 05:16	08132132.D	1	SEQ-CALS	
33	14-AUG-2021 05:37	08132133.D	1	SEQ-CALT	
34	14-AUG-2021 05:57	08132134.D	1	SEQ-CALU	
35	14-AUG-2021 06:18	08132135.D	1	SEQ-CALV	
36	14-AUG-2021 06:38	08132136.D	1	SEQ-CALW	
37	14-AUG-2021 06:59	08132137.D	1	SEQ-CALX	
38	14-AUG-2021 07:19	08132138.D	1	SEQ-CALY	
39	14-AUG-2021 07:40	08132139.D	1	SEQ-CALZ	
40	14-AUG-2021 08:00	08132140.D	1	SEQ-CALAA	
41	14-AUG-2021 08:21	08132141.D	1	SEQ-SCV1	
42	14-AUG-2021 08:41	08132142.D	1	SEQ-SCV2	
43	14-AUG-2021 09:02	08132143.D	1	SEQ-SCV3	
44	14-AUG-2021 09:22	08132144.D	1	SEQ-SCV4	
45	14-AUG-2021 09:43	08132145.D	1	SEQ-SCV5	
46	14-AUG-2021 10:03	08132146.D	1	SEQ-SCV6	
47	14-AUG-2021 10:24	08132147.D	1	0.1PPMDDTS	
48	14-AUG-2021 10:44	08132148.D	1	DS	

Security Status Report

Date: 16-Aug-2021 17:20

08132101ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132102ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132103ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132104ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132105ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132106ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132107ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132108ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132109ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132110ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132111ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132112ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132113ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132114ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132115ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132116ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132117ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132118ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132119ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132120ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132121ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132122ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132123ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132124ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132125ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132126ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132127ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132128ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132129ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132130ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132131ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132132ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132133ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132134ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132135ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132136ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132137ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132138ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132139ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132140ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132141ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132142ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132143ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132144ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

08132145ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132146ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132147ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132148ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Dual Column

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0177	Instrument:	ECD7
		Calibration:	EH00034

Sample Name	Lab Sample ID	Column 1 File ID	Column 2 File ID	Matrix	Analysis Date/Time
Cal Standard	SJH0177-CAL1	08132123ECD7.D	08132123ECD7.D	NA	08/14/21 02:12
Cal Standard	SJH0177-CAL2	08132124ECD7.D	08132124ECD7.D	NA	08/14/21 02:33
Cal Standard	SJH0177-CAL3	08132125ECD7.D	08132125ECD7.D	NA	08/14/21 02:53
Cal Standard	SJH0177-CAL4	08132126ECD7.D	08132126ECD7.D	NA	08/14/21 03:13
Cal Standard	SJH0177-CAL5	08132127ECD7.D	08132127ECD7.D	NA	08/14/21 03:34
Cal Standard	SJH0177-CAL6	08132128ECD7.D	08132128ECD7.D	NA	08/14/21 03:54
Cal Standard	SJH0177-CAL7	08132129ECD7.D	08132129ECD7.D	NA	08/14/21 04:15
Cal Standard	SJH0177-CAL8	08132130ECD7.D	08132130ECD7.D	NA	08/14/21 04:35
Cal Standard	SJH0177-CAL9	08132131ECD7.D	08132131ECD7.D	NA	08/14/21 04:56
Cal Standard	SJH0177-CALA	08132132ECD7.D	08132132ECD7.D	NA	08/14/21 05:16
Cal Standard	SJH0177-CALB	08132133ECD7.D	08132133ECD7.D	NA	08/14/21 05:37
Cal Standard	SJH0177-CALC	08132134ECD7.D	08132134ECD7.D	NA	08/14/21 05:57
Cal Standard	SJH0177-CALD	08132135ECD7.D	08132135ECD7.D	NA	08/14/21 06:18
Cal Standard	SJH0177-CALE	08132136ECD7.D	08132136ECD7.D	NA	08/14/21 06:38
Cal Standard	SJH0177-CALF	08132137ECD7.D	08132137ECD7.D	NA	08/14/21 06:59
Cal Standard	SJH0177-CALG	08132138ECD7.D	08132138ECD7.D	NA	08/14/21 07:19
Cal Standard	SJH0177-CALH	08132139ECD7.D	08132139ECD7.D	NA	08/14/21 07:40
Cal Standard	SJH0177-CALI	08132140ECD7.D	08132140ECD7.D	NA	08/14/21 08:00
Secondary Cal Check	SJH0177-SCV1	08132141ECD7.D	08132141ECD7.D	NA	08/14/21 08:21
Secondary Cal Check	SJH0177-SCV2	08132142ECD7.D	08132142ECD7.D	NA	08/14/21 08:41
Secondary Cal Check	SJH0177-SCV3	08132143ECD7.D	08132143ECD7.D	NA	08/14/21 09:02
Secondary Cal Check	SJH0177-SCV4	08132144ECD7.D	08132144ECD7.D	NA	08/14/21 09:22
Secondary Cal Check	SJH0177-SCV5	08132145ECD7.D	08132145ECD7.D	NA	08/14/21 09:43
Secondary Cal Check	SJH0177-SCV6	08132146ECD7.D	08132146ECD7.D	NA	08/14/21 10:03

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:27:01PM

ANALYSIS SEQUENCE

SJH0177

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0177-CAL1	0.02PPM AR1254	QC		1	J008435	J008446	
SJH0177-CAL2	0.05PPM AR1254	QC		2	J008434	J008446	
SJH0177-CAL3	0.1PPM AR1254	QC		3	J008433	J008446	
SJH0177-CAL4	0.25PPM AR1254	QC		4	J008432	J008446	
SJH0177-CAL5	0.5PPM AR1254	QC		5	J008431	J008446	
SJH0177-CAL6	1PPM AR1254	QC		6	J008399	J008446	
SJH0177-CAL7	0.02PPM AR2162	QC		7	J008440	J008446	
SJH0177-CAL8	0.05PPM AR2162	QC		8	J008439	J008446	
SJH0177-CAL9	0.1PPM AR2162	QC		9	J008438	J008446	
SJH0177-CALA	0.25PPM AR2162	QC		10	J008437	J008446	
SJH0177-CALB	0.5PPM AR2162	QC		11	J008436	J008446	
SJH0177-CALC	1PPM AR2162	QC		12	J008400	J008446	
SJH0177-CALD	0.02PPM AR3268	QC		13	J008445	J008446	
SJH0177-CALE	0.05PPM AR3268	QC		14	J008444	J008446	
SJH0177-CALF	0.1PPM AR3268	QC		15	J008443	J008446	
SJH0177-CALG	0.25PPM AR3268	QC		16	J008442	J008446	
SJH0177-CALH	0.5PPM AR3268	QC		17	J008441	J008446	
SJH0177-CALI	1PPM AR3268	QC		18	J008401	J008446	
SJH0177-SCV1	AR1660SCV1	QC		19	J008139	J008446	
SJH0177-SCV2	AR1242SCV2	QC		20	J008140	J008446	
SJH0177-SCV3	AR1248SCV3	QC		21	J008141	J008446	
SJH0177-SCV4	AR1254SCV4	QC		22	J008142	J008446	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/16/2021 5:27:01PM

ANALYSIS SEQUENCE

SJH0177

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0177-SCV5	AR2162SCV5	QC		23	J008143	J008446	
SJH0177-SCV6	AR3268SCV6	QC		24	J008144	J008446	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

ARI Job No.: RINS Method: PCB.m Instrument: ecd7.i Date: 13-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242,
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242,
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242,
2308	08132114.D	SEQ-CALA		1	Aroclor-1242,
2328	08132115.D	SEQ-CALB		1	Aroclor-1242,
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248,

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0030	08132118.D	SEQ-CALE		1	Aroclor-1248,
0050	08132119.D	SEQ-CALF		1	Aroclor-1248,
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	NO MANUAL INTEGRATION
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION
0841	08132142.D	SEQ-SCV2		1	NO MANUAL INTEGRATION
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION
1841	08132101.D	RINSE		1	NO MANUAL INTEGRATION
1902	08132102.D	RINSE		1	NO MANUAL INTEGRATION
1922	08132103.D	RINSE		1	NO MANUAL INTEGRATION
1943	08132104.D	SEQ-IBL1		1	NO MANUAL INTEGRATION
2003	08132105.D	SEQ-CAL1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2024	08132106.D	SEQ-CAL2		1	NO MANUAL INTEGRATION
2044	08132107.D	SEQ-CAL3		1	NO MANUAL INTEGRATION
2105	08132108.D	SEQ-CAL4		1	NO MANUAL INTEGRATION
2125	08132109.D	SEQ-CAL5		1	NO MANUAL INTEGRATION
2146	08132110.D	SEQ-CAL6		1	NO MANUAL INTEGRATION
2206	08132111.D	SEQ-CAL7		1	Aroclor-1242 [2C],
2227	08132112.D	SEQ-CAL8		1	Aroclor-1242 [2C],
2247	08132113.D	SEQ-CAL9		1	Aroclor-1242 [2C],
2308	08132114.D	SEQ-CALA		1	NO MANUAL INTEGRATION
2328	08132115.D	SEQ-CALB		1	NO MANUAL INTEGRATION
2349	08132116.D	SEQ-CALC		1	NO MANUAL INTEGRATION
0009	08132117.D	SEQ-CALD		1	Aroclor-1248 [2C],
0030	08132118.D	SEQ-CALE		1	Aroclor-1248 [2C],
0050	08132119.D	SEQ-CALF		1	NO MANUAL INTEGRATION
0111	08132120.D	SEQ-CALG		1	NO MANUAL INTEGRATION
0131	08132121.D	SEQ-CALH		1	NO MANUAL INTEGRATION
0152	08132122.D	SEQ-CALI		1	Aroclor-1248 [2C],
0212	08132123.D	SEQ-CALJ		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0233	08132124.D	SEQ-CALK		1	NO MANUAL INTEGRATION
0253	08132125.D	SEQ-CALL		1	NO MANUAL INTEGRATION
0313	08132126.D	SEQ-CALM		1	NO MANUAL INTEGRATION
0334	08132127.D	SEQ-CALN		1	NO MANUAL INTEGRATION
0354	08132128.D	SEQ-CALO		1	NO MANUAL INTEGRATION
0415	08132129.D	SEQ-CALP		1	NO MANUAL INTEGRATION
0435	08132130.D	SEQ-CALQ		1	NO MANUAL INTEGRATION
0456	08132131.D	SEQ-CALR		1	NO MANUAL INTEGRATION
0516	08132132.D	SEQ-CALS		1	NO MANUAL INTEGRATION
0537	08132133.D	SEQ-CALT		1	NO MANUAL INTEGRATION
0557	08132134.D	SEQ-CALU		1	NO MANUAL INTEGRATION
0618	08132135.D	SEQ-CALV		1	NO MANUAL INTEGRATION
0638	08132136.D	SEQ-CALW		1	NO MANUAL INTEGRATION
0659	08132137.D	SEQ-CALX		1	NO MANUAL INTEGRATION
0719	08132138.D	SEQ-CALY		1	NO MANUAL INTEGRATION
0740	08132139.D	SEQ-CALZ		1	NO MANUAL INTEGRATION
0800	08132140.D	SEQ-CALAA		1	NO MANUAL INTEGRATION
0821	08132141.D	SEQ-SCV1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b\210813.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0841	08132142.D	SEQ-SCV2		1	Aroclor-1242 [2C], Aroclor-1248 [2C],
0902	08132143.D	SEQ-SCV3		1	NO MANUAL INTEGRATION
0922	08132144.D	SEQ-SCV4		1	NO MANUAL INTEGRATION
0943	08132145.D	SEQ-SCV5		1	NO MANUAL INTEGRATION
1003	08132146.D	SEQ-SCV6		1	NO MANUAL INTEGRATION
1024	08132147.D	0.1PPMDDTS		1	NO MANUAL INTEGRATION
1044	08132148.D	DS		1	NO MANUAL INTEGRATION

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210813.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	13-AUG-2021 18:41	08132101.D	1	RINSE	
2	13-AUG-2021 19:02	08132102.D	1	RINSE	
3	13-AUG-2021 19:22	08132103.D	1	RINSE	
4	13-AUG-2021 19:43	08132104.D	1	SEQ-IBL1	
5	13-AUG-2021 20:03	08132105.D	1	SEQ-CAL1	
6	13-AUG-2021 20:24	08132106.D	1	SEQ-CAL2	
7	13-AUG-2021 20:44	08132107.D	1	SEQ-CAL3	
8	13-AUG-2021 21:05	08132108.D	1	SEQ-CAL4	
9	13-AUG-2021 21:25	08132109.D	1	SEQ-CAL5	
10	13-AUG-2021 21:46	08132110.D	1	SEQ-CAL6	
11	13-AUG-2021 22:06	08132111.D	1	SEQ-CAL7	
12	13-AUG-2021 22:27	08132112.D	1	SEQ-CAL8	
13	13-AUG-2021 22:47	08132113.D	1	SEQ-CAL9	
14	13-AUG-2021 23:08	08132114.D	1	SEQ-CALA	
15	13-AUG-2021 23:28	08132115.D	1	SEQ-CALB	
16	13-AUG-2021 23:49	08132116.D	1	SEQ-CALC	
17	14-AUG-2021 00:09	08132117.D	1	SEQ-CALD	
18	14-AUG-2021 00:30	08132118.D	1	SEQ-CALE	
19	14-AUG-2021 00:50	08132119.D	1	SEQ-CALF	
20	14-AUG-2021 01:11	08132120.D	1	SEQ-CALG	
21	14-AUG-2021 01:31	08132121.D	1	SEQ-CALH	
22	14-AUG-2021 01:52	08132122.D	1	SEQ-CALI	
23	14-AUG-2021 02:12	08132123.D	1	SEQ-CALJ	
24	14-AUG-2021 02:33	08132124.D	1	SEQ-CALK	
25	14-AUG-2021 02:53	08132125.D	1	SEQ-CALL	
26	14-AUG-2021 03:13	08132126.D	1	SEQ-CALM	
27	14-AUG-2021 03:34	08132127.D	1	SEQ-CALN	
28	14-AUG-2021 03:54	08132128.D	1	SEQ-CALO	
29	14-AUG-2021 04:15	08132129.D	1	SEQ-CALP	
30	14-AUG-2021 04:35	08132130.D	1	SEQ-CALQ	
31	14-AUG-2021 04:56	08132131.D	1	SEQ-CALR	
32	14-AUG-2021 05:16	08132132.D	1	SEQ-CALS	
33	14-AUG-2021 05:37	08132133.D	1	SEQ-CALT	
34	14-AUG-2021 05:57	08132134.D	1	SEQ-CALU	
35	14-AUG-2021 06:18	08132135.D	1	SEQ-CALV	
36	14-AUG-2021 06:38	08132136.D	1	SEQ-CALW	
37	14-AUG-2021 06:59	08132137.D	1	SEQ-CALX	
38	14-AUG-2021 07:19	08132138.D	1	SEQ-CALY	
39	14-AUG-2021 07:40	08132139.D	1	SEQ-CALZ	
40	14-AUG-2021 08:00	08132140.D	1	SEQ-CALAA	
41	14-AUG-2021 08:21	08132141.D	1	SEQ-SCV1	
42	14-AUG-2021 08:41	08132142.D	1	SEQ-SCV2	
43	14-AUG-2021 09:02	08132143.D	1	SEQ-SCV3	
44	14-AUG-2021 09:22	08132144.D	1	SEQ-SCV4	
45	14-AUG-2021 09:43	08132145.D	1	SEQ-SCV5	
46	14-AUG-2021 10:03	08132146.D	1	SEQ-SCV6	
47	14-AUG-2021 10:24	08132147.D	1	0.1PPMDDTS	
48	14-AUG-2021 10:44	08132148.D	1	DS	

Security Status Report

Date: 16-Aug-2021 17:20

08132101ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132102ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132103ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132104ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132105ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132106ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132107ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132108ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132109ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132110ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132111ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132112ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132113ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132114ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132115ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132116ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132117ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132118ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132119ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132120ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132121ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132122ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132123ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132124ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132125ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132126ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132127ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132128ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132129ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132130ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132131ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132132ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132133ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132134ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132135ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132136ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132137ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132138ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132139ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132140ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132141ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132142ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132143ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132144ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

08132145ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132146ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132147ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44
08132148ECD7.D	Data Locked	jrains, 15-Aug-2021 12:44

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Dual Column

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0254	Instrument:	ECD7
		Calibration:	EH00034

Sample Name	Lab Sample ID	Column 1 File ID	Column 2 File ID	Matrix	Analysis Date/Time
Initial Cal Check	SJH0254-ICV1	08192102ECD7.D	08192102ECD7.D	NA	08/19/21 10:39
Initial Cal Check	SJH0254-ICV2	08192103ECD7.D	08192103ECD7.D	NA	08/19/21 11:00
Calibration Check	SJH0254-CCV1	08192108ECD7.D	08192108ECD7.D	NA	08/19/21 12:42
Calibration Check	SJH0254-CCV2	08192109ECD7.D	08192109ECD7.D	NA	08/19/21 13:03
Calibration Check	SJH0254-CCV3	08192111ECD7.D	08192111ECD7.D	NA	08/19/21 15:57
Calibration Check	SJH0254-CCV4	08192112ECD7.D	08192112ECD7.D	NA	08/19/21 16:17
Calibration Check	SJH0254-CCV5	08192126ECD7.D	08192126ECD7.D	NA	08/19/21 21:04
Calibration Check	SJH0254-CCV6	08192127ECD7.D	08192127ECD7.D	NA	08/19/21 21:24
Blank	BJH0179-BLK1	08192128ECD7.D	08192128ECD7.D	Solid	08/19/21 21:45
LCS	BJH0179-BS1	08192129ECD7.D	08192129ECD7.D	Solid	08/19/21 22:05
Reference	BJH0179-SRM1	08192132ECD7.D	08192132ECD7.D	Solid	08/19/21 23:07
Calibration Check	SJH0254-CCV7	08192146ECD7.D	08192146ECD7.D	NA	08/20/21 03:54
Calibration Check	SJH0254-CCV8	08192147ECD7.D	08192147ECD7.D	NA	08/20/21 04:14

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/19/2021 5:19:39PM

ANALYSIS SEQUENCE

SJH0254

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0254-ICV1	AR1254ICV1	QC		1	J008432	J008446	
SJH0254-ICV2	AR1660ICV2	QC		2	J008417	J008446	
BJG0413-BLK1	Blank	QC		3		J008446	
BJG0413-BS1	LCS	QC		4		J008446	
21G0125-17	PE1033-2ML	8082A PCB	A 01	5		J008446	
SJH0254-CCV1	AR1248CCV1	QC		6	J008427	J008446	
SJH0254-CCV2	AR1660CCV2	QC		7	J008417	J008446	

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	19-AUG-2021 10:19	08192101ECD7.D	1	DDTS	
2	19-AUG-2021 10:39	08192102ECD7.D	1	AR1254ICV1	
3	19-AUG-2021 11:00	08192103ECD7.D	1	AR1660ICV2	
4	19-AUG-2021 11:20	08192104ECD7.D	1	BJG0413-BLK1	
5	19-AUG-2021 11:41	08192105ECD7.D	1	BJG0413-BS1	
6	19-AUG-2021 12:01	08192106ECD7.D	1	21G0125-17	
7	19-AUG-2021 12:22	08192107ECD7.D	10	21G0125-17RE1	
8	19-AUG-2021 12:42	08192108ECD7.D	1	AR1248CCV1	
9	19-AUG-2021 13:03	08192109ECD7.D	1	AR1660CCV2	
10	19-AUG-2021 15:36	08192110ECD7.D	1	RINSE	
11	19-AUG-2021 15:57	08192111ECD7.D	1	AR1242CCV3	
12	19-AUG-2021 16:17	08192112ECD7.D	1	AR1660CCV4	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

ARI Job No.: DDTS Method: PCB.m Instrument: ecd7.i Date: 19-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1019	08192101ECD7.D	DDTS		1	NO MANUAL INTEGRATION
1039	08192102ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1100	08192103ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1120	08192104ECD7.D	BJG0413-BLK1		1	NO MANUAL INTEGRATION
1141	08192105ECD7.D	BJG0413-BS1		1	NO MANUAL INTEGRATION
1201	08192106ECD7.D	21G0125-17		1	NO MANUAL INTEGRATION
1222	08192107ECD7.D	21G0125-17RE1		10	NO MANUAL INTEGRATION
1242	08192108ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION
1303	08192109ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
1536	08192110ECD7.D	RINSE		1	NO MANUAL INTEGRATION
1557	08192111ECD7.D	AR1242CCV3		1	NO MANUAL INTEGRATION
1617	08192112ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION
1019	08192101ECD7.D	DDTS		1	NO MANUAL INTEGRATION
1039	08192102ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1100	08192103ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1120	08192104ECD7.D	BJG0413-BLK1		1	NO MANUAL INTEGRATION
1141	08192105ECD7.D	BJG0413-BS1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1201	08192106ECD7.D	21G0125-17		1	NO MANUAL INTEGRATION
1222	08192107ECD7.D	21G0125-17RE1		10	NO MANUAL INTEGRATION
1242	08192108ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION
1303	08192109ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
1536	08192110ECD7.D	RINSE		1	NO MANUAL INTEGRATION
1557	08192111ECD7.D	AR1242CCV3		1	NO MANUAL INTEGRATION
1617	08192112ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION
1638	08192113.D			1	NO MANUAL INTEGRATION

Security Status Report

Date: 19-Aug-2021 17:02

08192101ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192102ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192103ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192104ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192105ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192106ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192107ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192108ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02
08192109ECD7.D	Data Locked	jrains, 19-Aug-2021 17:02

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/24/2021 3:53:51PM

ANALYSIS SEQUENCE

SJH0254

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0254-ICV1	AR1254ICV1	QC		1	J008432	J008446	
SJH0254-ICV2	AR1660ICV2	QC		2	J008417	J008446	
BJG0413-BLK1	Blank	QC		3		J008446	
BJG0413-BS1	LCS	QC		4		J008446	
21G0125-17	PE1033-2ML	8082A PCB	A 01	5		J008446	
SJH0254-CCV1	AR1248CCV1	QC		6	J008427	J008446	
SJH0254-CCV2	AR1660CCV2	QC		7	J008417	J008446	
SJH0254-CCV3	AR1242CCV3	QC		8	J008422	J008446	
SJH0254-CCV4	AR1660CCV4	QC		9	J008417	J008446	
BJG0604-BLK1	Blank	QC		10		J008446	
BJG0604-BS1	LCS	QC		11		J008446	
BJG0604-BSD1	LCS Dup	QC		12		J008446	
21G0308-01	SW21-HSP27	8082A PCB Water 0.01	A 01	13		J008446	
21G0308-02	SW21-HST28	8082A PCB Water 0.01	A 01	14		J008446	
21G0308-03	SW21-HST29	8082A PCB Water 0.01	A 01	15		J008446	
21G0308-04	SW21-HSP30	8082A PCB Water 0.01	A 01	16		J008446	
21G0308-05	SW21-DU02	8082A PCB Water 0.01	A 01	17		J008446	
21G0308-06	SW21-HST31	8082A PCB Water 0.01	A 01	18		J008446	
21G0308-07	SW21-HST32	8082A PCB Water 0.01	A 01	19		J008446	
21G0308-08	SW21-HST33	8082A PCB Water 0.01	A 01	20		J008446	
21G0308-09	SW21-HST34	8082A PCB Water 0.01	A 01	21		J008446	
21G0308-10	SW21-HST35	8082A PCB Water 0.01	A 01	22		J008446	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/24/2021 3:53:51PM

ANALYSIS SEQUENCE

SJH0254

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0254-CCV5	AR1254CCV5	QC		23	J008432	J008446	
SJH0254-CCV6	AR1660CCV6	QC		24	J008417	J008446	
BJH0193-BLK1	Blank	QC		25		J008446	
BJH0193-BS1	LCS	QC		26		J008446	
BJH0193-SRM1	Reference	QC		27		J008446	
BJH0193-MS1	Matrix Spike	QC		28		J008446	
BJH0193-MSD1	Matrix Spike Dup	QC		29		J008446	
21G0321-04	LDW21-IT624A	8082A PCB Solid 4	A 01	30		J008446	
21G0321-05	LDW21-IT626A	8082A PCB Solid 4	A 01	31		J008446	
SJH0254-CCV7	AR1248CCV7	QC		32	J008427	J008446	
SJH0254-CCV8	AR1660CCV8	QC		33	J008417	J008446	

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	19-AUG-2021 10:19	08192101ECD7.D	1	DDTS	
2	19-AUG-2021 10:39	08192102ECD7.D	1	AR1254ICV1	
3	19-AUG-2021 11:00	08192103ECD7.D	1	AR1660ICV2	
4	19-AUG-2021 11:20	08192104ECD7.D	1	BJG0413-BLK1	
5	19-AUG-2021 11:41	08192105ECD7.D	1	BJG0413-BS1	
6	19-AUG-2021 12:01	08192106ECD7.D	1	21G0125-17	
7	19-AUG-2021 12:22	08192107ECD7.D	10	21G0125-17RE1	
8	19-AUG-2021 12:42	08192108ECD7.D	1	AR1248CCV1	
9	19-AUG-2021 13:03	08192109ECD7.D	1	AR1660CCV2	
10	19-AUG-2021 15:36	08192110ECD7.D	1	RINSE	
11	19-AUG-2021 15:57	08192111ECD7.D	1	AR1242CCV3	
12	19-AUG-2021 16:17	08192112ECD7.D	1	AR1660CCV4	
13	19-AUG-2021 16:38	08192113ECD7.D	1	BJG0604-BLK1	
14	19-AUG-2021 16:58	08192114ECD7.D	1	BJG0604-BS1	
15	19-AUG-2021 17:19	08192115ECD7.D	1	BJG0604-BSD1	
16	19-AUG-2021 17:39	08192116ECD7.D	1	21G0308-01	
17	19-AUG-2021 18:00	08192117ECD7.D	1	21G0308-02	
18	19-AUG-2021 18:20	08192118ECD7.D	1	21G0308-03	
19	19-AUG-2021 18:41	08192119ECD7.D	1	21G0308-04	
20	19-AUG-2021 19:01	08192120ECD7.D	1	21G0308-05	
21	19-AUG-2021 19:22	08192121ECD7.D	1	21G0308-06	
22	19-AUG-2021 19:42	08192122ECD7.D	1	21G0308-07	
23	19-AUG-2021 20:03	08192123ECD7.D	1	21G0308-08	
24	19-AUG-2021 20:23	08192124ECD7.D	1	21G0308-09	
25	19-AUG-2021 20:44	08192125ECD7.D	1	21G0308-10	
26	19-AUG-2021 21:04	08192126ECD7.D	1	AR1254CCV5	
27	19-AUG-2021 21:24	08192127ECD7.D	1	AR1660CCV6	
28	19-AUG-2021 21:45	08192128ECD7.D	1	BJH0179-BLK1	
29	19-AUG-2021 22:05	08192129ECD7.D	1	BJH0179-BS1	
30	19-AUG-2021 22:26	08192130ECD7.D	1	BJH0179-MS1	
31	19-AUG-2021 22:46	08192131ECD7.D	1	BJH0179-MSD1	
32	19-AUG-2021 23:07	08192132ECD7.D	1	BJH0179-SRM1	
33	19-AUG-2021 23:27	08192133ECD7.D	1	21G0321-01	
34	19-AUG-2021 23:48	08192134ECD7.D	1	21G0321-02	
35	20-AUG-2021 00:08	08192135ECD7.D	1	21G0321-03	
36	20-AUG-2021 00:29	08192136ECD7.D	1	21G0330-01	
37	20-AUG-2021 00:49	08192137ECD7.D	1	21G0330-02	
38	20-AUG-2021 01:10	08192138ECD7.D	1	21G0330-03	
39	20-AUG-2021 01:30	08192139ECD7.D	1	BJH0193-BLK1	
40	20-AUG-2021 01:51	08192140ECD7.D	1	BJH0193-BS1	
41	20-AUG-2021 02:11	08192141ECD7.D	1	BJH0193-MS1	
42	20-AUG-2021 02:32	08192142ECD7.D	1	BJH0193-MSD1	
43	20-AUG-2021 02:52	08192143ECD7.D	1	BJH0193-SRM1	
44	20-AUG-2021 03:13	08192144ECD7.D	1	21G0321-04	
45	20-AUG-2021 03:33	08192145ECD7.D	1	21G0321-05	
46	20-AUG-2021 03:54	08192146ECD7.D	1	AR1248CCV7	
47	20-AUG-2021 04:14	08192147ECD7.D	1	AR1660CCV8	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

ARI Job No.: DDTS Method: PCB.m Instrument: ecd7.i Date: 19-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1019	08192101ECD7.D	DDTS		1	NO MANUAL INTEGRATION
1039	08192102ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1100	08192103ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1120	08192104ECD7.D	BJG0413-BLK1		1	NO MANUAL INTEGRATION
1141	08192105ECD7.D	BJG0413-BS1		1	NO MANUAL INTEGRATION
1201	08192106ECD7.D	21G0125-17		1	NO MANUAL INTEGRATION
1222	08192107ECD7.D	21G0125-17RE1		10	NO MANUAL INTEGRATION
1242	08192108ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION
1303	08192109ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
1536	08192110ECD7.D	RINSE		1	NO MANUAL INTEGRATION
1557	08192111ECD7.D	AR1242CCV3		1	Aroclor-1242,
1617	08192112ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION
1638	08192113ECD7.D	BJG0604-BLK1		1	NO MANUAL INTEGRATION
1658	08192114ECD7.D	BJG0604-BS1		1	NO MANUAL INTEGRATION
1719	08192115ECD7.D	BJG0604-BSD1		1	NO MANUAL INTEGRATION
1739	08192116ECD7.D	21G0308-01		1	NO MANUAL INTEGRATION
1800	08192117ECD7.D	21G0308-02		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1820	08192118ECD7.D	21G0308-03		1	NO MANUAL INTEGRATION
1841	08192119ECD7.D	21G0308-04		1	NO MANUAL INTEGRATION
1901	08192120ECD7.D	21G0308-05		1	NO MANUAL INTEGRATION
1922	08192121ECD7.D	21G0308-06		1	NO MANUAL INTEGRATION
1942	08192122ECD7.D	21G0308-07		1	NO MANUAL INTEGRATION
2003	08192123ECD7.D	21G0308-08		1	NO MANUAL INTEGRATION
2023	08192124ECD7.D	21G0308-09		1	NO MANUAL INTEGRATION
2044	08192125ECD7.D	21G0308-10		1	NO MANUAL INTEGRATION
2104	08192126ECD7.D	AR1254CCV5		1	NO MANUAL INTEGRATION
2124	08192127ECD7.D	AR1660CCV6		1	NO MANUAL INTEGRATION
2145	08192128ECD7.D	BJH0179-BLK1		1	NO MANUAL INTEGRATION
2205	08192129ECD7.D	BJH0179-BS1		1	NO MANUAL INTEGRATION
2226	08192130ECD7.D	BJH0179-MS1		1	NO MANUAL INTEGRATION
2246	08192131ECD7.D	BJH0179-MSD1		1	NO MANUAL INTEGRATION
2307	08192132ECD7.D	BJH0179-SRM1		1	NO MANUAL INTEGRATION
2327	08192133ECD7.D	21G0321-01		1	NO MANUAL INTEGRATION
2348	08192134ECD7.D	21G0321-02		1	NO MANUAL INTEGRATION
0008	08192135ECD7.D	21G0321-03		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0029	08192136ECD7.D	21G0330-01		1	Aroclor-1242, Aroclor-1254, Aroclor-1260, Tetrachloro-m-xylene,
0049	08192137ECD7.D	21G0330-02		1	Aroclor-1242, Aroclor-1254, Aroclor-1260, Tetrachloro-m-xylene,
0110	08192138ECD7.D	21G0330-03		1	NO MANUAL INTEGRATION
0130	08192139ECD7.D	BJH0193-BLK1		1	NO MANUAL INTEGRATION
0151	08192140ECD7.D	BJH0193-BS1		1	NO MANUAL INTEGRATION
0211	08192141ECD7.D	BJH0193-MS1		1	NO MANUAL INTEGRATION
0232	08192142ECD7.D	BJH0193-MSD1		1	NO MANUAL INTEGRATION
0252	08192143ECD7.D	BJH0193-SRM1		1	NO MANUAL INTEGRATION
0313	08192144ECD7.D	21G0321-04		1	NO MANUAL INTEGRATION
0333	08192145ECD7.D	21G0321-05		1	NO MANUAL INTEGRATION
0354	08192146ECD7.D	AR1248CCV7		1	NO MANUAL INTEGRATION
0414	08192147ECD7.D	AR1660CCV8		1	NO MANUAL INTEGRATION
1019	08192101ECD7.D	DDTS		1	NO MANUAL INTEGRATION
1039	08192102ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1100	08192103ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1120	08192104ECD7.D	BJG0413-BLK1		1	NO MANUAL INTEGRATION
1141	08192105ECD7.D	BJG0413-BS1		1	NO MANUAL INTEGRATION
1201	08192106ECD7.D	21G0125-17		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1222	08192107ECD7.D	21G0125-17RE1		10	NO MANUAL INTEGRATION
1242	08192108ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION
1303	08192109ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
1536	08192110ECD7.D	RINSE		1	NO MANUAL INTEGRATION
1557	08192111ECD7.D	AR1242CCV3		1	NO MANUAL INTEGRATION
1617	08192112ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION
1638	08192113ECD7.D	BJG0604-BLK1		1	NO MANUAL INTEGRATION
1658	08192114ECD7.D	BJG0604-BS1		1	NO MANUAL INTEGRATION
1719	08192115ECD7.D	BJG0604-BSD1		1	NO MANUAL INTEGRATION
1739	08192116ECD7.D	21G0308-01		1	NO MANUAL INTEGRATION
1800	08192117ECD7.D	21G0308-02		1	NO MANUAL INTEGRATION
1820	08192118ECD7.D	21G0308-03		1	NO MANUAL INTEGRATION
1841	08192119ECD7.D	21G0308-04		1	NO MANUAL INTEGRATION
1901	08192120ECD7.D	21G0308-05		1	NO MANUAL INTEGRATION
1922	08192121ECD7.D	21G0308-06		1	NO MANUAL INTEGRATION
1942	08192122ECD7.D	21G0308-07		1	NO MANUAL INTEGRATION
2003	08192123ECD7.D	21G0308-08		1	NO MANUAL INTEGRATION
2023	08192124ECD7.D	21G0308-09		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2044	08192125ECD7.D	21G0308-10		1	NO MANUAL INTEGRATION
2104	08192126ECD7.D	AR1254CCV5		1	NO MANUAL INTEGRATION
2124	08192127ECD7.D	AR1660CCV6		1	NO MANUAL INTEGRATION
2145	08192128ECD7.D	BJH0179-BLK1		1	NO MANUAL INTEGRATION
2205	08192129ECD7.D	BJH0179-BS1		1	NO MANUAL INTEGRATION
2226	08192130ECD7.D	BJH0179-MS1		1	NO MANUAL INTEGRATION
2246	08192131ECD7.D	BJH0179-MSD1		1	NO MANUAL INTEGRATION
2307	08192132ECD7.D	BJH0179-SRM1		1	NO MANUAL INTEGRATION
2327	08192133ECD7.D	21G0321-01		1	NO MANUAL INTEGRATION
2348	08192134ECD7.D	21G0321-02		1	NO MANUAL INTEGRATION
0008	08192135ECD7.D	21G0321-03		1	NO MANUAL INTEGRATION
0029	08192136ECD7.D	21G0330-01		1	NO MANUAL INTEGRATION
0049	08192137ECD7.D	21G0330-02		1	NO MANUAL INTEGRATION
0110	08192138ECD7.D	21G0330-03		1	NO MANUAL INTEGRATION
0130	08192139ECD7.D	BJH0193-BLK1		1	NO MANUAL INTEGRATION
0151	08192140ECD7.D	BJH0193-BS1		1	NO MANUAL INTEGRATION
0211	08192141ECD7.D	BJH0193-MS1		1	NO MANUAL INTEGRATION
0232	08192142ECD7.D	BJH0193-MSD1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\210819.b\210819.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
0252	08192143ECD7.D	BJH0193-SRM1		1	NO MANUAL INTEGRATION
0313	08192144ECD7.D	21G0321-04		1	NO MANUAL INTEGRATION
0333	08192145ECD7.D	21G0321-05		1	NO MANUAL INTEGRATION
0354	08192146ECD7.D	AR1248CCV7		1	NO MANUAL INTEGRATION
0414	08192147ECD7.D	AR1660CCV8		1	NO MANUAL INTEGRATION

Security Status Report

Date: 24-Aug-2021 15:30

08192101ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192102ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192103ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192104ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192105ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192106ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192107ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192108ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192109ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192110ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192111ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192112ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192113ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192114ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192115ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192116ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192117ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192118ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192119ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192120ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192121ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192122ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192123ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192124ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192125ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192126ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192127ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192128ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192129ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192130ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192131ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192132ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192133ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192134ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192135ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192136ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192137ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192138ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192139ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192140ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192141ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192142ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192143ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192144ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30

08192145ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192146ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30
08192147ECD7.D	Data Locked	jrains, 24-Aug-2021 15:30

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Dual Column

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
		Calibration:	EH00034

Sample Name	Lab Sample ID	Column 1 File ID	Column 2 File ID	Matrix	Analysis Date/Time
Initial Cal Check	SJH0396-ICV1	08272103ECD7.D	08272103ECD7.D	NA	08/27/21 16:39
Initial Cal Check	SJH0396-ICV2	08272104ECD7.D	08272104ECD7.D	NA	08/27/21 17:00
Calibration Check	SJH0396-CCV1	08272119ECD7.D	08272119ECD7.D	NA	08/27/21 22:06
Calibration Check	SJH0396-CCV2	08272120ECD7.D	08272120ECD7.D	NA	08/27/21 22:27
Blank	BJH0604-BLK1	08272121ECD7.D	08272121ECD7.D	Solid	08/27/21 22:47
LCS	BJH0604-BS1	08272122ECD7.D	08272122ECD7.D	Solid	08/27/21 23:08
LCS Dup	BJH0604-BSD1	08272123ECD7.D	08272123ECD7.D	Solid	08/27/21 23:28
Reference	BJH0604-SRM1	08272124ECD7.D	08272124ECD7.D	Solid	08/27/21 23:49
LDW21-IT701B	21G0330-01RE1	08272128ECD7.D	08272128ECD7.D	Solid	08/28/21 01:11
LDW21-IT701B	BJH0604-MS1	08272129ECD7.D	08272129ECD7.D	Solid	08/28/21 01:31
LDW21-IT701B	BJH0604-MSD1	08272130ECD7.D	08272130ECD7.D	Solid	08/28/21 01:51
LDW21-IT701C	21G0330-02RE1	08272131ECD7.D	08272131ECD7.D	Solid	08/28/21 02:12
LDW21-IT701E	21G0330-03RE1	08272132ECD7.D	08272132ECD7.D	Solid	08/28/21 02:32
Calibration Check	SJH0396-CCV3	08272133ECD7.D	08272133ECD7.D	NA	08/28/21 02:53
Calibration Check	SJH0396-CCV4	08272134ECD7.D	08272134ECD7.D	NA	08/28/21 03:13
Initial Cal Check	SJH0396-ICV3	08282102ECD7B.D	08282102ECD7B.D	NA	08/28/21 17:04
Initial Cal Check	SJH0396-ICV4	08282103ECD7B.D	08282103ECD7B.D	NA	08/28/21 17:24
Calibration Check	SJH0396-CCV5	08282109ECD7B.D	08282109ECD7B.D	NA	08/28/21 19:27
Calibration Check	SJH0396-CCV6	08282110ECD7B.D	08282110ECD7B.D	NA	08/28/21 19:47
Calibration Check	SJH0396-CCV7	08282112ECD7B.D	08282112ECD7B.D	NA	08/28/21 20:28
Calibration Check	SJH0396-CCV8	08282113ECD7B.D	08282113ECD7B.D	NA	08/28/21 20:49

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/30/2021 3:40:30PM

ANALYSIS SEQUENCE

SJH0396

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
SJH0396-ICV1	AR1254ICV1	QC		1	J008432	J008446	
SJH0396-ICV2	AR1660ICV2	QC		2	J008417	J008446	
BJH0448-BLK1	Blank	QC		3		J008446	
BJH0448-BS1	LCS	QC		4		J008446	
BJH0448-BSD1	LCS Dup	QC		5		J008446	
21H0176-01	DMM-SED-01	8082A PCB Solid 4	B 02	6		J008446	
BJH0448-MS1	Matrix Spike	QC		7		J008446	
BJH0448-MSD1	Matrix Spike Dup	QC		8		J008446	
21H0176-02	DMM-SED-02	8082A PCB Solid 4	B 02	9		J008446	
21H0176-03	DMM-SED-03	8082A PCB Solid 4	B 02	10		J008446	
BJH0407-BLK1	Blank	QC		11		J008446	
BJH0407-BS1	LCS	QC		12		J008446	
BJH0407-BSD1	LCS Dup	QC		13		J008446	
21H0116-01	SS-08-10-2021	608.3 PCBs 0.01 ug/L or 20 ug/kg	D 01	14		J008446	
SJH0396-CCV1	AR1248CCV1	QC		15	J008427	J008446	
SJH0396-CCV2	AR1660CCV2	QC		16	J008417	J008446	
BJH0604-BLK1	Blank	QC		17		J008446	
BJH0604-BS1	LCS	QC		18		J008446	
BJH0604-BSD1	LCS Dup	QC		19		J008446	
BJH0604-SRM1	Reference	QC		20		J008446	
21G0321-01RE1	LDW21-IT615A	8082A PCB Solid 4	A 02	21		J008446	From BJH0179 by JGR on 24-Aug-2021
21G0321-02RE1	LDW21-IT617A	8082A PCB Solid 4	A 02	22		J008446	From BJH0179 by JGR on 24-Aug-2021

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Printed: 8/30/2021 3:40:30PM

ANALYSIS SEQUENCE

SJH0396

Instrument: ECD7 Element Column ID: i10655i10656
Calibration ID: EH00034

Lab Number	Sample Name	Analysis	Container	Order	STD ID	ISTD ID	Comments
21G0321-03RE1	LDW21-IT618A	8082A PCB Solid 4	A 02	23		J008446	From BJH0179 by JGR on 24-Aug-2021
21G0330-01RE1	LDW21-IT701B	8082A PCB Solid 4	B 02	24		J008446	From BJH0179 by JGR on 24-Aug-2021
BJH0604-MS1	Matrix Spike	QC		25		J008446	
BJH0604-MSD1	Matrix Spike Dup	QC		26		J008446	
21G0330-02RE1	LDW21-IT701C	8082A PCB Solid 4	B 02	27		J008446	From BJH0179 by JGR on 24-Aug-2021
21G0330-03RE1	LDW21-IT701E	8082A PCB Solid 4	B 02	28		J008446	From BJH0179 by JGR on 24-Aug-2021
SJH0396-CCV3	AR1242CCV3	QC		29	J008422	J008446	
SJH0396-CCV4	AR1660CCV4	QC		30	J008417	J008446	

GC LOG SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\2108127.b

	Inject Date/Time	Filename	DF	LabID	ClientID
1	27-AUG-2021 15:58	08272101ECD7.D	1	RINSE	
2	27-AUG-2021 16:19	08272102ECD7.D	1	DDT	
3	27-AUG-2021 16:39	08272103ECD7.D	1	AR1254ICV1	
4	27-AUG-2021 17:00	08272104ECD7.D	1	AR1660ICV2	
5	27-AUG-2021 17:20	08272105ECD7.D	1	AR1660SCV20PPB	
6	27-AUG-2021 17:40	08272106ECD7.D	1	BJH0448-BLK1	
7	27-AUG-2021 18:01	08272107ECD7.D	1	BJH0448-BS1	
8	27-AUG-2021 18:21	08272108ECD7.D	1	BJH0448-BSD1	
9	27-AUG-2021 18:42	08272109ECD7.D	1	BJH0448-SRM1	
10	27-AUG-2021 19:02	08272110ECD7.D	1	21H0176-01	
11	27-AUG-2021 19:23	08272111ECD7.D	1	BJH0448-MS1	
12	27-AUG-2021 19:43	08272112ECD7.D	1	BJH0448-MSD1	
13	27-AUG-2021 20:04	08272113ECD7.D	1	21H0176-02	
14	27-AUG-2021 20:24	08272114ECD7.D	1	21H0176-03	
15	27-AUG-2021 20:45	08272115ECD7.D	1	BJH0407-BLK1	
16	27-AUG-2021 21:05	08272116ECD7.D	1	BJH0407-BS1	
17	27-AUG-2021 21:26	08272117ECD7.D	1	BJH0407-BSD1	
18	27-AUG-2021 21:46	08272118ECD7.D	1	21H0116-01	
19	27-AUG-2021 22:06	08272119ECD7.D	1	AR1248CCV1	
20	27-AUG-2021 22:27	08272120ECD7.D	1	AR1660CCV2	
21	27-AUG-2021 22:47	08272121ECD7.D	1	BJH0604-BLK1	
22	27-AUG-2021 23:08	08272122ECD7.D	1	BJH0604-BS1	
23	27-AUG-2021 23:28	08272123ECD7.D	1	BJH0604-BSD1	
24	27-AUG-2021 23:49	08272124ECD7.D	1	BJH0604-SRM1	
25	28-AUG-2021 00:09	08272125ECD7.D	1	21G0321-01RE1	
26	28-AUG-2021 00:30	08272126ECD7.D	1	21G0321-02RE1	
27	28-AUG-2021 00:50	08272127ECD7.D	1	21G0321-03RE1	
28	28-AUG-2021 01:11	08272128ECD7.D	1	21G0330-01RE1	
29	28-AUG-2021 01:31	08272129ECD7.D	1	BJH0604-MS1	
30	28-AUG-2021 01:51	08272130ECD7.D	1	BJH0604-MSD1	
31	28-AUG-2021 02:12	08272131ECD7.D	1	21G0330-02RE1	
32	28-AUG-2021 02:32	08272132ECD7.D	1	21G0330-03RE1	
33	28-AUG-2021 02:53	08272133ECD7.D	1	AR1242CCV3	
34	28-AUG-2021 03:13	08272134ECD7.D	1	AR1660CCV4	

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\2108127.b

ARI Job No.: RINS Method: PCB.m Instrument: ecd7.i Date: 27-AUG-2021

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1558	08272101ECD7.D	RINSE		1	NO MANUAL INTEGRATION
1619	08272102ECD7.D	DDT		1	NO MANUAL INTEGRATION
1639	08272103ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1700	08272104ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1720	08272105ECD7.D	AR1660SCV20PPB		1	NO MANUAL INTEGRATION
1740	08272106ECD7.D	BJH0448-BLK1		1	NO MANUAL INTEGRATION
1801	08272107ECD7.D	BJH0448-BS1		1	NO MANUAL INTEGRATION
1821	08272108ECD7.D	BJH0448-BSD1		1	NO MANUAL INTEGRATION
1842	08272109ECD7.D	BJH0448-SRM1		1	NO MANUAL INTEGRATION
1902	08272110ECD7.D	21H0176-01		1	NO MANUAL INTEGRATION
1923	08272111ECD7.D	BJH0448-MS1		1	NO MANUAL INTEGRATION
1943	08272112ECD7.D	BJH0448-MSD1		1	NO MANUAL INTEGRATION
2004	08272113ECD7.D	21H0176-02		1	NO MANUAL INTEGRATION
2024	08272114ECD7.D	21H0176-03		1	NO MANUAL INTEGRATION
2045	08272115ECD7.D	BJH0407-BLK1		1	NO MANUAL INTEGRATION
2105	08272116ECD7.D	BJH0407-BS1		1	NO MANUAL INTEGRATION
2126	08272117ECD7.D	BJH0407-BSD1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\2108127.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2146	08272118ECD7.D	21H0116-01		1	NO MANUAL INTEGRATION
2206	08272119ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION
2227	08272120ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
2247	08272121ECD7.D	BJH0604-BLK1		1	NO MANUAL INTEGRATION
2308	08272122ECD7.D	BJH0604-BS1		1	NO MANUAL INTEGRATION
2328	08272123ECD7.D	BJH0604-BSD1		1	NO MANUAL INTEGRATION
2349	08272124ECD7.D	BJH0604-SRM1		1	Aroclor-1016, Aroclor-1221, Aroclor-1232, Aroclor-1242, Aroclor-1248, Aroclor-1254, Aroclor-1260, Aroclor-1262, Tetrachloro-m-xylene,
0009	08272125ECD7.D	21G0321-01RE1		1	NO MANUAL INTEGRATION
0030	08272126ECD7.D	21G0321-02RE1		1	NO MANUAL INTEGRATION
0050	08272127ECD7.D	21G0321-03RE1		1	NO MANUAL INTEGRATION
0111	08272128ECD7.D	21G0330-01RE1		1	Aroclor-1016, Aroclor-1221, Aroclor-1232, Aroclor-1242, Aroclor-1248, Aroclor-1254, Aroclor-1260, Aroclor-1262, Aroclor-1268,
0131	08272129ECD7.D	BJH0604-MS1		1	NO MANUAL INTEGRATION
0151	08272130ECD7.D	BJH0604-MSD1		1	NO MANUAL INTEGRATION
0212	08272131ECD7.D	21G0330-02RE1		1	Aroclor-1016, Aroclor-1221, Aroclor-1232, Aroclor-1242, Aroclor-1248, Aroclor-1254, Aroclor-1260, Aroclor-1262, Aroclor-1268, Tetrachloro-m-xylene,
0232	08272132ECD7.D	21G0330-03RE1		1	NO MANUAL INTEGRATION
0253	08272133ECD7.D	AR1242CCV3		1	NO MANUAL INTEGRATION
0313	08272134ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION
1558	08272101ECD7.D	RINSE		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\2108127.b\2108127.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
1619	08272102ECD7.D	DDT		1	NO MANUAL INTEGRATION
1639	08272103ECD7.D	AR1254ICV1		1	NO MANUAL INTEGRATION
1700	08272104ECD7.D	AR1660ICV2		1	NO MANUAL INTEGRATION
1720	08272105ECD7.D	AR1660SCV20PPB		1	NO MANUAL INTEGRATION
1740	08272106ECD7.D	BJH0448-BLK1		1	NO MANUAL INTEGRATION
1801	08272107ECD7.D	BJH0448-BS1		1	NO MANUAL INTEGRATION
1821	08272108ECD7.D	BJH0448-BSD1		1	NO MANUAL INTEGRATION
1842	08272109ECD7.D	BJH0448-SRM1		1	NO MANUAL INTEGRATION
1902	08272110ECD7.D	21H0176-01		1	Aroclor-1232 [2C], Aroclor-1242 [2C], Aroclor-1248 [2C], Aroclor-1254 [2C], Aroclor-1260 [2C], Aroclor-1262 [2C], Aroclor-1268 [2C], IS-HBBP [2C], Decachlorobiphenyl [2C],
1923	08272111ECD7.D	BJH0448-MS1		1	NO MANUAL INTEGRATION
1943	08272112ECD7.D	BJH0448-MSD1		1	NO MANUAL INTEGRATION
2004	08272113ECD7.D	21H0176-02		1	Aroclor-1232 [2C], Aroclor-1242 [2C], Aroclor-1248 [2C], Aroclor-1254 [2C], Aroclor-1260 [2C], Aroclor-1262 [2C], Aroclor-1268 [2C], Decachlorobiphenyl [2C],
2024	08272114ECD7.D	21H0176-03		1	NO MANUAL INTEGRATION
2045	08272115ECD7.D	BJH0407-BLK1		1	NO MANUAL INTEGRATION
2105	08272116ECD7.D	BJH0407-BS1		1	NO MANUAL INTEGRATION
2126	08272117ECD7.D	BJH0407-BSD1		1	NO MANUAL INTEGRATION
2146	08272118ECD7.D	21H0116-01		1	NO MANUAL INTEGRATION
2206	08272119ECD7.D	AR1248CCV1		1	NO MANUAL INTEGRATION

MANUAL INTEGRATION SUMMARY FOR DATABATCH - \\target\share\chem4\ecd7.i\2108127.b\2108127.b

Time	Filename	LabID	ClientId	DF	Manually Integrated Compounds
2227	08272120ECD7.D	AR1660CCV2		1	NO MANUAL INTEGRATION
2247	08272121ECD7.D	BJH0604-BLK1		1	NO MANUAL INTEGRATION
2308	08272122ECD7.D	BJH0604-BS1		1	NO MANUAL INTEGRATION
2328	08272123ECD7.D	BJH0604-BSD1		1	NO MANUAL INTEGRATION
2349	08272124ECD7.D	BJH0604-SRM1		1	Aroclor-1242 [2C], Aroclor-1248 [2C], Aroclor-1254 [2C], Aroclor-1262 [2C],
0009	08272125ECD7.D	21G0321-01RE1		1	NO MANUAL INTEGRATION
0030	08272126ECD7.D	21G0321-02RE1		1	NO MANUAL INTEGRATION
0050	08272127ECD7.D	21G0321-03RE1		1	NO MANUAL INTEGRATION
0111	08272128ECD7.D	21G0330-01RE1		1	NO MANUAL INTEGRATION
0131	08272129ECD7.D	BJH0604-MS1		1	NO MANUAL INTEGRATION
0151	08272130ECD7.D	BJH0604-MSD1		1	NO MANUAL INTEGRATION
0212	08272131ECD7.D	21G0330-02RE1		1	NO MANUAL INTEGRATION
0232	08272132ECD7.D	21G0330-03RE1		1	NO MANUAL INTEGRATION
0253	08272133ECD7.D	AR1242CCV3		1	NO MANUAL INTEGRATION
0313	08272134ECD7.D	AR1660CCV4		1	NO MANUAL INTEGRATION

Security Status Report

Date: 30-Aug-2021 15:32

08272101ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272102ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272103ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272104ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272105ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272106ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272107ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272108ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272109ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272110ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272111ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272112ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272113ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272114ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272115ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272116ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272117ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272118ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272119ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272120ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272121ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272122ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272123ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272124ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272125ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272126ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272127ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272128ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272129ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272130ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272131ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272132ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272133ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32
08272134ECD7.D	Data Locked	jrains, 30-Aug-2021 15:32

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0177	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0177-SCV1 (Solid)			Lab File ID: 08132141ECD7.D				Analyzed: 08/14/21 08:21	
Decachlorobiphenyl	40.000	105	80 - 120	13.166	13.16367	0.0023	N/A	
Tetrachlorometaxylene	40.000	109	80 - 120	5.071	5.0675	0.0035	N/A	
Decachlorobiphenyl [2C]	40.000	103	80 - 120	13.847	13.846	0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	105	80 - 120	5.416	5.412667	0.0033	N/A	
SJH0177-SCV2 (Solid)			Lab File ID: 08132142ECD7.D				Analyzed: 08/14/21 08:41	
Decachlorobiphenyl	40.000	101	80 - 120	13.166	13.16367	0.0023	N/A	
Tetrachlorometaxylene	40.000	106	80 - 120	5.071	5.0675	0.0035	N/A	
Decachlorobiphenyl [2C]	40.000	100	80 - 120	13.848	13.846	0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	103	80 - 120	5.415	5.412667	0.0023	N/A	
SJH0177-SCV3 (Solid)			Lab File ID: 08132143ECD7.D				Analyzed: 08/14/21 09:02	
Decachlorobiphenyl	40.000	98.7	80 - 120	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	40.000	104	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	96.1	80 - 120	13.848	13.846	0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	101	80 - 120	5.415	5.412667	0.0023	N/A	
SJH0177-SCV4 (Solid)			Lab File ID: 08132144ECD7.D				Analyzed: 08/14/21 09:22	
Decachlorobiphenyl	40.000	100	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	107	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	96.6	80 - 120	13.848	13.846	0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	104	80 - 120	5.415	5.412667	0.0023	N/A	
SJH0177-SCV5 (Solid)			Lab File ID: 08132145ECD7.D				Analyzed: 08/14/21 09:43	
Decachlorobiphenyl	40.000	97.1	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	101	80 - 120	5.071	5.0675	0.0035	N/A	
Decachlorobiphenyl [2C]	40.000	94.1	80 - 120	13.848	13.846	0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	97.9	80 - 120	5.416	5.412667	0.0033	N/A	
SJH0177-SCV6 (Solid)			Lab File ID: 08132146ECD7.D				Analyzed: 08/14/21 10:03	
Decachlorobiphenyl	40.000	149	80 - 200	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	103	80 - 120	5.071	5.0675	0.0035	N/A	
Decachlorobiphenyl [2C]	40.000	148	80 - 200	13.848	13.846	0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	99.2	80 - 120	5.416	5.412667	0.0033	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0254	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0254-ICV1 (Water)			Lab File ID: 08192102ECD7.D				Analyzed: 08/19/21 10:39	
Decachlorobiphenyl	40.000	102	0 - 200	13.166	13.16367	0.0023	N/A	
Tetrachlorometaxylene	40.000	104	0 - 200	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	91.3	0 - 200	13.845	13.846	-0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	102	0 - 200	5.41	5.412667	-0.0027	N/A	
SJH0254-ICV2 (Water)			Lab File ID: 08192103ECD7.D				Analyzed: 08/19/21 11:00	
Decachlorobiphenyl	40.000	106	0 - 200	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	109	0 - 200	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	95.0	0 - 200	13.846	13.846	0.0000	N/A	
Tetrachlorometaxylene [2C]	40.000	105	0 - 200	5.411	5.412667	-0.0017	N/A	
SJH0254-CCV1 (Water)			Lab File ID: 08192108ECD7.D				Analyzed: 08/19/21 12:42	
Decachlorobiphenyl	40.000	103	0 - 200	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	104	0 - 200	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	90.8	0 - 200	13.844	13.846	-0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	100	0 - 200	5.41	5.412667	-0.0027	N/A	
SJH0254-CCV2 (Water)			Lab File ID: 08192109ECD7.D				Analyzed: 08/19/21 13:03	
Decachlorobiphenyl	40.000	106	0 - 200	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	40.000	108	0 - 200	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	95.3	0 - 200	13.845	13.846	-0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	105	0 - 200	5.411	5.412667	-0.0017	N/A	
SJH0254-CCV3 (Water)			Lab File ID: 08192111ECD7.D				Analyzed: 08/19/21 15:57	
Decachlorobiphenyl	40.000	100	0 - 200	13.167	13.16367	0.0033	N/A	
Tetrachlorometaxylene	40.000	106	0 - 200	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	91.3	0 - 200	13.846	13.846	0.0000	N/A	
Tetrachlorometaxylene [2C]	40.000	103	0 - 200	5.41	5.412667	-0.0027	N/A	
SJH0254-CCV4 (Water)			Lab File ID: 08192112ECD7.D				Analyzed: 08/19/21 16:17	
Decachlorobiphenyl	40.000	105	0 - 200	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	108	0 - 200	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	93.0	0 - 200	13.844	13.846	-0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	105	0 - 200	5.412	5.412667	-0.0007	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0254	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0254-CCV5 (Water)			Lab File ID: 08192126ECD7.D				Analyzed: 08/19/21 21:04	
Decachlorobiphenyl	40.000	100	0 - 200	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	40.000	106	0 - 200	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	95.3	0 - 200	13.845	13.846	-0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	103	0 - 200	5.411	5.412667	-0.0017	N/A	
SJH0254-CCV6 (Water)			Lab File ID: 08192127ECD7.D				Analyzed: 08/19/21 21:24	
Decachlorobiphenyl	40.000	104	0 - 200	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	109	0 - 200	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	94.5	0 - 200	13.845	13.846	-0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	106	0 - 200	5.412	5.412667	-0.0007	N/A	
BJH0179-BLK1 (Solid)			Lab File ID: 08192128ECD7.D				Analyzed: 08/19/21 21:45	
Decachlorobiphenyl	8.0000	105	40 - 126	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	8.0000	100	44 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	8.0000	101	40 - 126	13.845	13.846	-0.0010	N/A	
Tetrachlorometaxylene [2C]	8.0000	96.2	44 - 120	5.411	5.412667	-0.0017	N/A	
BJH0179-BS1 (Solid)			Lab File ID: 08192129ECD7.D				Analyzed: 08/19/21 22:05	
Decachlorobiphenyl	8.0000	164	40 - 126	13.16	13.16367	-0.0037	N/A	*
Tetrachlorometaxylene	8.0000	152	44 - 120	5.066	5.0675	-0.0015	N/A	*
Decachlorobiphenyl [2C]	8.0000	142	40 - 126	13.842	13.846	-0.0040	N/A	*
Tetrachlorometaxylene [2C]	8.0000	134	44 - 120	5.41	5.412667	-0.0027	N/A	*
BJH0179-SRM1 (Solid)			Lab File ID: 08192132ECD7.D				Analyzed: 08/19/21 23:07	
Decachlorobiphenyl	40.000	83.6	40 - 126	13.159	13.16367	-0.0047	N/A	
Tetrachlorometaxylene	40.000	80.0	44 - 120	5.066	5.0675	-0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	69.9	40 - 126	13.84	13.846	-0.0060	N/A	
Tetrachlorometaxylene [2C]	40.000	74.8	44 - 120	5.409	5.412667	-0.0037	N/A	
SJH0254-CCV7 (Water)			Lab File ID: 08192146ECD7.D				Analyzed: 08/20/21 03:54	
Decachlorobiphenyl	40.000	101	0 - 200	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	104	0 - 200	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	95.5	0 - 200	13.846	13.846	0.0000	N/A	
Tetrachlorometaxylene [2C]	40.000	100	0 - 200	5.411	5.412667	-0.0017	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0254	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/13/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0254-CCV8 (Water)			Lab File ID: 08192147ECD7.D				Analyzed: 08/20/21 04:14	
Decachlorobiphenyl	40.000	104	0 - 200	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	106	0 - 200	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	97.5	0 - 200	13.849	13.846	0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	103	0 - 200	5.411	5.412667	-0.0017	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0396-ICV1 (Solid)			Lab File ID: 08272103ECD7.D				Analyzed: 08/27/21 16:39	
Decachlorobiphenyl	40.000	105	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	105	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	94.3	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	102	80 - 120	5.412	5.412667	-0.0007	N/A	
SJH0396-ICV2 (Solid)			Lab File ID: 08272104ECD7.D				Analyzed: 08/27/21 17:00	
Decachlorobiphenyl	40.000	108	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	109	80 - 120	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	97.5	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	105	80 - 120	5.412	5.412667	-0.0007	N/A	
SJH0396-CCV1 (Solid)			Lab File ID: 08272119ECD7.D				Analyzed: 08/27/21 22:06	
Decachlorobiphenyl	40.000	104	80 - 120	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	103	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	89.5	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	98.8	80 - 120	5.413	5.412667	0.0003	N/A	
SJH0396-CCV2 (Solid)			Lab File ID: 08272120ECD7.D				Analyzed: 08/27/21 22:27	
Decachlorobiphenyl	40.000	105	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	106	80 - 120	5.071	5.0675	0.0035	N/A	
Decachlorobiphenyl [2C]	40.000	96.3	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	102	80 - 120	5.414	5.412667	0.0013	N/A	
BJH0604-BLK1 (Solid)			Lab File ID: 08272121ECD7.D				Analyzed: 08/27/21 22:47	
Decachlorobiphenyl	8.0000	80.7	40 - 126	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	8.0000	77.4	44 - 120	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	8.0000	74.6	40 - 126	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	8.0000	72.7	44 - 120	5.412	5.412667	-0.0007	N/A	
BJH0604-BS1 (Solid)			Lab File ID: 08272122ECD7.D				Analyzed: 08/27/21 23:08	
Decachlorobiphenyl	8.0000	77.2	40 - 126	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	8.0000	72.9	44 - 120	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	8.0000	71.7	40 - 126	13.842	13.846	-0.0040	N/A	
Tetrachlorometaxylene [2C]	8.0000	69.1	44 - 120	5.412	5.412667	-0.0007	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/kg wet	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
BJH0604-BSD1 (Solid)			Lab File ID: 08272123ECD7.D				Analyzed: 08/27/21 23:28	
Decachlorobiphenyl	8.0000	82.7	40 - 126	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	8.0000	76.7	44 - 120	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	8.0000	76.4	40 - 126	13.842	13.846	-0.0040	N/A	
Tetrachlorometaxylene [2C]	8.0000	72.5	44 - 120	5.412	5.412667	-0.0007	N/A	
BJH0604-SRM1 (Solid)			Lab File ID: 08272124ECD7.D				Analyzed: 08/27/21 23:49	
Decachlorobiphenyl	40.000	72.6	40 - 126	13.157	13.16367	-0.0067	N/A	
Tetrachlorometaxylene	40.000	72.3	44 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	60.2	40 - 126	13.837	13.846	-0.0090	N/A	
Tetrachlorometaxylene [2C]	40.000	64.3	44 - 120	5.41	5.412667	-0.0027	N/A	
21G0330-01RE1 (Solid)			Lab File ID: 08272128ECD7.D				Analyzed: 08/28/21 01:11	
Decachlorobiphenyl	7.9992	78.0	40 - 126	13.159	13.16367	-0.0047	N/A	
Tetrachlorometaxylene	7.9992	72.8	44 - 120	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	7.9992	61.8	40 - 126	13.839	13.846	-0.0070	N/A	
Tetrachlorometaxylene [2C]	7.9992	65.3	44 - 120	5.41	5.412667	-0.0027	N/A	
BJH0604-MS1 (Solid)			Lab File ID: 08272129ECD7.D				Analyzed: 08/28/21 01:31	
Decachlorobiphenyl	7.9992	81.4	40 - 126	13.158	13.16367	-0.0057	N/A	
Tetrachlorometaxylene	7.9992	78.3	44 - 120	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	7.9992	66.1	40 - 126	13.839	13.846	-0.0070	N/A	
Tetrachlorometaxylene [2C]	7.9992	69.4	44 - 120	5.411	5.412667	-0.0017	N/A	
BJH0604-MSD1 (Solid)			Lab File ID: 08272130ECD7.D				Analyzed: 08/28/21 01:51	
Decachlorobiphenyl	7.9992	78.6	40 - 126	13.158	13.16367	-0.0057	N/A	
Tetrachlorometaxylene	7.9992	72.4	44 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	7.9992	63.5	40 - 126	13.839	13.846	-0.0070	N/A	
Tetrachlorometaxylene [2C]	7.9992	64.2	44 - 120	5.411	5.412667	-0.0017	N/A	
21G0330-02RE1 (Solid)			Lab File ID: 08272131ECD7.D				Analyzed: 08/28/21 02:12	
Decachlorobiphenyl	8.0005	85.0	40 - 126	13.16	13.16367	-0.0037	N/A	
Tetrachlorometaxylene	8.0005	80.7	44 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	8.0005	68.4	40 - 126	13.841	13.846	-0.0050	N/A	
Tetrachlorometaxylene [2C]	8.0005	72.3	44 - 120	5.411	5.412667	-0.0017	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/14/2021

Surrogate Compound	Spike Level ug/kg dry	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
21G0330-03RE1 (Solid)			Lab File ID: 08272132ECD7.D				Analyzed: 08/28/21 02:32	
Decachlorobiphenyl	7.9981	76.9	40 - 126	13.16	13.16367	-0.0037	N/A	
Tetrachlorometaxylene	7.9981	73.6	44 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	7.9981	63.9	40 - 126	13.839	13.846	-0.0070	N/A	
Tetrachlorometaxylene [2C]	7.9981	67.4	44 - 120	5.411	5.412667	-0.0017	N/A	
SJH0396-CCV3 (Solid)			Lab File ID: 08272133ECD7.D				Analyzed: 08/28/21 02:53	
Decachlorobiphenyl	40.000	102	80 - 120	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	40.000	103	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	93.5	80 - 120	13.844	13.846	-0.0020	N/A	
Tetrachlorometaxylene [2C]	40.000	97.5	80 - 120	5.413	5.412667	0.0003	N/A	
SJH0396-CCV4 (Solid)			Lab File ID: 08272134ECD7.D				Analyzed: 08/28/21 03:13	
Decachlorobiphenyl	40.000	105	80 - 120	13.166	13.16367	0.0023	N/A	
Tetrachlorometaxylene	40.000	105	80 - 120	5.069	5.0675	0.0015	N/A	
Decachlorobiphenyl [2C]	40.000	95.5	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	99.5	80 - 120	5.413	5.412667	0.0003	N/A	
SJH0396-ICV3 (Solid)			Lab File ID: 08282102ECD7B.D				Analyzed: 08/28/21 17:04	
Decachlorobiphenyl	40.000	115	80 - 120	13.167	13.16367	0.0033	N/A	
Tetrachlorometaxylene	40.000	101	80 - 120	5.07	5.0675	0.0025	N/A	
Decachlorobiphenyl [2C]	40.000	106	80 - 120	13.847	13.846	0.0010	N/A	
Tetrachlorometaxylene [2C]	40.000	97.5	80 - 120	5.41	5.412667	-0.0027	N/A	
SJH0396-ICV4 (Solid)			Lab File ID: 08282103ECD7B.D				Analyzed: 08/28/21 17:24	
Decachlorobiphenyl	40.000	108	80 - 120	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	109	80 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	96.5	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	105	80 - 120	5.41	5.412667	-0.0027	N/A	
SJH0396-CCV5 (Solid)			Lab File ID: 08282109ECD7B.D				Analyzed: 08/28/21 19:27	
Decachlorobiphenyl	40.000	104	80 - 120	13.164	13.16367	0.0003	N/A	
Tetrachlorometaxylene	40.000	103	80 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	93.5	80 - 120	13.842	13.846	-0.0040	N/A	
Tetrachlorometaxylene [2C]	40.000	99.3	80 - 120	5.412	5.412667	-0.0007	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

SURROGATE RECOVERY AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG/WO:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
Calibration:	EH00034	Calibration Date:	08/13/2021

Surrogate Compound	Spike Level ug/L	% Recovery	Recovery Limits	RT	Calibration Mean RT	RT Diff	RT Diff Limit	Q
SJH0396-CCV6 (Solid)			Lab File ID: 08282110ECD7B.D				Analyzed: 08/28/21 19:47	
Decachlorobiphenyl	40.000	106	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	107	80 - 120	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	96.8	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	104	80 - 120	5.411	5.412667	-0.0017	N/A	
SJH0396-CCV7 (Solid)			Lab File ID: 08282112ECD7B.D				Analyzed: 08/28/21 20:28	
Decachlorobiphenyl	40.000	102	80 - 120	13.165	13.16367	0.0013	N/A	
Tetrachlorometaxylene	40.000	103	80 - 120	5.068	5.0675	0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	95.3	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	99.8	80 - 120	5.411	5.412667	-0.0017	N/A	
SJH0396-CCV8 (Solid)			Lab File ID: 08282113ECD7B.D				Analyzed: 08/28/21 20:49	
Decachlorobiphenyl	40.000	105	80 - 120	13.163	13.16367	-0.0007	N/A	
Tetrachlorometaxylene	40.000	106	80 - 120	5.067	5.0675	-0.0005	N/A	
Decachlorobiphenyl [2C]	40.000	96.8	80 - 120	13.843	13.846	-0.0030	N/A	
Tetrachlorometaxylene [2C]	40.000	103	80 - 120	5.41	5.412667	-0.0027	N/A	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INTERNAL STANDARD AREA AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0177	Instrument:	ECD7
		Calibration:	EH00034

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
Secondary Cal Check (SJH0177-SCV1)		(Solid)		Lab File ID: 08132141ECD7.D				Analyzed: 08/14/21 08:21	
1-Bromo-2-Nitrobenzene	247644	2.856				50 - 200		+/-0.50	
Hexabromobiphenyl	438534	13.52				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	705551	3.645				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	973863	14.744				50 - 200		+/-0.50	
Secondary Cal Check (SJH0177-SCV2)		(Solid)		Lab File ID: 08132142ECD7.D				Analyzed: 08/14/21 08:41	
1-Bromo-2-Nitrobenzene	258029	2.855				50 - 200		+/-0.50	
Hexabromobiphenyl	455205	13.52				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	724238	3.645				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	1002202	14.745				50 - 200		+/-0.50	
Secondary Cal Check (SJH0177-SCV3)		(Solid)		Lab File ID: 08132143ECD7.D				Analyzed: 08/14/21 09:02	
1-Bromo-2-Nitrobenzene	264526	2.854				50 - 200		+/-0.50	
Hexabromobiphenyl	465895	13.52				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	740726	3.644				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	1045189	14.744				50 - 200		+/-0.50	
Secondary Cal Check (SJH0177-SCV4)		(Solid)		Lab File ID: 08132144ECD7.D				Analyzed: 08/14/21 09:22	
1-Bromo-2-Nitrobenzene	260417	2.853				50 - 200		+/-0.50	
Hexabromobiphenyl	458139	13.52				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	730797	3.644				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	1034233	14.745				50 - 200		+/-0.50	
Secondary Cal Check (SJH0177-SCV5)		(Solid)		Lab File ID: 08132145ECD7.D				Analyzed: 08/14/21 09:43	
1-Bromo-2-Nitrobenzene	269058	2.856				50 - 200		+/-0.50	
Hexabromobiphenyl	467004	13.521				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	745766	3.646				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	1054321	14.744				50 - 200		+/-0.50	
Secondary Cal Check (SJH0177-SCV6)		(Solid)		Lab File ID: 08132146ECD7.D				Analyzed: 08/14/21 10:03	
1-Bromo-2-Nitrobenzene	263445	2.855				50 - 200		+/-0.50	
Hexabromobiphenyl	458283	13.52				50 - 200		+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	736133	3.645				50 - 200		+/-0.50	
Hexabromobiphenyl [2C]	1049914	14.745				50 - 200		+/-0.50	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INTERNAL STANDARD AREA AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0254	Instrument:	ECD7
		Calibration:	EH00034

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
Initial Cal Check (SJH0254-ICV1)		(Water)		Lab File ID: 08192102ECD7.D				Analyzed: 08/19/21 10:39	
1-Bromo-2-Nitrobenzene	260575	2.854	260575	2.854	100	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl	434954	13.521	434954	13.521	100	50 - 200	0.000	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	728411	3.641	728411	3.641	100	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl [2C]	924965	14.74	924965	14.74	100	50 - 200	0.000	+/-0.50	
Initial Cal Check (SJH0254-ICV2)		(Water)		Lab File ID: 08192103ECD7.D				Analyzed: 08/19/21 11:00	
1-Bromo-2-Nitrobenzene	251059	2.855	260575	2.854	96	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	417994	13.518	434954	13.521	96	50 - 200	-0.003	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	716282	3.642	728411	3.641	98	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl [2C]	927894	14.74	924965	14.74	100	50 - 200	0.000	+/-0.50	
Blank (BJH0179-BLK1)		(Solid)		Lab File ID: 08192128ECD7.D				Analyzed: 08/19/21 21:45	
1-Bromo-2-Nitrobenzene	276713	2.855	260575	2.854	106	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	513549	13.516	434954	13.521	118	50 - 200	-0.005	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	779279	3.643	728411	3.641	107	50 - 200	0.002	+/-0.50	
Hexabromobiphenyl [2C]	1225775	14.738	924965	14.74	133	50 - 200	-0.002	+/-0.50	
LCS (BJH0179-BS1)		(Solid)		Lab File ID: 08192129ECD7.D				Analyzed: 08/19/21 22:05	
1-Bromo-2-Nitrobenzene	279255	2.855	260575	2.854	107	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	419772	13.512	434954	13.521	97	50 - 200	-0.009	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	774764	3.641	728411	3.641	106	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl [2C]	1129011	14.735	924965	14.74	122	50 - 200	-0.005	+/-0.50	
Reference (BJH0179-SRM1)		(Solid)		Lab File ID: 08192132ECD7.D				Analyzed: 08/19/21 23:07	
1-Bromo-2-Nitrobenzene	273215	2.854	260575	2.854	105	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl	405308	13.51	434954	13.521	93	50 - 200	-0.011	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	768530	3.641	728411	3.641	106	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl [2C]	1108607	14.734	924965	14.74	120	50 - 200	-0.006	+/-0.50	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INTERNAL STANDARD AREA AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
		Calibration:	EH00034

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
Initial Cal Check (SJH0396-ICV1)		(Solid)		Lab File ID: 08272103ECD7.D				Analyzed: 08/27/21 16:39	
1-Bromo-2-Nitrobenzene	257382	2.853	282704	2.852	91	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	413416	13.519	485479	13.52	85	50 - 200	-0.001	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	692364	3.642	752712	3.638	92	50 - 200	0.004	+/-0.50	
Hexabromobiphenyl [2C]	898806	14.738	1073483	14.74	84	50 - 200	-0.002	+/-0.50	
Initial Cal Check (SJH0396-ICV2)		(Solid)		Lab File ID: 08272104ECD7.D				Analyzed: 08/27/21 17:00	
1-Bromo-2-Nitrobenzene	244971	2.851	282704	2.852	87	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl	394390	13.519	485479	13.52	81	50 - 200	-0.001	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	670867	3.641	752712	3.638	89	50 - 200	0.003	+/-0.50	
Hexabromobiphenyl [2C]	880368	14.738	1073483	14.74	82	50 - 200	-0.002	+/-0.50	
Blank (BJH0604-BLK1)		(Solid)		Lab File ID: 08272121ECD7.D				Analyzed: 08/27/21 22:47	
1-Bromo-2-Nitrobenzene	257413	2.852	282704	2.852	91	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl	458995	13.517	485479	13.52	95	50 - 200	-0.003	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	696987	3.641	752712	3.638	93	50 - 200	0.003	+/-0.50	
Hexabromobiphenyl [2C]	1087353	14.739	1073483	14.74	101	50 - 200	-0.001	+/-0.50	
LCS (BJH0604-BS1)		(Solid)		Lab File ID: 08272122ECD7.D				Analyzed: 08/27/21 23:08	
1-Bromo-2-Nitrobenzene	276037	2.851	282704	2.852	98	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl	494947	13.518	485479	13.52	102	50 - 200	-0.002	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	741441	3.639	752712	3.638	99	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl [2C]	1177166	14.737	1073483	14.74	110	50 - 200	-0.003	+/-0.50	
LCS Dup (BJH0604-BSD1)		(Solid)		Lab File ID: 08272123ECD7.D				Analyzed: 08/27/21 23:28	
1-Bromo-2-Nitrobenzene	276178	2.85	282704	2.852	98	50 - 200	-0.002	+/-0.50	
Hexabromobiphenyl	492904	13.516	485479	13.52	102	50 - 200	-0.004	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	739762	3.639	752712	3.638	98	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl [2C]	1170091	14.737	1073483	14.74	109	50 - 200	-0.003	+/-0.50	
Reference (BJH0604-SRM1)		(Solid)		Lab File ID: 08272124ECD7.D				Analyzed: 08/27/21 23:49	
1-Bromo-2-Nitrobenzene	294169	2.851	282704	2.852	104	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl	427483	13.509	485479	13.52	88	50 - 200	-0.011	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	767860	3.639	752712	3.638	102	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl [2C]	1135755	14.732	1073483	14.74	106	50 - 200	-0.008	+/-0.50	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INTERNAL STANDARD AREA AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
		Calibration:	EH00034

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
LDW21-IT701B (21G0330-01RE1)		(Solid)		Lab File ID: 08272128ECD7.D				Analyzed: 08/28/21 01:11	
1-Bromo-2-Nitrobenzene	285510	2.852	244971	2.851	117	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	434423	13.511	394390	13.519	110	50 - 200	-0.008	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	739456	3.64	670867	3.641	110	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl [2C]	1139874	14.734	880368	14.738	129	50 - 200	-0.004	+/-0.50	
Matrix Spike (BJH0604-MS1)		(Solid)		Lab File ID: 08272129ECD7.D				Analyzed: 08/28/21 01:31	
1-Bromo-2-Nitrobenzene	269858	2.851	282704	2.852	95	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl	413517	13.511	485479	13.52	85	50 - 200	-0.009	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	712651	3.639	752712	3.638	95	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl [2C]	1086293	14.733	1073483	14.74	101	50 - 200	-0.007	+/-0.50	
Matrix Spike Dup (BJH0604-MSD1)		(Solid)		Lab File ID: 08272130ECD7.D				Analyzed: 08/28/21 01:51	
1-Bromo-2-Nitrobenzene	280830	2.853	282704	2.852	99	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	420766	13.512	485479	13.52	87	50 - 200	-0.008	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	727816	3.641	752712	3.638	97	50 - 200	0.003	+/-0.50	
Hexabromobiphenyl [2C]	1111919	14.734	1073483	14.74	104	50 - 200	-0.006	+/-0.50	
LDW21-IT701C (21G0330-02RE1)		(Solid)		Lab File ID: 08272131ECD7.D				Analyzed: 08/28/21 02:12	
1-Bromo-2-Nitrobenzene	274899	2.852	244971	2.851	112	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	429427	13.512	394390	13.519	109	50 - 200	-0.007	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	716736	3.64	670867	3.641	107	50 - 200	-0.001	+/-0.50	
Hexabromobiphenyl [2C]	1112677	14.734	880368	14.738	126	50 - 200	-0.004	+/-0.50	
LDW21-IT701E (21G0330-03RE1)		(Solid)		Lab File ID: 08272132ECD7.D				Analyzed: 08/28/21 02:32	
1-Bromo-2-Nitrobenzene	275580	2.852	244971	2.851	112	50 - 200	0.001	+/-0.50	
Hexabromobiphenyl	425155	13.513	394390	13.519	108	50 - 200	-0.006	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	730254	3.639	670867	3.641	109	50 - 200	-0.002	+/-0.50	
Hexabromobiphenyl [2C]	1117889	14.735	880368	14.738	127	50 - 200	-0.003	+/-0.50	
Initial Cal Check (SJH0396-ICV3)		(Solid)		Lab File ID: 08282102ECD7B.D				Analyzed: 08/28/21 17:04	
1-Bromo-2-Nitrobenzene	282704	2.852	282704	2.852	100	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl	485479	13.52	485479	13.52	100	50 - 200	0.000	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	752712	3.638	752712	3.638	100	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl [2C]	1073483	14.74	1073483	14.74	100	50 - 200	0.000	+/-0.50	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INTERNAL STANDARD AREA AND RT SUMMARY

EPA 8082A

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0396	Instrument:	ECD7
		Calibration:	EH00034

Internal Standard	Response	RT	Reference Response	Reference RT	Area %	Area % Limits	RT Diff	RT Diff Limit	Q
Initial Cal Check (SJH0396-ICV4)		(Solid)	Lab File ID: 08282103ECD7B.D					Analyzed: 08/28/21 17:24	
1-Bromo-2-Nitrobenzene	230995	2.85	282704	2.852	82	50 - 200	-0.002	+/-0.50	
Hexabromobiphenyl	372012	13.52	485479	13.52	77	50 - 200	0.000	+/-0.50	
1-Bromo-2-Nitrobenzene [2C]	612899	3.638	752712	3.638	81	50 - 200	0.000	+/-0.50	
Hexabromobiphenyl [2C]	832803	14.737	1073483	14.74	78	50 - 200	-0.003	+/-0.50	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

DUAL COLUMN CONFIRMATION SUMMARY

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC			Project:	Lower Duwamish AOC4
Matrix:	Sediment	Laboratory ID:	21G0330-01RE1	File ID:	08272128ECD7.D
Sampled:	07/26/21 18:10	Prepared:	08/25/21 13:40	Analyzed:	08/28/21 01:11
Solids:	78.28	Preparation:	EPA 3546 (Microwave)	Instrument:	ECD7
Batch:	BJH0604	Sequence:	SJH0396		
GC Column(1):	ZB5			GC Column(2):	ZB35

COMPOUND	COL	RT	EXP RT	RT DIFF	AREA	CONC	RPD
Aroclor 1248	* 1	8.67	8.6755	0.0055	18550.5	23.9	9.6
	2	9.364	9.385333	0.0213	40141.25	21.7	
Aroclor 1254	* 1	9.86	9.868333	0.00833	14907.6	14.3	27.9
	2	10.129	10.155	0.026	42689.4	10.8	
Aroclor 1260	* 1	11.549	11.55517	0.00617	2664.4	2.2	20.
	2	12.963	12.9715	0.0085	13033.75	1.8	

* Column used for quantitation

Analytical Resources, Incorporated
Analytical Chemists and Consultants

DUAL COLUMN CONFIRMATION SUMMARY

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC			Project:	Lower Duwamish AOC4
Matrix:	Sediment	Laboratory ID:	21G0330-02RE1	File ID:	08272131ECD7.D
Sampled:	07/26/21 18:10	Prepared:	08/25/21 13:40	Analyzed:	08/28/21 02:12
Solids:	78.12	Preparation:	EPA 3546 (Microwave)	Instrument:	ECD7
Batch:	BJH0604	Sequence:	SJH0396		
GC Column(1):	ZB5			GC Column(2):	ZB35

COMPOUND	COL	RT	EXP RT	RT DIFF	AREA	CONC	RPD
Aroclor 1248	* 1	8.671	8.6755	0.0045	10568.5	14.2	77.1
	2	9.363	9.385333	0.0223	21689.5	6.3	
Aroclor 1254	* 1	9.861	9.868333	0.00733	9761.4	9.7	19.2
	2	10.136	10.155	0.019	30454.2	8.0	
Aroclor 1260	1	11.546	11.55517	0.00917	1935	1.6	17.1
	* 2	12.963	12.9715	0.0085	13089.5	1.9	

* Column used for quantitation

Analytical Resources, Incorporated
Analytical Chemists and Consultants

HOLDING TIME SUMMARY

Analysis: EPA 8082A

Laboratory: Analytical Resources, Inc. SDG: 21G0330

Client: Anchor QEA, LLC Project: Lower Duwamish AOC4

Sample Name	Date Collected	Date Received	Date Prepared	Days to Prep	Max Days to Prep	Date Analyzed	Days to Analysis	Max Days to Analysis	Q
LDW21-IT701B 21G0330-01RE1	07/26/21 18:10	07/27/21 11:54	08/25/21 13:40	29	14	08/28/21 01:11	2	40	*
LDW21-IT701C 21G0330-02RE1	07/26/21 18:10	07/27/21 11:54	08/25/21 13:40	29	14	08/28/21 02:12	3	40	*
LDW21-IT701E 21G0330-03RE1	07/26/21 18:10	07/27/21 11:54	08/25/21 13:40	29	14	08/28/21 02:32	3	40	*
Matrix Spike BJH0604-MS1	07/26/21 18:10	07/27/21 11:54	08/25/21 13:40	29	14	08/28/21 01:31	2	40	*
Matrix Spike Dup BJH0604-MSD1	07/26/21 18:10	07/27/21 11:54	08/25/21 13:40	29	14	08/28/21 01:51	3	40	*

* Indicates hold time exceedance.

Analytical Resources, Incorporated
Analytical Chemists and Consultants

METHOD DETECTION AND REPORTING LIMITS

EPA 8082A

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Instrument: ECD7

Analyte	MDL	RL	Units
Aroclor 1016	1.6	4.0	ug/kg
Aroclor 1016 [2C]	1.6	4.0	ug/kg
Aroclor 1221	1.6	4.0	ug/kg
Aroclor 1221 [2C]	1.6	4.0	ug/kg
Aroclor 1232	1.6	4.0	ug/kg
Aroclor 1232 [2C]	1.6	4.0	ug/kg
Aroclor 1242	1.6	4.0	ug/kg
Aroclor 1242 [2C]	1.6	4.0	ug/kg
Aroclor 1248	1.6	4.0	ug/kg
Aroclor 1248 [2C]	1.6	4.0	ug/kg
Aroclor 1254	1.6	4.0	ug/kg
Aroclor 1254 [2C]	1.6	4.0	ug/kg
Aroclor 1260	0.6	4.0	ug/kg
Aroclor 1260 [2C]	0.6	4.0	ug/kg

Analytical Resources, Incorporated
Analytical Chemists and Consultants

METHOD DETECTION AND REPORTING LIMITS

EPA 8082A

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Water
Instrument: ECD7

Analyte	MDL	RL	Units
Aroclor 1016	1.56	4.00	ug/kg
Aroclor 1016 [2C]	1.56	4.00	ug/kg
Aroclor 1242	1.56	4.00	ug/kg
Aroclor 1242 [2C]	1.56	4.00	ug/kg
Aroclor 1248	1.56	4.00	ug/kg
Aroclor 1248 [2C]	1.56	4.00	ug/kg
Aroclor 1254	1.56	4.00	ug/kg
Aroclor 1254 [2C]	1.56	4.00	ug/kg
Aroclor 1260	0.589	4.00	ug/kg
Aroclor 1260 [2C]	0.589	4.00	ug/kg

AccuStandard
125 Market Street
New Haven, CT 06513
(203) 786-5290

CERTIFICATE OF PRODUCT DATA

PRODUCT: S-279N
DESCRIPTION: Volatile Organic Compound (TCMx)
LOT #: 0052481B-1
SOLVENT: N/A

EXPIRATION: July 28, 2015

This product is guaranteed accurate to ±0.5% of the Certified Analyte concentration through the Expiration Date on the Label.

Component	CAS #	Purity % (GC/FID)	Prepared Concentration[1]	Certified Analyte Concentration[2]
Tetrachloro-meta-xylene (TCMX)	877-09-8	96.0	N/A	N/A

Te

* I1769A

Certified by: R. Cooper

1. All weights are traceable through National Institute of Standards & Technology, Test No. 822/254480
2. Certified Analyte Concentration = Purity x Prepared Concentration. The Uncertainty calculated for this product is ±4% which is the Combined Uncertainty uc(y). It represents an estimated standard deviation equal to the positive square root of the total variance of the uncertainty of components. The Expanded Uncertainty is U which is Uc(y) *K where K is the coverage factor at the 95% confidence level (K=2).
3. A product with a suffix (-1A, -2B, etc.) on its lot# has had its expiration date extended and is identical to the same lot# without the suffix.

Please note: AccuStandard follows the U.S. conventions in reporting numerical values, on both certificates and labels.

A comma (,) is used to separate units of one-thousand or greater.
A period (.) is used as a decimal place marker.

This product was manufactured in accordance to quality system requirements of ISO 9001:2000 and ISO 17025

* Recertified ~ 4-6-09 (8)

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Analytical Standard Record
Standard ID: C000147

Printed: 4/23/2015 11:52:09AM

Description:	tetrachlormetaxylene	Expires:	15-Jan-2020
Standard Type:	Other	Prepared:	15-Jan-2014
Solvent:	n/a	Prepared By:	Joshua Rains
Final Volume (mls):	1	Department:	Organics
Vials:	1	Last Edit:	27-Feb-2015 13:01 by JGR
Vendor:	Accustandard	Lot #:	0052481b-1
Vendor Catalog #:			

Comments

see I1769a
updated for calibration TCX DCBP 06/12/14 sdrd

Analyte	CAS Number	Concentration	Units
Tetrachlorometaxylene [2C]	877-09-8	1000000	ug/mL
Tetrachlorometaxylene	877-09-8	1000000	ug/mL
TCX 1660 [2C]	877-09-8	1000000	ug/mL
TCX 1660	877-09-8	1000000	ug/mL
TCX [2C]	877-09-8	1000000	ug/mL
TCX (A) [2C]	877-09-8	1000000	ug/mL
TCX (A)	877-09-8	1000000	ug/mL
TCX	877-09-8	1000000	ug/mL

Reviewed By Date

AccuStandard
125 Market Street
New Haven, CT 06513
(203) 786-5290

CERTIFICATE OF PRODUCT DATA

PRODUCT: C-209N
EXPIRATION: Jul 28, 2015
DESCRIPTION: 2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl
LOT #: 990521LB-AC
SOLVENT: N/A

This product is guaranteed accurate to ±0.5% of the Certified Analyte concentration through the Expiration Date on the Label.

Component	CAS #	Purity % (GC/MS)	Prepared Concentration[1]	Certified Analyte Concentration[2]
2,2',3,3',4,4',5,5',6,6'-Decachlorobiphenyl	2051-24-3	100	N/A	N/A

2,

* I1768A

Certified by: R. Cooper

1. All weights are traceable through National Institute of Standards & Technology, Test No. 822/254480
2. Certified Analyte Concentration = Purity x Prepared Concentration. The Uncertainty calculated for this product is ±4% which is the Combined Uncertainty uc(y). It represents an estimated standard deviation equal to the positive square root of the total variance of the uncertainty of components. The Expanded Uncertainty is U which is Uc(y) *K where K is the coverage factor at the 95% confidence level (K=2).
3. A product with a suffix (-1A, -2B, etc.) on its lot# has had its expiration date extended and is identical to the same lot# without the suffix.

Please note: AccuStandard follows the U.S. conventions in reporting numerical values, on both certificates and labels.

A comma (,) is used to separate units of one-thousand or greater.
A period (.) is used as a decimal place marker.

This product was manufactured in accordance to quality system requirements of ISO 9001:2000 and ISO 17025

* Recertified 2 4-6-09 (JS)

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Analytical Standard Record

Standard ID: C000148 **Printed: 4/23/2015 11:54:44AM**

Description:	decachlorbiphenyl	Expires:	15-Jan-2020
Standard Type:	Other	Prepared:	15-Jan-2014
Solvent:	na/a	Prepared By:	Joshua Rains
Final Volume (mls):	1	Department:	Organics
Vials:	1	Last Edit:	27-Feb-2015 13:03 by JGR
Vendor:	Accustandard	Lot #:	990521lb-ac
Vendor Catalog #:			

Comments

see i1768a
SOM calibrations added 06/12/14 sdrd

Analyte	CAS Number	Concentration	Units
Decachlorobiphenyl [2C]	2051-24-3	1000000	ug/mL
Decachlorobiphenyl	2051-24-3	1000000	ug/mL
DCB 1660 [2C]	2051-24-3	1000000	ug/mL
DCB 1660	2051-24-3	1000000	ug/mL
DCB [2C]	2051-24-3	1000000	ug/mL
DCB (A) [2C]	2051-24-3	1000000	ug/mL
DCB (A)	2051-24-3	1000000	ug/mL
DCB	2051-24-3	1000000	ug/mL

Reviewed By Date

phenomenex
...breaking with tradition

Certificate of Analysis

Phenova Certified Reference Materials are sold by Phenomenex.
411 Madrid Ave., Torrance, CA 90501 USA ▪ Tel: 310-212-0555 ▪ Fax: 310-328-7768 ▪ info@phenomenex.com
Access your MSDS and digital C of A at **www.phenomenex.com/mysupport. Re-order at www.phenomenex.com/standards**

Certified Reference Material

This product is included in Phenova's ISO/IEC 17025 and ISO Guide 34 Scopes of Accreditation

Catalog No.: AL0-101467
Description: Aroclor 1016
Storage: 4 °C
Provided As: 1 mL in 2 mL Ampoule in Isooctane

Lot Number: CL12908
Certification Date: November 19, 2018
Expiration Date: October 31, 2026

Andrea L Gill

Andrea Gill, Certified Reference Materials Manager

Component	CAS #	Certified Value µg/mL	Expanded Uncertainty
Aroclor 1016	12674-11-2	1000	± 0.553%

I 8524
Reed
09/22/20

IL11110613_us

ACCREDITED
Reference Material Producer
Certificate No. 2427.02

phenova
Certified Reference Materials

Manufactured by Phenova, Inc.
Phenova's testing and calibration results are internationally recognized through the ILAC MRA. Phenova is an accredited ISO Guide 34 Reference Material Provider and ISO/IEC 17025 accredited Chemical Testing Laboratory.

ilac-MRA
ACCREDITED
Chemical Testing Laboratory
Certificate No. 2427.03

Certificate of Analysis

Produced by Phenova
6390 Joyce Drive STE 100, Golden, CO 80403 USA ▪ Tel: 303-940-0033 ▪ Fax: 303-940-0043 ▪ info@phenova.com
Access your Safety Data Sheets and digital Certificates at **www.phenova.com/documents.**

1. Quality Document: This Certificate of Analysis has been created in accordance with ISO Guide 31[1] and ISO Guide 35.[2]

2. Quality Standards: Phenova is accredited by A2LA to ISO 17034[3] and ISO/IEC 17025[4] as a producer of Certified Reference Materials and Reference Materials. This ensures that our manufacturing processes have been accredited to and meet strict international standards.

3. Intended Use: The product is manufactured for use in calibration, calibration verification, quantification, identification and other appropriate analytical control applications. The product is intended for routine laboratory analysis and research purposes only. Only trained personnel should handle this product.

4. Handling and Usage Notes: Store according to recommended conditions listed and avoid prolonged exposure to light. Visually inspect the solution inside the ampoule for any un-dissolved material. If particulate is visible, sonicate the unopened ampoule until material is fully dissolved. Dilute as required, use only class A glassware and diluents compatible with all analytes in the mixture. Considerations should be made related to repeated use of the opened product. Once opened, exposure to light, air, heat, objects, and additional transfer vessels may cause evaporation, degradation or contamination resulting in changes in concentration, uncertainty and stability duration. Store opened standards in a clean, tightly capped vessel under the recommended temperature. Appropriate controls, such as the use of additional verification standards should be used to confirm the opened product is fit for purpose under repeated use conditions.

5. Hazardous Situation: The product is intended for use by experienced professional personnel. A Safety Data Sheet (SDS) is available at www.phenova.com/documents.

6. Level of Homogeneity: The product has been certified to guarantee the certified values and their uncertainties at a volume of 2 µL.

7. Certified Value: Certified Value is based upon gravimetric and volumetric preparation using calibrated balances and Class A glassware.

8. Raw Materials and Purity: Phenova reference standard products are prepared from the highest quality starting materials. The purity of this material was verified using an ISO/IEC 17025 methodology.

9. Expanded Uncertainty: The expanded uncertainty (uCRM) as stated is determined in accordance with ISO/IEC Guide 98[5] and ISO Guide 35 incorporating Type A standard uncertainty at a 95% confidence level. The uncertainty contains elements of manufacturing (uM), homogeneity analysis (uH) and long-term stability testing (uLTS). The uncertainty is calculated based on the root-sum-of-squares equation times a coverage factor (k=2).

$$uCRM = k\sqrt{uM^2 + uH^2 + uLTS^2}$$

   Transport conditions (short-term stability) have been tested such that there is no contribution to the uncertainty reported. The expanded uncertainty applies to the product as received.

10. Metrological Traceability: The property value (certified value and its uncertainty) are traceable through an unbroken chain of calibration to the SI base unit kg through a NIST traceable weight in accordance with ISO 17034. This is achieved through calibration of balances, verification of weights, use of national methodology for glassware calibration and product homogeneity and stability testing utilizing an ISO/IEC 17025 methodology.

11. Values Obtained During Product Testing: This product is subjected to verification, homogeneity and stability testing using an ISO/IEC17025 chromatographic methodology. All values obtained during testing meet criteria in accordance with ISO 17034.

12. Period of Validity: The Certified Values, Uncertainties and Expiration Date are based on the unopened product being stored according to the recommended storage condition listed and are guaranteed until the expiration date. This product will be monitored during the period of validity and customers notified of any significant changes in stability.

References:

[1] ISO Guide 31 – Reference Materials – Contents of Certificates and Labels.
[2] ISO Guide 35 – Reference Material – General and Statistical Principles for Certification.
[3] ISO 17034 – General Requirements for the Competence of Reference Material Producers.
[4] ISO/IEC 17025 – General Requirements for the Competence of Testing and Calibration Laboratories.
[5] ISO/IEC Guide 98-3:2008(E) – Uncertainty of Measurement – Part 3: Guide to Expression of Uncertainty in Measurement (GUM: 1995)

phenomenex
breaking with tradition

Certificate of Analysis

Phenova Certified Reference Materials are sold by Phenomenex.
411 Madrid Ave., Torrance, CA 90501 USA ▪ Tel: 310-212-0555 ▪ Fax: 310-328-7768 ▪ info@phenomenex.com
Access your MSDS and digital C of A at **www.phenomenex.com/mysupport. Re-order at www.phenomenex.com/standards**

Certified Reference Material

This product is included in Phenova's ISO/IEC 17025 and ISO Guide 34 Scopes of Accreditation

Catalog No.: AL0-101462
Description: Aroclor 1260
Storage: 4 °C
Provided As: 1 mL in 2 mL Ampoule in Hexane

Lot Number: CL13054
Certification Date: November 29, 2018
Expiration Date: November 30, 2026

Andrea L Gill

Andrea Gill, Certified Reference Materials Manager

Component	CAS #	Certified Value µg/mL	Expanded Uncertainty
Aroclor 1260	11096-82-5	1000	± 0.520%

I 8525
Recd. JR
09/22/20

phenova
Certified Reference Materials

Manufactured by Phenova, Inc.
Phenova's testing and calibration results are internationally recognized through the ILAC MRA. Phenova is an accredited ISO Guide 34 Reference Material Provider and ISO/IEC 17025 accredited Chemical Testing Laboratory.

ACCREDITED
Reference Material Producer
Certificate No. 2427.02

ilac-MRA
ACCREDITED
Chemical Testing Laboratory
Certificate No. 2427.03

IL111110613_US

Certificate of Analysis

Produced by Phenova
6390 Joyce Drive STE 100, Golden, CO 80403 USA ▪ Tel: 303-940-0033 ▪ Fax: 303-940-0043 ▪ info@phenova.com
Access your Safety Data Sheets and digital Certificates at **www.phenova.com/documents.**

1. Quality Document: This Certificate of Analysis has been created in accordance with ISO Guide 31[1] and ISO Guide 35.[2]

2. Quality Standards: Phenova is accredited by A2LA to ISO 17034[3] and ISO/IEC 17025[4] as a producer of Certified Reference Materials and Reference Materials. This ensures that our manufacturing processes have been accredited to and meet strict international standards.

3. Intended Use: The product is manufactured for use in calibration, calibration verification, quantification, identification and other appropriate analytical control applications. The product is intended for routine laboratory analysis and research purposes only. Only trained personnel should handle this product.

4. Handling and Usage Notes: Store according to recommended conditions listed and avoid prolonged exposure to light. Visually inspect the solution inside the ampoule for any un-dissolved material. If particulate is visible, sonicate the unopened ampoule until material is fully dissolved. Dilute as required, use only class A glassware and diluents compatible with all analytes in the mixture. Considerations should be made related to repeated use of the opened product. Once opened, exposure to light, air, heat, objects, and additional transfer vessels may cause evaporation, degradation or contamination resulting in changes in concentration, uncertainty and stability duration. Store opened standards in a clean, tightly capped vessel under the recommended temperature. Appropriate controls, such as the use of additional verification standards should be used to confirm the opened product is fit for purpose under repeated use conditions.

5. Hazardous Situation: The product is intended for use by experienced professional personnel. A Safety Data Sheet (SDS) is available at www.phenova.com/documents.

6. Level of Homogeneity: The product has been certified to guarantee the certified values and their uncertainties at a volume of 2 µL.

7. Certified Value: Certified Value is based upon gravimetric and volumetric preparation using calibrated balances and Class A glassware.

8. Raw Materials and Purity: Phenova reference standard products are prepared from the highest quality starting materials. The purity of this material was verified using an ISO/IEC 17025 methodology.

9. Expanded Uncertainty: The expanded uncertainty (uCRM) as stated is determined in accordance with ISO/IEC Guide 98[5] and ISO Guide 35 incorporating Type A standard uncertainty at a 95% confidence level. The uncertainty contains elements of manufacturing (uM), homogeneity analysis (uH) and long-term stability testing (uLTS). The uncertainty is calculated based on the root-sum-of-squares equation times a coverage factor (k=2).

$$uCRM = k\sqrt{uM^2 + uH^2 + uLTS^2}$$

   Transport conditions (short-term stability) have been tested such that there is no contribution to the uncertainty reported. The expanded uncertainty applies to the product as received.

10. Metrological Traceability: The property value (certified value and its uncertainty) are traceable through an unbroken chain of calibration to the SI base unit kg through a NIST traceable weight in accordance with ISO 17034. This is achieved through calibration of balances, verification of weights, use of national methodology for glassware calibration and product homogeneity and stability testing utilizing an ISO/IEC 17025 methodology.

11. Values Obtained During Product Testing: This product is subjected to verification, homogeneity and stability testing using an ISO/IEC 17025 chromatographic methodology. All values obtained during testing meet criteria in accordance with ISO 17034.

12. Period of Validity: The Certified Values, Uncertainties and Expiration Date are based on the unopened product being stored according to the recommended storage condition listed and are guaranteed until the expiration date. This product will be monitored during the period of validity and customers notified of any significant changes in stability.

References:

[1] ISO Guide 31 – Reference Materials – Contents of Certificates and Labels.
[2] ISO Guide 35 – Reference Material – General and Statistical Principles for Certification.
[3] ISO 17034 – General Requirements for the Competence of Reference Material Producers.
[4] ISO/IEC 17025 – General Requirements for the Competence of Testing and Calibration Laboratories.
[5] ISO/IEC Guide 98-3:2008(E) – Uncertainty of Measurement – Part 3: Guide to Expression of Uncertainty in Measurement (GUM: 1995)

Agilent

Certificate of Analysis

Aroclor 1016 Solution

Product Number:	PP-282			**Page:**	1 of 1
Lot Number:	CR-0761	**Lot Issue Date:**	28-Feb-2017	**Expiration Date:**	31-Mar-2025

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1016	012674-11-2	NT01016	100.2 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

J000580

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

ISO 9001
Registered
TUV USA, Inc.

John Russo
President

Monica Bourgeois
Director of QA/RA

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

Agilent

Certificate of Analysis

Product Name: Aroclor 1221 Standard

Product Number: PP-292-1 **Lot Issue Date:** 28-Apr-2020

Lot Number: 0006535333 **Expiration Date:** 31-May-2024

Description:

This analytical reference material (RM) was manufactured and verified in accordance with an ISO 9001 registered quality system, and analyte concentrations were verified by an ISO 17025 accredited laboratory. The concentration and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	Concentration ± Uncertainty
Aroclor 1221	011104-28-2	RM04278	100.2 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage Conditions: Store at Room Temperature (15° to 30°C).

J000581

Traceability:

The balances used for these measurements are calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z540.3, ISO 9001, ISO 17025, and ISO 17034. Calibrated Class A glassware is used for volumetric measurements. Thermometers are calibrated against a NIST traceable thermometer in accordance with NIST Special Publication 1088.

Homogeneity:

This RM was unitized according to an in-house procedure and is guaranteed to be homogeneous. There is no minimum sub-sample size required.

Intended Use:

This RM is intended for the preparation of working reference samples for use in routine laboratory analyses, calibration of instruments, validation of analytical methods, assessments of measurement methods, and continuing calibration verification.

Instructions for Use:

Sample aliquots for analysis should be withdrawn at 20°C to 25°C immediately after opening the container and should be processed without delay for the certified values to be valid within the stated uncertainties.

Hazards:

Refer to the Safety Data Sheet on www.agilent.com for information regarding this RM.

Expiration of Certification:

The certification of this RM is valid until the expiration date specified above, provided the RM is handled and stored in accordance with the instructions given in this certificate. This certification is nullified if the RM is damaged, contaminated, or otherwise modified.

Maintenance of Certification:

If substantive changes are noted that affect the certification before the expiration of this certificate, Agilent will notify the purchaser.

Sample lot approver:

Monica Bourgeois
QMS Representative

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER

ISO 17034 Cert No. AR-1936

RM was produced in accordance with TUV USA Inc registered ISO 9001 Quality Management System. Cert # 56 100 18560026

www.agilent.com/quality/
CSD-QA-015.1

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

ISO 17025 Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

Agilent

Certificate of Analysis
ISO 17034

Aroclor 1232 Standard

Product Number: PP-302-1 **Page:** 1 of 1

Lot Number: CF-2197A **Lot Issue Date:** 05-Jul-2016 **Expiration Date:** 31-Aug-2023

This ISO 17034 Reference Material (RM) was manufactured and verified in accordance with Agilent's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1232	011141-16-5	NT01717	100.4 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

Monica Bourgeois
QMS Representative

I 2021/15/21
J000582

ANAB ACCREDITED ISO GUIDE 34 REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026 registered ISO 9001 Quality Management System

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY
ISO17025 Cert No. AT-1937

Agilent

Certificate of Analysis
ISO Guide 34

Aroclor 1242 Solution

Product Number: PP-312 **Page:** 1 of 1

Lot Number: CS-6293 **Lot Issue Date:** 04-Jan-2019 **Expiration Date:** 31-Jan-2023

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with Agilent's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1242	053469-21-9	NT01020	100.4 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

M Bourgeois

Monica Bourgeois
QMS Representative

J 000583

ANAB ACCREDITED ISO GUIDE 34 REFERENCE MATERIAL PRODUCER

ISO Guide 34 Cert No.
AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026
registered ISO 9001 Quality Management System

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

ISO17025 Cert No.
AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 **www.agilent.com/quality**

Agilent

Certificate of Analysis
ISO Guide 34

Aroclor 1248 Standard

Product Number: PP-342 **Page:** 1 of 1

Lot Number: CT-0774 **Lot Issue Date:** 08-Mar-2019 **Expiration Date:** 31-Mar-2023

This ISO Guide 34 Reference Material (RM) was manufactured and verified in accordance with Agilent's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1248	012672-29-6	NT01718	100.3 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

M Bourgeois

Monica Bourgeois
QMS Representative

J000584
01/15/21

ANAB ACCREDITED ISO GUIDE 34 REFERENCE MATERIAL PRODUCER

ISO Guide 34 Cert No.
AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026
registered ISO 9001 Quality Management System

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY

ISO17025 Cert No.
AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

Certificate of Analysis

Aroclor 1254 Solution

Product Number:	PP-352			**Page:**	1 of 1
Lot Number:	CK-4250	**Lot Issue Date:**	31-Dec-2013	**Expiration Date:**	31-Jan-2022

This certified Reference Material (RM) was manufactured and verified in accordance with ULTRA's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1254	011097-69-1	RM00922	100.0 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15-30°C).

J000585

ULTRA uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

ACCREDITED

ISO 17025:2005 Accredited A2LA Cert. No. 0851-01

ISO 9001:2008 Registered TUV USA, Inc. Cert. No. 09-1009

250 Smith Street, North Kingstown, RI 02852 USA
401-294-9400 Fax: 295-2330
wwww.ultrasci.com

William J. Leary
Quality Assurance Manager

Agilent

Certificate of Analysis
ISO 17034

Aroclor 1262 Standard

Product Number: PP-372-1 **Page:** 1 of 1

Lot Number: 0006499800 **Lot Issue Date:** 04-Nov-2019 **Expiration Date:** 30-Nov-2023

This ISO 17034 Reference Material (RM) was manufactured and verified in accordance with Agilent Technologies ISO 9001 registered quality system. A review of the gravimetric preparation data by our ISO 17025 accredited laboratory serves to verify the concentration of each analyte. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1262	037324-23-5	RM14263	100.0 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

Monica Bourgeois
QMS Representative

J000 587

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026 registered ISO 9001 Quality Management System

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY
ISO 17025 Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

Agilent

Certificate of Analysis
ISO 17034

Aroclor 1268 Standard

Product Number: PP-382-1 **Page:** 1 of 1

Lot Number: 0006478417 **Lot Issue Date:** 24-Jul-2019 **Expiration Date:** 31-Aug-2027

This ISO 17034 Reference Material (RM) was manufactured and verified in accordance with Agilent's ISO 9001 registered quality system, and the analyte concentrations were verified by our ISO 17025 accredited laboratory. The true value and uncertainty value at the 95% confidence level for each analyte, determined gravimetrically, is listed below.

Analyte	CAS#	Analyte Lot	True Value
Aroclor 1268	011100-14-4	RM00937	100.3 ± 0.5 µg/mL

Matrix: isooctane (2,2,4-trimethylpentane)

Storage: Store at Room Temperature (15° to 30°C).

Agilent uses balances calibrated with weights traceable to NIST in compliance with ANSI/NCSL Z-540-1 and ISO 9001, and calibrated Class A glassware in the manufacturing of these standards.

M Bourgeois

Monica Bourgeois
QMS Representative

J000588

ANAB ACCREDITED ISO 17034 REFERENCE MATERIAL PRODUCER
ISO 17034 Cert No. AR-1936

Produced in accordance with TUV USA Inc 56 100 18560026 registered ISO 9001 Quality Management System

ANAB ACCREDITED ISO/IEC 17025 TESTING LABORATORY
ISO 17025 Cert No. AT-1937

250 Smith Street North Kingstown, Rhode Island 02852 www.agilent.com/quality

Recipient Copy

CHAIN-OF-CUSTODY RECORD

COC No. 15130

Order Number: CB014550

Date Shipped: 6/30/2021

AirBill No(s): 460843969796

From: QATS LABORATORY
2700 CHANDLER AVENUE, BLDG. C
LAS VEGAS, NV 89120
PHONE: 1-702-895-8712
FAX: 1-702-795-8210

To: SUE DUNNIHOO
ANALYTICAL RESOURCES INC.
4611 S. 134TH PLACE SUITE 100
TUKWILA WA 98168
250-695-6207

Sample ID	Qty	Description/Remarks	→ Catalogue Number
PSRM0134 - J006840	1	PUGET SOUND SEDIMENT RM	PS-SRM
PSRM0135 - J006841	1	PUGET SOUND SEDIMENT RM	PS-SRM
PSRM0136 - J006842	1	PUGET SOUND SEDIMENT RM	PS-SRM
PSRM0137 - J006843	1	PUGET SOUND SEDIMENT RM	PS-SRM
		6/30/2021	
		DUWAMISH AOC4	

Please use the enclosed Sample Preparation Instructions. If catalogue number(s) are listed at the top of the Sample Preparation Instructions use the Sample Preparation Instructions with catalogue number(s) matching the catalogue number(s) of each of the samples listed above.

Relinquished by: (Signature)	Date/Time 1400 6/30/2021	Received by: (Signature)	Date/Time 07/01/2021 1042
Custody Seal(s): Present/Absent	Remarks:		
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time

Report No. 00, 9/11/2014

SMP Version 3.3

Recipient Copy

CHAIN-OF-CUSTODY RECORD

COC No. 15155

Order Number: CB014575

Date Shipped: 8/2/2021

AirBill No(s): 460843970024

From: QATS LABORATORY
2700 CHANDLER AVENUE, BLDG. B
LAS VEGAS, NV 89120
PHONE: 1-702-895-8712
FAX: 1-702-795-8210

To: SUE DUNNIHOO
ANALYTICAL RESOURCES INC.
4611 S. 134TH PLACE SUITE 100
TUKWILA WA 98168
250-695-6207

Sample ID	Qty	Description/Remarks	→ Catalogue Number
PSRM0140 J007935	1	PUGET SOUND SEDIMENT RM	PS-SRM
PSRM0141 J007936	1	PUGET SOUND SEDIMENT RM	PS-SRM
		DUWAMISH AOC4	

8/2/2021

Please use the enclosed Sample Preparation Instructions. If catalogue number(s) are listed at the top of the Sample Preparation Instructions use the Sample Preparation Instructions with catalogue number(s) matching the catalogue number(s) of each of the samples listed above.

Relinquished by: (Signature)	Date/Time 1400 8/2/2021	Received by: Jacob Walter (Signature)	Date/Time 08/03/2021 1138
Custody Seal(s): Present/Absent	Remarks:		
Relinquished by: (Signature)	Date/Time	Received by: (Signature)	Date/Time

Report No. 00, 9/11/2014

SMP Version 3.3

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
EPA 9060A m

LDW21-IT701B

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-01 A	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/17/21 13:15	File ID:	CubeData_08312021@1034-424
% Solids:	78.24	Preparation:	PSEP 1986 (modified)	Analyzed:	08/25/21 21:57
Batch:	BJH0434	Sequence:	SJH0331	Initial/Final:	0.5873 g Wet / 0.5873 mL
Instrument:	TOC Cube			Calibration:	EH00065

CAS NO.	Analyte	Concentration (% dry)	Dilution Factor	MDL	MRL	Q
	Total Organic Carbon	0.31	1	0.02	0.02	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
EPA 9060A m

LDW21-IT701C

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-02 A	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/17/21 13:15	File ID:	CubeData_08312021@1034-481
% Solids:	78.20	Preparation:	PSEP 1986 (modified)	Analyzed:	08/26/21 00:36
Batch:	BJH0434	Sequence:	SJH0331	Initial/Final:	0.694 g Wet / 0.694 mL
Instrument:	TOC Cube			Calibration:	EH00065

CAS NO.	Analyte	Concentration (% dry)	Dilution Factor	MDL	MRL	Q
	Total Organic Carbon	0.57	1	0.02	0.02	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
EPA 9060A m

LDW21-IT701E

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-03 A	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/17/21 13:15	File ID:	CubeData_08312021@1034-489
% Solids:	76.17	Preparation:	PSEP 1986 (modified)	Analyzed:	08/26/21 01:07
Batch:	BJH0434	Sequence:	SJH0331	Initial/Final:	0.5665 g Wet / 0.5665 mL
Instrument:	TOC Cube			Calibration:	EH00065

CAS NO.	Analyte	Concentration (% dry)	Dilution Factor	MDL	MRL	Q
	Total Organic Carbon	0.19	1	0.02	0.02	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

PREPARATION BATCH SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.			SDG:	21G0330
Client:	Anchor QEA, LLC			Project:	Lower Duwamish AOC4
Batch:	BJH0434	Batch Matrix:	Solid	Preparation:	PSEP 1986 (modified)

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
LDW21-IT701B	21G0330-01	eData_08312021@1034-	08/17/21 13:15	
LDW21-IT701C	21G0330-02	eData_08312021@1034-	08/17/21 13:15	
LDW21-IT701E	21G0330-03	eData_08312021@1034-	08/17/21 13:15	
Blank	BJH0434-BLK1	eData_08312021@1034-	08/17/21 13:15	
LCS	BJH0434-BS1	eData_08312021@1034-	08/17/21 13:15	
LDW21-IT701B	BJH0434-DUP5	eData_09062021@0807-	08/17/21 13:15	
MRL Check	BJH0434-MRL1	eData_08312021@1034-	08/17/21 13:15	
LDW21-IT701B	BJH0434-MS4	eData_08312021@1034-	08/17/21 13:15	
Reference	BJH0434-SRM1	eData_08312021@1034-	08/17/21 13:15	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I

METHOD BLANK DATA SHEET

EPA 9060A m

TotalAnalytes

Blank

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Batch: BJH0434
Laboratory ID: BJH0434-BLK1
Prepared: 08/17/21 13:15
Matrix: Solid
Preparation: PSEP 1986 (modified)
Analyzed: 08/28/21 15:47
Sequence: SJH0331
Calibration: EH00065
Instrument: TOC Cube

CAS NO.	Analyte	Concentration (% wet)	Dilution Factor	MDL	MRL	Q
	Total Organic Carbon	ND	1	0.02	0.02	U

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LCS / LCS DUPLICATE RECOVERY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/28/21 16:19
Batch:	BJH0434	Laboratory ID:	BJH0434-BS1
Preparation:	PSEP 1986 (modified)	Sequence Name:	LCS
Initial/Final:	0.0202 g / 0.0202 mL		

COMPOUND	SPIKE ADDED (% wet)	LCS CONCENTRATION (% wet)	Q	LCS % REC. #	QC LIMITS REC.
Total Organic Carbon	44.4	46.3		104	80 - 120

* Indicates values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

DUPLICATES

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Laboratory ID: BJH0434-DUP5
Batch: BJH0434
Lab Source ID: 21G0330-01
Preparation: PSEP 1986 (modified)
Initial/Final: 0.6403 g / 0.6403 mL
Source Sample Name: LDW21-IT701B
% Solids: 78.24

ANALYTE	CONTROL LIMIT	SAMPLE CONCENTRATION	DUPLICATE CONCENTRATION	RPD %	Q
Total Organic Carbon	20	0.31	0.26	18.0	

*: Values outside of QC limits
L: Analyte concentration is <=5 times the reporting limit and the replicate control limit defaults to Dup = +/- RL instead of 20% RPD

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

MS / MS DUPLICATE RECOVERY
EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Matrix:	Solid	Analyzed:	08/26/21 00:04
Batch:	BJH0434	Laboratory ID:	BJH0434-MS4
Preparation:	PSEP 1986 (modified)	Sequence Name:	Matrix Spike
Initial/Final:	0.6408 g / 0.6408 mL	Source Sample:	LDW21-IT701B

COMPOUND	SPIKE ADDED (% dry)	SAMPLE CONCENTRATION (% dry)	Q	MS CONCENTRATION (% dry)	Q	MS % REC. #	QC LIMITS REC.
Total Organic Carbon	1.13	0.31		1.49		104	75 - 125

* Values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0323	Instrument:	TOC Cube
		Calibration:	EH00065

Sample Name	Lab Sample ID	Lab File ID	Matrix	Analysis Date/Time
Cal Standard	SJH0323-CAL1	peData_08252021@1209-(	NA	08/24/21 19:03
Cal Standard	SJH0323-CAL2	peData_08252021@1209-(	NA	08/24/21 19:34
Cal Standard	SJH0323-CAL3	peData_08252021@1209-(	NA	08/24/21 20:06
Cal Standard	SJH0323-CAL4	peData_08252021@1209-(	NA	08/24/21 20:38
Cal Standard	SJH0323-CAL5	peData_08252021@1209-(	NA	08/24/21 21:10
Cal Standard	SJH0323-CAL6	peData_08252021@1209-(	NA	08/24/21 21:41
Cal Standard	SJH0323-CAL7	peData_08252021@1209-(	NA	08/24/21 22:13
Cal Standard	SJH0323-CAL8	peData_08252021@1209-(	NA	08/24/21 22:44
Cal Standard	SJH0323-CAL9	peData_08252021@1209-(	NA	08/24/21 23:16
Cal Standard	SJH0323-CALA	peData_08252021@1209-(	NA	08/24/21 23:48
Cal Standard	SJH0323-CALB	peData_08252021@1209-(	NA	08/25/21 00:19
Cal Standard	SJH0323-CALC	peData_08252021@1209-(	NA	08/25/21 00:51
Cal Standard	SJH0323-CALD	peData_08252021@1209-(	NA	08/25/21 01:22
Cal Standard	SJH0323-CALE	peData_08252021@1209-(	NA	08/25/21 01:54
Cal Standard	SJH0323-CALF	peData_08252021@1209-(	NA	08/25/21 02:26
Cal Standard	SJH0323-CALG	peData_08252021@1209-(	NA	08/25/21 02:58
Cal Standard	SJH0323-CALH	peData_08252021@1209-(	NA	08/25/21 03:29
Cal Standard	SJH0323-CALI	peData_08252021@1209-(	NA	08/25/21 04:01
Cal Standard	SJH0323-CALJ	peData_08252021@1209-(	NA	08/25/21 04:33
Initial Cal Check	SJH0323-ICV1	peData_08252021@1209-(	NA	08/25/21 09:19
Initial Cal Blank	SJH0323-ICB1	peData_08252021@1209-(	NA	08/25/21 09:51
Cal Standard	SJH0323-CALK	peData_08252021@1209-(	NA	08/25/21 11:41
Cal Standard	SJH0323-CALL	peData_08252021@1209-(	NA	08/25/21 11:42
Cal Standard	SJH0323-CALM	peData_08252021@1209-(	NA	08/25/21 11:43
Cal Standard	SJH0323-CALN	peData_08252021@1209-(	NA	08/25/21 11:45
Cal Standard	SJH0323-CALO	peData_08252021@1209-(	NA	08/25/21 11:46

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
1	9	BLANK	1.00		1.00	CARBON	8/24/2021 6:00 PM	0.000	0.000	0.000	bl	13 861	33 454	21 567	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
2	10	BLANK	1.00		1.00	CARBON	8/24/2021 6:31 PM	0.000	0.000	0.000	bl	1 643	8	245	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
3	11	SEQ-CAL1	200.00	0.0017	1.00	CARBON	8/24/2021 7:03 PM	0.000	0.008	0.008	bl,C1u,C3u,C2u	1 070	6 478	141	1.0000	1.1719



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
4	12	SEQ-CAL2	200.00	0.0054	1.00	CARBON	8/24/2021 7:34 PM	0.000	0.015	0.015	bl,C1u,C2u	660	18 783	85	1.0000	0.9072



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
5	13	SEQ-CAL3	200.00	0.0068	1.00	CARBON	8/24/2021 8:06 PM	0.000	0.022	0.022	bl,C1u,C2u	889	24 712	60	1.0000	1.0307



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
6	14	SEQ-CAL4	200.00	0.0101	1.00	CARBON	8/24/2021 8:38 PM	0.000	0.030	0.030	bl,C1u,C2u	1 503	31 221	84	1.0000	1.1361



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
7	15	SEQ-CAL5	200.00	0.0151	1.00	CARBON	8/24/2021 9:10 PM	0.000	0.045	0.045	bl,C1u,C2u	776	61 535	62	1.0000	0.8900



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
8	16	SEQ-CAL6	200.00	0.0200	1.00	CARBON	8/24/2021 9:41 PM	0.000	0.061	0.061	bl,C1u,C2u	1 086	73 745	55	1.0000	1.0168



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
9	17	SEQ-CAL7	200.00	0.0256	1.00	CARBON	8/24/2021 10:13 PM	0.000	0.075	0.075	bl,C1u,C2u	1 149	100 193	99	1.0000	0.9293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
10	18	SEQ-CAL8	200.00	0.0303	1.00	CARBON	8/24/2021 10:44 PM	0.000	0.091	0.091	bl,C1u,C2u	779	118 482	109	1.0000	0.9492



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
11	19	SEQ-CAL9	200.00	0.0396	1.00	CARBON	8/24/2021 11:16 PM	0.000	0.120	0.120	bl,C1u,C2u	848	163 267	93	1.0000	0.9178



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
12	20	SEQ-CALA	200.00	0.0498	1.00	CARBON	8/24/2021 11:48 PM	0.000	0.151	0.151	bl,C1u,C2u	1 818	184 410	146	1.0000	1.0237



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
13	21	SEQ-CALB	200.00	0.0042	1.00	CARBON	8/25/2021 12:19 AM	0.000	0.258	0.258	bl,C1u,C2u	972	305 136	284	1.0000	1.0636



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
14	22	SEQ-CALC	200.00	0.0056	1.00	CARBON	8/25/2021 12:51 AM	0.000	0.324	0.324	bl,C1u,C2u	925	413 926	393	1.0000	0.9869



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
15	23	SEQ-CALD	200.00	0.0069	1.00	CARBON	8/25/2021 1:22 AM	0.000	0.444	0.444	bl,C1u,C2u	172	525 080	677	1.0000	1.0675



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
16	24	SEQ-CALE	200.00	0.0097	1.00	CARBON	8/25/2021 1:54 AM	0.000	0.600	0.600	bl,C1u,C2u	989	743 966	687	1.0000	1.0196



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
17	25	SEQ-CALF	200.00	0.0147	1.00	CARBON	8/25/2021 2:26 AM	0.000	0.906	0.906	bl,C1u,C2u	925	1 115 840	1 898	1.0000	1.0277



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
18	26	SEQ-CALG	200.00	0.0199	1.00	CARBON	8/25/2021 2:58 AM	0.000	1.206	1.206	bl,C1u,C2u	1 253	1 509 240	2 258	1.0000	1.0121



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
19	27	SEQ-CALH	200.00	0.0253	1.00	CARBON	8/25/2021 3:29 AM	0.000	1.524	1.524	bl,C1u,C2u	1 233	1 930 390	4 311	1.0000	1.0003



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
20	28	SEQ-CALI	200.00	0.0302	1.00	CARBON	8/25/2021 4:01 AM	0.000	1.800	1.800	bl,C1u,C2u	1 600	2 286 540	3 907	1.0000	0.9976



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
21	29	SEQ-CALJ	200.00	0.0400	1.00	CARBON	8/25/2021 4:33 AM	0.000	2.400	2.400	bl,C1u	1 589	**3 013 270**	**9 826**	1.0000	1.0096



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
22	30	SEQ-CALK	200.00	0.0498	1.00	CARBON	8/25/2021 11:41 AM	0.000	3.012	3.012	bl,C1u	2 117	**3 411 713**	**0**	1.0000	1.0310



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
23	31	SEQ-CALL	200.00	0.0699	1.00	CARBON	8/25/2021 11:42 AM	0.000	4.206	4.206	bl,C1u	1 285	**4 920 073**	**0**	1.0000	1.0206



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
24	32	SEQ-CALM	200.00	0.0803	1.00	CARBON	8/25/2021 11:43 AM	0.000	4.812	4.812	bl,C1u	1 537	**5 655 573**	**0**	1.0000	1.0683



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
25	33	SEQ-CALN	200.00	0.0902	1.00	CARBON	8/25/2021 11:45 AM	0.000	5.406	5.406	bl,C1u	1 694	**6 449 031**	**0**	1.0000	1.0610



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
26	34	SEQ-CALO	200.00	0.1204	1.00	CARBON	8/25/2021 11:46 AM	0.000	7.218	7.218	bl,C1u,C3o	1 658	8 593 324	0	1.0000	1.3657



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
27	35	BLANK	1.00		1.00	CARBON	8/25/2021 7:43 AM	0.000	0.000	0.000	bl	708	0	0	1.0000	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
28	36	Dfactor	20.30		1.00	CARBON	8/25/2021 8:15 AM	44.446	0.000	44.446	bl	5 319 150	136 410	24 452	1.0755	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
29	37	Dfactor	21.00		1.00	CARBON	8/25/2021 8:47 AM	44.446	0.000	44.446	bl	5 524 800	134 598	27 280	1.0712	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
30	38	SEQ-ICV1	20.50		1.00	CARBON	8/25/2021 9:19 AM	47.154	1.091	48.245	bl	5 328 380	151 538	28 760	1.0733	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
31	39	SEQ-ICB1	599.20		1.00	CARBON	8/25/2021 9:51 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	172	1 307	338	1.0733	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0331	Instrument:	TOC Cube
		Calibration:	EH00065

Sample Name	Lab Sample ID	Lab File ID	Matrix	Analysis Date/Time
Initial Cal Check	SJH0331-ICV1	peData_08312021@1034-2	NA	08/25/21 16:08
Initial Cal Blank	SJH0331-ICB1	peData_08312021@1034-3	NA	08/25/21 16:40
LDW21-IT701B	21G0330-01	peData_08312021@1034-4	Solid	08/25/21 21:57
Calibration Check	SJH0331-CCV1	peData_08312021@1034-4	NA	08/25/21 22:29
Calibration Blank	SJH0331-CCB1	peData_08312021@1034-4	NA	08/25/21 23:01
LDW21-IT701B	BJH0434-MS4	peData_08312021@1034-4	Solid	08/26/21 00:04
LDW21-IT701C	21G0330-02	peData_08312021@1034-4	Solid	08/26/21 00:36
LDW21-IT701E	21G0330-03	peData_08312021@1034-4	Solid	08/26/21 01:07
Calibration Check	SJH0331-CCV2	peData_08312021@1034-5	NA	08/26/21 04:48
Calibration Blank	SJH0331-CCB2	peData_08312021@1034-5	NA	08/26/21 05:20
Calibration Check	SJH0331-CCV3	peData_08312021@1034-6	NA	08/26/21 11:09
Calibration Blank	SJH0331-CCB3	peData_08312021@1034-7	NA	08/26/21 11:41
Calibration Check	SJH0331-CCV4	peData_08312021@1034-6	NA	08/26/21 17:29
Calibration Blank	SJH0331-CCB4	peData_08312021@1034-6	NA	08/26/21 18:01
Calibration Check	SJH0331-CCV5	peData_08312021@1034-1	NA	08/26/21 23:59
Calibration Blank	SJH0331-CCB5	peData_08312021@1034-1	NA	08/27/21 00:30
Calibration Check	SJH0331-CCV6	peData_08312021@1034-1	NA	08/27/21 06:16
Calibration Blank	SJH0331-CCB6	peData_08312021@1034-1	NA	08/27/21 06:47
Calibration Check	SJH0331-CCV7	peData_08312021@1034-2	NA	08/27/21 12:34
Calibration Blank	SJH0331-CCB7	peData_08312021@1034-2	NA	08/27/21 13:06
Calibration Check	SJH0331-CCV8	peData_08312021@1034-3	NA	08/27/21 18:53
Calibration Blank	SJH0331-CCB8	peData_08312021@1034-3	NA	08/27/21 19:24
Calibration Check	SJH0331-CCV9	peData_08312021@1034-5	NA	08/28/21 01:09
Calibration Blank	SJH0331-CCB9	peData_08312021@1034-5	NA	08/28/21 01:40
Calibration Check	SJH0331-CCVA	peData_08312021@1034-6	NA	08/28/21 07:24
Calibration Blank	SJH0331-CCBA	peData_08312021@1034-6	NA	08/28/21 07:56
Calibration Check	SJH0331-CCVB	peData_08312021@1034-7	NA	08/28/21 13:42
Calibration Blank	SJH0331-CCBB	peData_08312021@1034-7	NA	08/28/21 14:13
MRL Check	BJH0434-MRL1	peData_08312021@1034-7	Solid	08/28/21 15:16
Blank	BJH0434-BLK1	peData_08312021@1034-8	Solid	08/28/21 15:47

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0331	Instrument:	TOC Cube
		Calibration:	EH00065

Sample Name	Lab Sample ID	Lab File ID	Matrix	Analysis Date/Time
LCS	BJH0434-BS1	peData_08312021@1034-(	Solid	08/28/21 16:19
Reference	BJH0434-SRM1	peData_08312021@1034-(	Solid	08/28/21 16:50
Calibration Check	SJH0331-CCVC	peData_08312021@1034-(	NA	08/28/21 19:57
Calibration Blank	SJH0331-CCBC	peData_08312021@1034-(	NA	08/28/21 20:28
Calibration Check	SJH0331-CCVD	peData_08312021@1034-1	NA	08/29/21 02:10
Calibration Blank	SJH0331-CCBD	peData_08312021@1034-1	NA	08/29/21 02:41
Calibration Check	SJH0331-CCVE	peData_08312021@1034-2	NA	08/29/21 08:25
Calibration Blank	SJH0331-CCBE	peData_08312021@1034-2	NA	08/29/21 08:56
Calibration Check	SJH0331-CCVF	peData_08312021@1034-3	NA	08/29/21 14:41
Calibration Blank	SJH0331-CCBF	peData_08312021@1034-3	NA	08/29/21 15:13
Calibration Check	SJH0331-CCVG	peData_08312021@1034-4	NA	08/29/21 20:58
Calibration Blank	SJH0331-CCBG	peData_08312021@1034-4	NA	08/29/21 21:29
Calibration Check	SJH0331-CCVH	peData_08312021@1034-5	NA	08/30/21 03:12
Calibration Blank	SJH0331-CCBH	peData_08312021@1034-5	NA	08/30/21 03:43
Calibration Check	SJH0331-CCVI	peData_08312021@1034-7	NA	08/30/21 09:27
Calibration Blank	SJH0331-CCBI	peData_08312021@1034-7	NA	08/30/21 09:59
Calibration Check	SJH0331-CCVJ	peData_08312021@1034-(	NA	08/30/21 15:45
Calibration Blank	SJH0331-CCBJ	peData_08312021@1034-(	NA	08/30/21 16:16

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
1	39	BLANK	1.00		1.00	CARBON	8/25/2021 2:33 PM	0.000	0.000	0.000	bl	269	2 397	1 039	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
2	40	Dfactor	23.10		1.00	CARBON	8/25/2021 3:05 PM	44.489	0.729	45.218	bl	6 305 580	111 318	17 655	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
3	41	Dfactor	24.40		1.00	CARBON	8/25/2021 3:36 PM	44.543	0.898	45.441	bl	6 680 720	141 475	25 730	0.9629	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
4	42	SJH0331-ICV1	20.10		1.00	CARBON	8/25/2021 4:08 PM	43.884	0.897	44.781	bl	5 416 100	118 414	22 631	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
5	43	SJH0331-ICB1	554.10		1.00	CARBON	8/25/2021 4:40 PM	0.003	0.000	0.003	bl,C3u,C2u	23 343	1 885	805	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
6	44	21G0313-17	621.60		1.00	CARBON	8/25/2021 5:12 PM	0.103	0.022	0.125	bl	287 974	92 124	123 678	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
7	45	21G0313-18	364.50		1.00	CARBON	8/25/2021 5:43 PM	0.210	1.195	1.405	bl	412 259	2 590 880	78 972	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
8	46	21G0322-05	555.60		1.00	CARBON	8/25/2021 6:15 PM	0.794	0.479	1.274	bl	2 451 470	1 589 110	272 309	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
9	47	BJH0434-DUP3	525.50		1.00	CARBON	8/25/2021 6:47 PM	0.682	0.425	1.107	bl	2 074 920	1 332 920	144 038	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
10	48	BJH0434-MS3	537.50	0.0145	1.00	CARBON	8/25/2021 7:19 PM	1.970	0.338	2.309	bl	6 246 020	1 088 690	269 680	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
11	49	21G0322-06	586.50		1.00	CARBON	8/25/2021 7:51 PM	0.703	0.368	1.071	bl	2 364 740	1 288 930	184 548	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
12	50	21G0322-07	645.40		1.00	CARBON	8/25/2021 8:22 PM	0.587	0.155	0.742	bl	1 802 760	603 747	527 933	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
13	51	21G0322-08	526.80		1.00	CARBON	8/25/2021 8:54 PM	1.132	0.194	1.327	bl	2 929 100	618 360	729 749	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
14	52	21G0322-09	525.60		1.00	CARBON	8/25/2021 9:26 PM	1.042	0.183	1.225	bl	2 762 510	580 911	600 994	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
15	53	21G0330-01	587.30		1.00	CARBON	8/25/2021 9:57 PM	0.242	0.018	0.260	bl	734 950	73 410	156 753	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
16	54	SJH0331-CCV1	20.90		1.00	CARBON	8/25/2021 10:29 PM	43.755	0.830	44.585	bl	5 610 790	114 398	26 780	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
17	55	SJH0331-CCB1	539.70		1.00	CARBON	8/25/2021 11:01 PM	0.000	0.000	0.000	bl,C3u,C2u	8 568	654	96	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
18	56	BJH0434-DUP4	597.30		1.00	CARBON	8/25/2021 11:32 PM	0.120	0.021	0.141	bl	430 799	87 095	32 284	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
19	57	BJH0434-MS4	640.80	0.0128	1.00	CARBON	8/26/2021 12:04 AM	1.164	0.041	1.205	bl	4 483 710	165 615	115 595	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
20	58	21G0330-02	694.00		1.00	CARBON	8/26/2021 12:36 AM	0.444	0.021	0.465	bl	1 867 910	96 006	47 239	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
21	59	21G0330-03	566.50		1.00	CARBON	8/26/2021 1:07 AM	0.147	0.042	0.189	bl	400 378	151 075	129 909	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
22	60	21H0072-13	522.70		1.00	CARBON	8/26/2021 1:39 AM	0.911	0.094	1.005	bl	2 912 900	303 233	33 518	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
23	61	BJH0434-DUP1	541.00		1.00	CARBON	8/26/2021 2:11 AM	0.899	0.085	0.984	bl	2 974 090	282 649	34 924	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
24	62	BJH0434-MS1	522.80	0.0110	1.00	CARBON	8/26/2021 2:42 AM	1.895	0.075	1.970	bl	6 077 010	242 912	29 009	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
25	63	BLANK	1.00		1.00	CARBON	8/26/2021 3:13 AM	0.000	0.000	0.000	bl	13 366	5 962	130	0.9644	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
26	64	Dfactor	24.70		1.00	CARBON	8/26/2021 3:45 AM	44.611	0.662	45.273	bl	6 594 660	108 528	35 848	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
27	65	Dfactor	23.90		1.00	CARBON	8/26/2021 4:16 AM	44.558	0.869	45.427	bl	6 381 320	134 583	27 642	0.9875	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
28	66	SJH0331-CCV2	21.00		1.00	CARBON	8/26/2021 4:48 AM	44.434	0.764	45.198	bl	5 602 300	106 661	16 290	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
29	67	SJH0331-CCB2	533.80		1.00	CARBON	8/26/2021 5:20 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	6 424	425	331	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
30	68	BJH0434-MSD1	528.30	0.0106	1.00	CARBON	8/26/2021 5:51 AM	1.899	0.078	1.977	bl	5 979 850	256 903	58 386	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
31	69	21H0072-21	518.60		1.00	CARBON	8/26/2021 6:23 AM	1.107	0.118	1.225	bl	3 412 750	373 576	53 031	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
32	70	21H0187-07	530.70		1.00	CARBON	8/26/2021 6:55 AM	0.169	0.256	0.425	bl	429 842	816 538	128 915	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
33	71	21H0187-08	554.70		1.00	CARBON	8/26/2021 7:27 AM	0.438	0.138	0.576	bl	1 311 880	465 029	167 039	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
34	72	21H0187-09	521.80		1.00	CARBON	8/26/2021 7:58 AM	0.363	0.099	0.462	bl	1 003 630	317 868	152 982	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
35	73	BJH0435-MRL1	524.20		1.00	CARBON	8/26/2021 8:30 AM	0.017	0.000	0.017	bl,C3u,C2u	66 010	6 866	196	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
36	74	BJH0435-BLK1	502.50		1.00	CARBON	8/26/2021 9:02 AM	0.000	0.000	0.000	bl,C3u,C2u	10 640	1 609	83	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
37	75	BJH0435-BS1	21.00		1.00	CARBON	8/26/2021 9:33 AM	43.894	1.611	45.505	bl	5 514 320	211 943	36 116	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
38	76	21H0089-01	581.50		1.00	CARBON	8/26/2021 10:05 AM	0.150	0.456	0.605	bl	451 971	1 580 450	91 893	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
39	77	21H0089-02	385.10		1.00	CARBON	8/26/2021 10:37 AM	0.538	2.055	2.593	bl	724 446	4 697 810	535 223	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
40	78	SJH0331-CCV3	25.10		1.00	CARBON	8/26/2021 11:09 AM	44.440	0.785	45.225	bl	6 692 970	128 338	18 911	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
41	79	SJH0331-CCB3	569.10		1.00	CARBON	8/26/2021 11:41 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	2 768	263	150	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
42	80	21H0089-03	516.00		1.00	CARBON	8/26/2021 12:12 PM	0.080	0.604	0.684	bl	242 131	1 857 580	27 577	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
43	81	21H0089-04	552.80		1.00	CARBON	8/26/2021 12:44 PM	0.126	0.306	0.432	bl	397 649	1 014 540	42 472	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
44	82	21H0089-05	564.10		1.00	CARBON	8/26/2021 1:16 PM	0.084	0.244	0.327	bl	266 687	825 800	39 239	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
45	83	21H0089-06	588.50		1.00	CARBON	8/26/2021 1:48 PM	0.067	0.144	0.210	bl	233 472	511 885	24 682	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
46	84	21H0089-07	361.00		1.00	CARBON	8/26/2021 2:19 PM	0.082	0.347	0.429	bl	182 745	753 491	17 851	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
47	85	21H0089-08	317.80		1.00	CARBON	8/26/2021 2:51 PM	0.067	0.212	0.279	bl,C2u	138 785	410 820	4 329	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
48	86	21H0089-09	632.60		1.00	CARBON	8/26/2021 3:23 PM	0.131	0.591	0.722	bl	257 988	2 225 310	257 517	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
49	87	21H0089-10	546.30		1.00	CARBON	8/26/2021 3:54 PM	0.167	0.670	0.837	bl	513 495	2 178 030	57 477	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
50	88	BJH0435-DUP1	576.50		1.00	CARBON	8/26/2021 4:26 PM	0.068	0.121	0.189	bl	221 089	424 708	36 187	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
51	89	BJH0435-MS1	537.40	0.0097	1.00	CARBON	8/26/2021 4:58 PM	0.883	0.541	1.424	bl	2 731 800	1 732 510	134 777	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
52	1	SJH0331-CCV4	20.80		1.00	CARBON	8/26/2021 5:29 PM	45.104	0.777	45.882	bl	5 633 340	107 423	15 635	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
53	2	SJH0331-CCB4	501.80		1.00	CARBON	8/26/2021 6:01 PM	0.000	0.000	0.000	bl,C3u,C2u	9 295	757	141	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
54	3	21H0089-11	509.70		1.00	CARBON	8/26/2021 6:45 PM	0.313	1.378	1.691	bl	249 160	4 170 120	721 848	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
55	4	21H0089-12	594.10		1.00	CARBON	8/26/2021 7:17 PM	0.084	0.483	0.567	bl	282 821	1 711 920	37 656	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
56	5	21H0089-13	519.30		1.00	CARBON	8/26/2021 7:48 PM	0.187	0.863	1.050	bl	532 313	2 666 160	71 419	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
57	6	21H0089-14	585.70		1.00	CARBON	8/26/2021 8:20 PM	0.061	0.285	0.345	bl	178 011	998 528	57 679	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
58	7	21H0089-15	556.20		1.00	CARBON	8/26/2021 8:51 PM	0.067	0.179	0.246	bl	213 437	600 872	33 727	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
59	8	21H0089-16	505.30		1.00	CARBON	8/26/2021 9:22 PM	0.114	0.378	0.492	bl	331 092	1 143 220	37 581	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
60	9	21H0089-17	586.90		1.00	CARBON	8/26/2021 9:54 PM	0.042	0.443	0.486	bl	149 159	1 552 010	23 359	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
61	10	21H0089-18	534.50		1.00	CARBON	8/26/2021 10:25 PM	0.053	0.009	0.061	bl	154 711	38 983	37 170	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
62	11	21H0089-19	509.70		1.00	CARBON	8/26/2021 10:56 PM	0.173	0.392	0.565	bl	528 317	1 193 990	24 687	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
63	12	BJH0512-MRL1	505.70		1.00	CARBON	8/26/2021 11:28 PM	0.016	0.000	0.016	bl,C3u,C2u	61 318	4 395	68	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
64	13	SJH0331-CCV5	25.20		1.00	CARBON	8/26/2021 11:59 PM	44.658	1.274	45.931	bl	6 741 860	201 751	29 459	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
65	14	SJH0331-CCB5	635.00		1.00	CARBON	8/27/2021 12:30 AM	0.001	0.000	0.001	bl,C2u	15 694	0	30	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
66	15	BJH0512-BLK1	632.60		1.00	CARBON	8/27/2021 1:02 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	3 308	920	473	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
67	16	BJH0512-BS1	25.40		1.00	CARBON	8/27/2021 1:33 AM	45.782	0.838	46.620	bl	6 966 500	137 684	29 632	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
68	17	21H0140-01	515.40		1.00	CARBON	8/27/2021 2:04 AM	1.042	0.192	1.235	bl	2 331 590	599 122	901 849	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
69	18	BJH0512-DUP1	505.50		1.00	CARBON	8/27/2021 2:36 AM	0.859	0.174	1.033	bl	1 863 800	533 584	753 606	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
70	19	BJH0512-MS1	555.00	0.0119	1.00	CARBON	8/27/2021 3:07 AM	1.974	0.213	2.187	bl	5 694 500	710 678	888 309	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
71	20	21H0140-02	358.70		1.00	CARBON	8/27/2021 3:38 AM	0.926	0.164	1.090	bl	1 281 940	359 426	725 012	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
72	21	21H0140-03	294.80		1.00	CARBON	8/27/2021 4:10 AM	0.993	0.171	1.164	bl	1 209 590	309 979	562 495	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
73	22	BLANK	1.00		1.00	CARBON	8/27/2021 4:41 AM	0.000	0.000	0.000	bl	7 936	478	259	0.9874	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
74	23	Dfactor	21.10		1.00	CARBON	8/27/2021 5:13 AM	44.565	1.103	45.668	bl	5 624 490	149 430	26 588	0.9893	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
75	24	Dfactor	24.80		1.00	CARBON	8/27/2021 5:44 AM	44.537	1.026	45.563	bl	6 724 490	162 352	25 078	0.9723	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
76	25	SJH0331-CCV6	22.00		1.00	CARBON	8/27/2021 6:16 AM	44.038	1.236	45.274	bl	5 845 220	172 698	26 767	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
77	26	SJH0331-CCB6	548.30		1.00	CARBON	8/27/2021 6:47 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	1 753	1 180	250	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
78	27	21H0140-04	303.90		1.00	CARBON	8/27/2021 7:19 AM	0.932	0.155	1.086	bl	1 049 770	290 373	669 853	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
79	28	21H0140-05	398.10		1.00	CARBON	8/27/2021 7:50 AM	0.819	0.162	0.981	bl	1 317 800	393 649	661 266	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
80	29	21H0140-06	334.50		1.00	CARBON	8/27/2021 8:22 AM	0.404	0.109	0.514	bl	634 956	228 189	201 330	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
81	30	21H0140-07	323.10		1.00	CARBON	8/27/2021 8:54 AM	0.579	0.126	0.705	bl	777 363	252 881	367 554	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
82	31	21H0140-08	608.70		1.00	CARBON	8/27/2021 9:25 AM	0.884	0.165	1.050	bl	2 427 370	607 996	828 909	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
83	32	21H0140-09	579.90		1.00	CARBON	8/27/2021 9:57 AM	2.798	0.076	2.875	bl,Cl o	9 729 350	274 246	89 035	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
84	33	21H0140-10	723.80		1.00	CARBON	8/27/2021 10:28 AM	0.160	0.231	0.391	bl	601 404	1 003 240	117 021	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
85	34	21H0184-01	375.90		1.00	CARBON	8/27/2021 11:00 AM	0.506	0.113	0.620	bl	728 873	263 986	434 915	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
86	35	21H0184-02	319.90		1.00	CARBON	8/27/2021 11:31 AM	0.466	0.091	0.557	bl	693 735	184 376	224 532	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
87	36	21H0184-03	526.60		1.00	CARBON	8/27/2021 12:03 PM	0.741	0.172	0.912	bl	1 774 540	546 694	592 063	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
88	37	SJH0331-CCV7	27.10		1.00	CARBON	8/27/2021 12:34 PM	44.781	1.263	46.044	bl	7 306 970	214 316	42 302	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
89	38	SJH0331-CCB7	695.50		1.00	CARBON	8/27/2021 1:06 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	1 587	48	62	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
90	39	21H0184-04	393.70		1.00	CARBON	8/27/2021 1:38 PM	0.492	0.119	0.611	bl	963 846	288 789	225 300	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
91	40	21H0184-05	349.50		1.00	CARBON	8/27/2021 2:09 PM	0.553	0.110	0.663	bl	744 608	240 260	437 124	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
92	41	21H0184-06	341.10		1.00	CARBON	8/27/2021 2:41 PM	0.500	0.097	0.596	bl	825 519	206 956	222 455	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
93	42	21H0184-07	370.40		1.00	CARBON	8/27/2021 3:12 PM	0.322	0.082	0.404	bl	564 895	191 885	174 826	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
94	43	21H0184-08	373.40		1.00	CARBON	8/27/2021 3:44 PM	0.392	0.102	0.494	bl	713 486	236 589	189 620	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
95	44	21H0184-09	358.60		1.00	CARBON	8/27/2021 4:15 PM	0.276	0.069	0.345	bl	469 728	158 825	148 800	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
96	45	21H0184-10	306.60		1.00	CARBON	8/27/2021 4:46 PM	0.298	0.071	0.369	bl	455 082	139 894	117 552	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
97	46	BJH0513-MRL1	500.20		1.00	CARBON	8/27/2021 5:18 PM	0.013	0.000	0.013	bl,C3u,C2u	51 185	4 331	286	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
98	47	BJH0513-BLK1	571.50		1.00	CARBON	8/27/2021 5:50 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	7 247	601	259	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
99	48	BJH0513-BS1	25.20		1.00	CARBON	8/27/2021 6:21 PM	44.727	1.438	46.165	bl	6 784 580	226 203	42 714	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
100	49	SJH0331-CCV8	26.70		1.00	CARBON	8/27/2021 6:53 PM	45.580	0.857	46.437	bl	7 346 060	147 195	24 181	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
101	50	SJH0331-CCB8	587.00		1.00	CARBON	8/27/2021 7:24 PM	0.001	0.000	0.001	bl,C2u	16 174	10 034	388	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
102	51	21H0103-01	107.50		1.00	CARBON	8/27/2021 7:56 PM	3.481	0.212	3.693	bl	2 231 660	146 521	50 144	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
103	52	21H0103-02	115.30		1.00	CARBON	8/27/2021 8:27 PM	2.022	0.095	2.118	bl	1 419 470	76 665	11 001	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
104	53	21H0103-03	107.10		1.00	CARBON	8/27/2021 8:59 PM	5.418	0.247	5.665	bl	3 497 970	168 576	28 083	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
105	54	21H0103-04	149.90		1.00	CARBON	8/27/2021 9:30 PM	3.161	0.124	3.285	bl	2 864 670	121 706	19 422	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
106	55	21H0176-01	541.00		1.00	CARBON	8/27/2021 10:01 PM	0.188	0.072	0.260	bl	515 890	241 787	120 500	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
107	56	BJH0513-DUP1	581.10		1.00	CARBON	8/27/2021 10:33 PM	0.213	0.178	0.390	bl	577 819	622 448	187 712	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
108	57	BJH0513-MS1	676.20	0.0142	1.00	CARBON	8/27/2021 11:04 PM	1.188	0.112	1.300	bl	4 484 310	458 939	382 479	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
109	58	BJH0513-MSD1	535.30	0.0122	1.00	CARBON	8/27/2021 11:35 PM	1.231	0.124	1.355	bl	3 614 900	405 006	377 980	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
110	59	21H0176-02	541.10		1.00	CARBON	8/28/2021 12:07 AM	0.228	0.268	0.496	bl	581 433	870 357	184 279	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
111	60	21H0176-03	416.50		1.00	CARBON	8/28/2021 12:38 AM	0.077	0.631	0.708	bl	197 028	1 568 240	20 300	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
112	61	SJH0331-CCV9	20.30		1.00	CARBON	8/28/2021 1:09 AM	43.170	1.200	44.370	bl	5 288 560	155 914	25 110	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
113	62	SJH0331-CCB9	597.10		1.00	CARBON	8/28/2021 1:40 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	2 135	522	52	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
114	63	21H0184-11	319.30		1.00	CARBON	8/28/2021 2:11 AM	0.657	0.131	0.788	bl	812 426	258 742	468 624	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
115	64	BJH0513-DUP3	383.80		1.00	CARBON	8/28/2021 2:42 AM	0.561	0.127	0.688	bl	960 731	300 644	356 407	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
116	65	BJH0513-MS3	313.40	0.0104	1.00	CARBON	8/28/2021 3:13 AM	2.034	0.150	2.185	bl	3 467 590	290 894	396 867	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
117	66	21H0184-12	306.00		1.00	CARBON	8/28/2021 3:45 AM	0.585	0.135	0.720	bl	786 153	255 459	312 050	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
118	67	21H0184-13	597.90		1.00	CARBON	8/28/2021 4:16 AM	0.589	0.140	0.729	bl	1 637 950	506 802	502 418	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
119	68	21H0184-14	283.00		1.00	CARBON	8/28/2021 4:47 AM	0.977	0.184	1.160	bl	1 042 850	319 175	637 140	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
120	69	21H0184-15	519.90		1.00	CARBON	8/28/2021 5:18 AM	0.944	0.182	1.126	bl	2 016 720	573 102	951 018	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
121	70	BLANK	1.00		1.00	CARBON	8/28/2021 5:50 AM	0.000	0.000	0.000	bl	1 460	264	159	0.9808	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
122	71	Dfactor	20.90		1.00	CARBON	8/28/2021 6:21 AM	44.549	0.999	45.547	bl	5 558 350	135 245	24 453	0.9916	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
123	72	Dfactor	21.40		1.00	CARBON	8/28/2021 6:53 AM	44.550	1.165	45.715	bl	5 694 210	159 244	24 952	0.9911	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
124	73	SJH0331-CCVA	24.30		1.00	CARBON	8/28/2021 7:24 AM	45.175	1.141	46.317	bl	6 557 250	175 865	22 725	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
125	74	SJH0331-CCBA	622.30		1.00	CARBON	8/28/2021 7:56 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	2 179	58	345	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
126	75	21H0184-16	565.70		1.00	CARBON	8/28/2021 8:27 AM	2.809	0.127	2.936	bl,Cl o	9 272 570	438 152	238 331	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
127	76	21H0184-17	328.10		1.00	CARBON	8/28/2021 8:59 AM	2.389	0.337	2.725	bl	2 990 010	665 689	1 699 900	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
128	77	21H0184-18	627.00		1.00	CARBON	8/28/2021 9:30 AM	0.588	0.134	0.722	bl	1 591 990	510 199	627 006	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
129	78	21H0219-01	527.60		1.00	CARBON	8/28/2021 10:02 AM	0.565	0.071	0.636	bl	1 743 570	232 620	60 843	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
130	79	BJH0513-DUP2	532.50		1.00	CARBON	8/28/2021 10:33 AM	0.393	0.062	0.455	bl	1 241 740	208 054	30 430	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
131	80	BJH0513-MS2	566.50	0.0108	1.00	CARBON	8/28/2021 11:04 AM	1.473	0.091	1.564	bl	4 929 470	318 082	77 016	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
132	81	BJH0513-MSD2	598.70	0.0113	1.00	CARBON	8/28/2021 11:36 AM	1.347	0.084	1.431	bl	4 728 330	308 742	109 916	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
133	82	21H0223-01	105.40		1.00	CARBON	8/28/2021 12:07 PM	2.778	0.500	3.278	bl	1 657 300	323 449	113 953	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
134	83	21H0223-02	114.70		1.00	CARBON	8/28/2021 12:39 PM	2.679	0.397	3.077	bl	1 777 140	281 623	81 103	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
135	84	21H0223-03	121.20		1.00	CARBON	8/28/2021 1:10 PM	3.307	0.600	3.908	bl	2 220 990	442 362	195 018	0.9913	1.0000



Name:

Access: soliTOC superuser

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

Date: Tue Aug 31 14:32:59 2021

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
136	85	SJH0331-CCVB	21.80		1.00	CARBON	8/28/2021 1:42 PM	44.633	1.082	45.716	bl	5 809 870	151 374	24 927	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
137	86	SJH0331-CCBB	553.80		1.00	CARBON	8/28/2021 2:13 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	3 219	275	254	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
138	87	21H0223-04	138.40		1.00	CARBON	8/28/2021 2:45 PM	2.972	0.409	3.381	bl	2 338 910	346 798	139 874	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
139	88	BJH0434-MRL1	556.70		1.00	CARBON	8/28/2021 3:16 PM	0.017	0.000	0.017	bl,C3u,C2u	68 246	7 250	503	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
140	89	BJH0434-BLK1	518.90		1.00	CARBON	8/28/2021 3:47 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	1 696	2 157	367	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
141	1	BJH0434-BS1	20.20		1.00	CARBON	8/28/2021 4:19 PM	46.270	0.931	47.201	bl	5 582 080	123 050	23 665	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
142	2	BJH0434-SRM1	40.00		1.00	CARBON	8/28/2021 4:50 PM	2.600	0.445	3.046	bl	473 382	117 120	169 870	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
143	3	21G0313-15	362.60		1.00	CARBON	8/28/2021 5:21 PM	0.036	0.662	0.698	bl	87 395	1 432 640	14 807	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
144	4	BJH0434-DUP2	376.10		1.00	CARBON	8/28/2021 5:52 PM	0.059	1.468	1.527	bl	133 193	3 280 160	22 916	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
145	5	BJH0434-MS2	313.00	0.0113	1.00	CARBON	8/28/2021 6:23 PM	1.881	0.357	2.239	bl	3 473 330	674 151	66 394	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
146	6	21G0313-16	500.80		1.00	CARBON	8/28/2021 6:55 PM	0.041	0.035	0.076	bl	122 396	114 752	23 407	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
147	7	21G0310-03RE1	217.60		1.00	CARBON	8/28/2021 7:26 PM	0.083	1.270	1.353	bl	119 849	2 040 220	29 068	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
148	8	SJH0331-CCVC	23.90		1.00	CARBON	8/28/2021 7:57 PM	44.711	1.455	46.166	bl	6 364 610	217 611	40 995	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
149	9	SJH0331-CCBC	588.20		1.00	CARBON	8/28/2021 8:28 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	2 316	13	79	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
150	10	21G0310-06RE1	131.50		1.00	CARBON	8/28/2021 8:59 PM	0.285	3.067	3.353	bl	201 867	2 399 770	45 380	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
151	11	21G0310-07RE1	184.30		1.00	CARBON	8/28/2021 9:30 PM	0.325	1.485	1.810	bl	188 140	1 632 090	190 979	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
152	12	21G0312-14RE1	105.00		1.00	CARBON	8/28/2021 10:01 PM	0.163	1.524	1.687	bl	113 787	959 154	10 137	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
153	13	21H0061-01RE1	100.70		1.00	CARBON	8/28/2021 10:32 PM	5.373	0.116	5.489	bl	3 228 540	80 938	26 398	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
154	14	21H0061-03RE1	104.30		1.00	CARBON	8/28/2021 11:03 PM	4.442	0.954	5.396	bl	2 376 800	601 105	410 254	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
155	15	21H0061-04RE1	112.90		1.00	CARBON	8/28/2021 11:34 PM	7.662	1.113	8.775	bl	4 816 740	755 540	370 349	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
156	16	21H0061-05RE1	128.60		1.00	CARBON	8/29/2021 12:06 AM	6.375	0.247	6.622	bl	4 719 210	199 614	199 518	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
157	17	21H0061-06RE1	157.50		1.00	CARBON	8/29/2021 12:36 AM	6.566	0.765	7.331	bl	5 574 890	725 044	620 006	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
158	18	BJH0674-MRL1	519.00		1.00	CARBON	8/29/2021 1:07 AM	0.028	0.000	0.028	bl,C3u,C2u	97 908	6 907	347	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
159	19	BJH0674-BLK1	618.30		1.00	CARBON	8/29/2021 1:38 AM	0.003	0.000	0.003	bl,C3u,C2u	23 033	2 269	472	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
160	20	SJH0331-CCVD	20.30		1.00	CARBON	8/29/2021 2:10 AM	45.619	0.782	46.401	bl	5 540 110	105 612	14 448	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
161	21	SJH0331-CCBD	664.20		1.00	CARBON	8/29/2021 2:41 AM	0.004	0.000	0.004	bl,C3u,C2u	25 929	1 898	287	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
162	22	BJH0674-BS1	20.70		1.00	CARBON	8/29/2021 3:12 AM	45.521	0.772	46.292	bl	5 631 530	106 242	19 786	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
163	23	BJH0674-SRM1	54.60		1.00	CARBON	8/29/2021 3:43 AM	2.569	0.462	3.031	bl	634 862	161 145	224 316	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
164	24	21H0244-01	598.90		1.00	CARBON	8/29/2021 4:14 AM	0.785	0.135	0.920	bl	2 735 500	491 425	93 499	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
165	25	21H0260-01	202.60		1.00	CARBON	8/29/2021 4:46 AM	7.327	0.359	7.686	bl,Cl o	8 747 300	442 274	141 368	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
166	26	21H0260-02	170.80		1.00	CARBON	8/29/2021 5:17 AM	19.149	0.520	19.670	bl,C1o	19 383800	538 066	173 440	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
167	27	21H0260-03	206.90		1.00	CARBON	8/29/2021 5:48 AM	6.145	0.130	6.275	bl	7 604 160	170 475	13 148	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
168	28	21H0261-01	209.00		1.00	CARBON	8/29/2021 6:19 AM	14.878	0.250	15.127	bl,C1o	18 385400	320 810	208 132	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
169	29	BLANK	1.00		1.00	CARBON	8/29/2021 6:51 AM	0.000	0.000	0.000	bl	28 416	2 891	319	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
170	30	Dfactor	21.90		1.00	CARBON	8/29/2021 7:22 AM	44.490	0.782	45.272	bl	5 966 290	113 062	17 465	0.9679	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
171	31	Dfactor	21.20		1.00	CARBON	8/29/2021 7:53 AM	44.523	0.814	45.338	bl	5 808 890	113 876	21 433	0.9624	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
172	32	SJH0331-CCVE	25.60		1.00	CARBON	8/29/2021 8:25 AM	43.530	1.131	44.661	bl	6 823 460	183 162	35 661	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
173	33	SJH0331-CCBE	558.70		1.00	CARBON	8/29/2021 8:56 AM	0.000	0.000	0.000	bl,C3u,C2u	8 363	771	466	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
174	34	21H0261-02	203.40		1.00	CARBON	8/29/2021 9:28 AM	4.376	0.063	4.439	bl	5 463 700	87 012	20 134	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
175	35	21H0261-03	159.20		1.00	CARBON	8/29/2021 9:59 AM	4.463	0.073	4.536	bl	4 370 410	80 886	9 432	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
176	36	21H0261-04	216.30		1.00	CARBON	8/29/2021 10:30 AM	5.130	0.077	5.207	bl	6 795 630	110 543	34 709	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
177	37	21H0262-01	157.10		1.00	CARBON	8/29/2021 11:02 AM	10.857	0.204	11.061	bl,C1o	10 220 000	201 520	258 859	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
178	38	21H0263-01	564.90		1.00	CARBON	8/29/2021 11:33 AM	0.278	0.069	0.347	bl	895 505	242 038	88 665	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
179	39	BJH0674-DUP1	530.50		1.00	CARBON	8/29/2021 12:05 PM	0.546	0.065	0.611	bl	1 737 790	214 569	61 081	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
180	40	BJH0674-MS1	545.40	0.0106	1.00	CARBON	8/29/2021 12:36 PM	1.140	0.081	1.221	bl	3 733 680	273 424	100 090	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
181	41	21H0274-01	165.80		1.00	CARBON	8/29/2021 1:07 PM	4.321	0.571	4.892	bl	3 818 180	572 056	580 044	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
182	42	21H0274-02	138.80		1.00	CARBON	8/29/2021 1:39 PM	9.473	0.246	9.719	bl	7 959 620	213 893	126 043	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
183	43	21H0274-03	520.80		1.00	CARBON	8/29/2021 2:10 PM	2.924	0.026	2.950	bl,Cl o	9 325 870	92 408	39 198	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
184	44	SJH0331-CCVF	20.30		1.00	CARBON	8/29/2021 2:41 PM	44.779	0.801	45.580	bl	5 584 430	107 969	15 612	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
185	45	SJH0331-CCBF	512.70		1.00	CARBON	8/29/2021 3:13 PM	0.004	0.000	0.004	bl,C3u,C2u	24 272	1 086	436	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
186	46	21H0274-04	172.00		1.00	CARBON	8/29/2021 3:44 PM	5.685	0.416	6.101	bl	5 703 440	435 100	307 981	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
187	47	21H0275-01	152.70		1.00	CARBON	8/29/2021 4:16 PM	18.942	0.327	19.268	bl,C1o	17 668300	307 174	96 733	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
188	48	21H0275-02	181.60		1.00	CARBON	8/29/2021 4:47 PM	7.225	0.314	7.540	bl	7 834 780	349 790	230 470	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
189	49	21H0275-03	175.40		1.00	CARBON	8/29/2021 5:18 PM	9.928	0.256	10.184	bl,C1o	10 495 200	278 007	204 224	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
190	50	21H0275-04	595.50		1.00	CARBON	8/29/2021 5:49 PM	0.288	0.138	0.426	bl	832 669	498 138	234 707	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
191	51	21H0275-05	526.70		1.00	CARBON	8/29/2021 6:21 PM	0.421	0.225	0.645	bl	1 085 710	711 901	286 674	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
192	52	21H0275-06	179.70		1.00	CARBON	8/29/2021 6:52 PM	19.636	0.297	19.934	bl,C1o	21 271400	328 099	386 832	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
193	53	BJH0677-MRL1	538.30		1.00	CARBON	8/29/2021 7:24 PM	0.021	0.000	0.021	bl,C3u,C2u	81 334	6 834	305	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
194	54	BJH0677-BLK1	537.20		1.00	CARBON	8/29/2021 7:55 PM	0.008	0.000	0.008	bl,C3u,C2u	36 820	4 881	448	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
195	55	BJH0677-BS1	24.50		1.00	CARBON	8/29/2021 8:26 PM	44.364	1.263	45.627	bl	6 667 020	194 880	24 111	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
196	56	SJH0331-CCVG	28.20		1.00	CARBON	8/29/2021 8:58 PM	45.395	0.880	46.275	bl	7 851 740	158 612	24 729	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
197	57	SJH0331-CCBG	515.50		1.00	CARBON	8/29/2021 9:29 PM	0.000	0.000	0.000	bl,C3u,C2u	12 285	1 549	397	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
198	58	21H0224-02	321.90		1.00	CARBON	8/29/2021 10:00 PM	0.739	0.246	0.985	bl	1 357 010	480 652	122 297	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
199	59	BJH0677-DUP1	331.90		1.00	CARBON	8/29/2021 10:31 PM	0.791	0.254	1.045	bl	1 448 930	511 750	178 206	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
200	60	BJH0677-MS1	268.40	0.0122	1.00	CARBON	8/29/2021 11:03 PM	3.006	0.189	3.195	bl	4 945 240	311 892	26 776	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
201	61	BJH0677-MSD1	258.10	0.0119	1.00	CARBON	8/29/2021 11:34 PM	2.949	0.195	3.144	bl	4 632 900	309 617	58 939	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
202	62	21H0224-03	331.30		1.00	CARBON	8/30/2021 12:05 AM	0.674	0.413	1.087	bl	1 287 520	821 348	102 649	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
203	63	21H0224-04	216.30		1.00	CARBON	8/30/2021 12:36 AM	0.883	0.409	1.292	bl	1 064 670	535 045	126 428	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
204	64	21H0224-05	325.20		1.00	CARBON	8/30/2021 1:07 AM	0.894	0.294	1.188	bl	1 702 020	577 355	102 413	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
205	65	21H0224-06	343.50		1.00	CARBON	8/30/2021 1:38 AM	0.978	0.587	1.565	bl	2 005 360	1 205 480	77 385	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
206	66	21H0224-07	345.80		1.00	CARBON	8/30/2021 2:09 AM	0.456	1.305	1.761	bl	909 599	2 684 350	78 594	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
207	67	21H0224-08	336.20		1.00	CARBON	8/30/2021 2:40 AM	0.880	1.549	2.429	bl	1 447 370	3 095 250	376 840	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
208	68	SJH0331-CCVH	20.30		1.00	CARBON	8/30/2021 3:12 AM	44.545	1.246	45.790	bl	5 554 990	161 382	15 856	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
209	69	SJH0331-CCBH	513.70		1.00	CARBON	8/30/2021 3:43 AM	0.003	0.000	0.003	bl,C3u,C2u	22 555	212	386	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
210	70	21H0224-09	213.30		1.00	CARBON	8/30/2021 4:14 AM	0.729	0.211	0.940	bl	915 310	278 071	60 869	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
211	71	21H0234-01	219.50		1.00	CARBON	8/30/2021 4:46 AM	0.794	3.228	4.022	bl	744 062	4 207 200	336 945	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
212	72	21H0234-04	517.90		1.00	CARBON	8/30/2021 5:17 AM	0.303	0.412	0.715	bl	907 251	1 275 550	76 254	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
213	73	21H0234-06	373.10		1.00	CARBON	8/30/2021 5:49 AM	1.009	0.420	1.429	bl	2 225 290	939 624	104 534	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
214	74	21H0234-09	556.70		1.00	CARBON	8/30/2021 6:20 AM	1.189	0.252	1.441	bl	3 997 190	841 290	83 898	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
215	75	21H0281-01	468.50		1.00	CARBON	8/30/2021 6:51 AM	1.433	0.317	1.750	bl	4 098 100	890 549	42 629	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
216	76	BJH0677-DUP2	454.40		1.00	CARBON	8/30/2021 7:22 AM	1.230	0.373	1.603	bl	3 387 130	1 014 720	63 796	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
217	77	BLANK	1.00		1.00	CARBON	8/30/2021 7:53 AM	0.000	0.000	0.000	bl	11 607	1 004	451	0.9651	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
218	78	Dfactor	22.70		1.00	CARBON	8/30/2021 8:25 AM	44.555	1.284	45.839	bl	6 054 780	184 262	26 404	0.9886	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
219	79	Dfactor	28.40		1.00	CARBON	8/30/2021 8:56 AM	44.533	1.142	45.676	bl	7 906 780	203 751	26 438	0.9467	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
220	80	SJH0331-CCVI	21.40		1.00	CARBON	8/30/2021 9:27 AM	44.014	0.984	44.998	bl	5 769 520	136 407	17 400	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
221	81	SJH0331-CCBI	586.00		1.00	CARBON	8/30/2021 9:59 AM	0.003	0.000	0.003	bl,C3u,C2u	23 563	4 985	576	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
222	82	BJH0677-MS2	446.30	0.0141	1.00	CARBON	8/30/2021 10:30 AM	2.612	0.371	2.983	bl	7 093 380	992 173	61 344	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
223	83	BJH0677-MSD2	451.90	0.0146	1.00	CARBON	8/30/2021 11:01 AM	2.604	0.502	3.106	bl	6 813 400	1 355 300	397 860	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
224	84	21H0281-04	255.10		1.00	CARBON	8/30/2021 11:33 AM	1.615	0.171	1.786	bl	2 511 560	270 300	32 476	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
225	85	21H0281-11	770.90		1.00	CARBON	8/30/2021 12:04 PM	0.894	0.568	1.462	bl	4 111 100	2 604 340	125 164	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
226	86	21H0281-14	315.70		1.00	CARBON	8/30/2021 12:35 PM	0.746	0.953	1.699	bl	1 332 770	1 792 890	127 280	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
227	87	21H0281-15	369.40		1.00	CARBON	8/30/2021 1:07 PM	1.763	1.991	3.754	bl	3 926 950	4 365 750	79 254	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
228	88	21G0303-02RE2	138.60		1.00	CARBON	8/30/2021 1:41 PM	3.374	0.053	3.427	bl	2 780 800	54 927	11 700	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
229	89	BJH0300-MS3	286.90	0.0132	1.00	CARBON	8/30/2021 2:12 PM	2.785	0.204	2.989	bl	4 726 410	358 091	180 107	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
230	1	BJH0300-MS4	273.90	0.0102	1.00	CARBON	8/30/2021 2:43 PM	3.680	0.167	3.847	bl	6 122 540	281 811	67 609	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
231	2	21G0305-02RE1	249.20		1.00	CARBON	8/30/2021 3:14 PM	1.304	0.222	1.527	bl	1 517 780	339 933	478 774	0.9676	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
232	3	SJH0331-CCVJ	20.90		1.00	CARBON	8/30/2021 3:45 PM	45.536	1.533	47.069	bl	5 638 790	201 321	19 734	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
233	4	SJH0331-CCBJ	559.70		1.00	CARBON	8/30/2021 4:16 PM	0.007	0.000	0.007	bl,C3u,C2u	36 369	1 670	384	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Tue Aug 31 14:32:59 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 8/31/2021 10:17 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
147	7	21G0310-03RE1	217.60		1.00	CARBON	9/1/2021 10:21 AM	0.083	1.269	1.352	bl	119 849	1 646 642	0	0.9913	1.0000



Name:

Access: soliTOC superuser

Date: Wed Sep 1 10:22:45 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: 082521BFb from: 9/1/2021 10:22 AM

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0417	Instrument:	TOC Cube
		Calibration:	EH00065

Sample Name	Lab Sample ID	Lab File ID	Matrix	Analysis Date/Time
Initial Cal Check	SJH0417-ICV1	peData_09062021@0807-(	NA	09/01/21 12:46
Initial Cal Blank	SJH0417-ICB1	peData_09062021@0807-(	NA	09/01/21 13:17
Calibration Check	SJH0417-CCV1	peData_09062021@0807-(	NA	09/01/21 18:57
Calibration Blank	SJH0417-CCB1	peData_09062021@0807-1	NA	09/01/21 19:28
Calibration Check	SJH0417-CCV2	peData_09062021@0807-1	NA	09/02/21 01:07
Calibration Blank	SJH0417-CCB2	peData_09062021@0807-1	NA	09/02/21 01:37
Calibration Check	SJH0417-CCV3	peData_09062021@0807-2	NA	09/02/21 07:16
Calibration Blank	SJH0417-CCB3	peData_09062021@0807-2	NA	09/02/21 07:47
Calibration Check	SJH0417-CCV4	peData_09062021@0807-3	NA	09/02/21 13:25
Calibration Blank	SJH0417-CCB4	peData_09062021@0807-3	NA	09/02/21 13:56
Calibration Check	SJH0417-CCV5	peData_09062021@0807-4	NA	09/02/21 19:35
Calibration Blank	SJH0417-CCB5	peData_09062021@0807-4	NA	09/02/21 20:06
Calibration Check	SJH0417-CCV6	peData_09062021@0807-4	NA	09/03/21 01:42
Calibration Blank	SJH0417-CCB6	peData_09062021@0807-4	NA	09/03/21 02:13
Calibration Check	SJH0417-CCV7	peData_09062021@0807-5	NA	09/03/21 07:48
Calibration Blank	SJH0417-CCB7	peData_09062021@0807-5	NA	09/03/21 08:19
Calibration Check	SJH0417-CCV8	peData_09062021@0807-(	NA	09/03/21 13:55
Calibration Blank	SJH0417-CCB8	peData_09062021@0807-(	NA	09/03/21 14:25
LDW21-IT701B	BJH0434-DUP5	peData_09062021@0807-1	Solid	09/03/21 18:31
Calibration Check	SJH0417-CCV9	peData_09062021@0807-1	NA	09/03/21 20:03
Calibration Blank	SJH0417-CCB9	peData_09062021@0807-1	NA	09/03/21 20:33
Calibration Check	SJH0417-CCVA	peData_09062021@0807-2	NA	09/04/21 02:09
Calibration Blank	SJH0417-CCBA	peData_09062021@0807-2	NA	09/04/21 02:39
Calibration Check	SJH0417-CCVB	peData_09062021@0807-3	NA	09/04/21 08:14
Calibration Blank	SJH0417-CCBB	peData_09062021@0807-3	NA	09/04/21 08:45
Calibration Check	SJH0417-CCVC	peData_09062021@0807-3	NA	09/04/21 14:21
Calibration Blank	SJH0417-CCBC	peData_09062021@0807-3	NA	09/04/21 14:52
Calibration Check	SJH0417-CCVD	peData_09062021@0807-4	NA	09/04/21 20:28
Calibration Blank	SJH0417-CCBD	peData_09062021@0807-4	NA	09/04/21 20:59
Calibration Check	SJH0417-CCVE	peData_09062021@0807-5	NA	09/05/21 02:04

Analytical Resources, Incorporated
Analytical Chemists and Consultants

ANALYSIS BATCH (SEQUENCE) SUMMARY

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Sequence:	SJH0417	Instrument:	TOC Cube
		Calibration:	EH00065

Sample Name	Lab Sample ID	Lab File ID	Matrix	Analysis Date/Time
Calibration Blank	SJH0417-CCBE	beData_09062021@0807-5	NA	09/05/21 02:35

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
1	1	BLANK	1.00		1.00	CARBON	9/1/2021 11:14 AM	0.000	0.000	0.000	bl	19 392	2 288	1 495	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
2	2	Dfactor	21.40		1.00	CARBON	9/1/2021 11:45 AM	44.526	0.984	45.510	bl	5 774 930	136 398	21 855	0.9772	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
3	3	Dfactor	21.30		1.00	CARBON	9/1/2021 12:16 PM	44.552	1.070	45.622	bl	5 673 250	146 630	25 106	0.9901	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
4	4	SJH0417-ICV1	22.10		1.00	CARBON	9/1/2021 12:46 PM	44.958	0.922	45.880	bl	5 983 630	132 286	20 538	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
5	5	SJH0417-ICB1	516.10		1.00	CARBON	9/1/2021 1:17 PM	0.005	0.000	0.005	bl,C3u,C2u	25 651	148	694	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
6	6	BJH0805-MRL1	561.40		1.00	CARBON	9/1/2021 1:48 PM	0.015	0.000	0.015	bl,C3u,C2u	61 766	6 003	757	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
7	7	BJH0805-BLK1	547.50		1.00	CARBON	9/1/2021 2:19 PM	0.001	0.000	0.001	bl,C3u,C2u	13 848	794	598	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
8	8	BJH0805-BS1	21.70		1.00	CARBON	9/1/2021 2:50 PM	45.666	0.716	46.382	bl	5 972 750	103 721	15 665	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
9	9	21H0301-01	509.10		1.00	CARBON	9/1/2021 3:21 PM	2.246	0.057	2.303	bl	6 886 360	184 572	19 916	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
10	10	21H0301-02	506.70		1.00	CARBON	9/1/2021 3:52 PM	1.264	0.055	1.318	bl	3 860 660	175 546	17 091	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
11	11	21H0301-03	511.10		1.00	CARBON	9/1/2021 4:22 PM	1.531	0.083	1.615	bl	4 709 730	264 254	24 597	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
12	12	21H0301-04	517.90		1.00	CARBON	9/1/2021 4:54 PM	1.564	0.057	1.621	bl	4 853 460	187 521	44 238	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
13	13	21H0301-08	361.70		1.00	CARBON	9/1/2021 5:24 PM	1.347	0.027	1.374	bl,C2u	2 945 180	69 832	6 388	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
14	14	21H0301-09	246.90		1.00	CARBON	9/1/2021 5:55 PM	4.890	0.018	4.908	bl,C2u	7 279 390	37 651	7 027	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
15	15	21H0301-10	243.80		1.00	CARBON	9/1/2021 6:26 PM	3.837	0.013	3.850	bl,C2u	5 643 060	30 755	5 245	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
16	16	SJH0417-CCV1	23.90		1.00	CARBON	9/1/2021 6:57 PM	44.993	0.899	45.892	bl	6 474 380	138 898	21 876	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
17	17	SJH0417-CCB1	522.80		1.00	CARBON	9/1/2021 7:28 PM	0.013	0.000	0.013	bl,C2u	53 522	7 948	433	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
18	18	21H0301-11	522.80		1.00	CARBON	9/1/2021 7:59 PM	2.697	0.045	2.741	bl	8 481 430	150 326	28 066	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
19	19	21H0301-12	521.60		1.00	CARBON	9/1/2021 8:30 PM	2.496	0.046	2.543	bl	7 840 130	155 027	21 532	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
20	20	BJH0805-DUP1	585.20		1.00	CARBON	9/1/2021 9:00 PM	2.126	0.020	2.146	bl	7 496 130	80 357	15 307	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
21	21	BJH0805-MS1	538.90	0.0104	1.00	CARBON	9/1/2021 9:31 PM	3.469	0.018	3.486	bl,C1o	11 258700	67 954	17 225	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
22	22	BJH0805-MSD1	544.10	0.0116	1.00	CARBON	9/1/2021 10:02 PM	2.993	0.035	3.028	bl,Cl o	9 808 310	124 456	16 672	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
23	23	21H0301-17	540.20		1.00	CARBON	9/1/2021 10:33 PM	2.760	0.029	2.790	bl,Cl o	8 972 190	105 943	26 602	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
24	24	21H0321-01	523.00		1.00	CARBON	9/1/2021 11:04 PM	4.606	0.618	5.224	bl,C1o	14 301 500	1 926 710	218 618	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
25	25	21H0321-03	517.60		1.00	CARBON	9/1/2021 11:34 PM	0.248	0.052	0.300	bl	714 743	170 381	79 981	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
26	26	21H0321-05	609.40		1.00	CARBON	9/2/2021 12:05 AM	0.869	0.145	1.014	bl	1 637 500	534 090	1 549 410	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
27	27	21H0321-07	525.20		1.00	CARBON	9/2/2021 12:36 AM	0.461	0.129	0.590	bl	1 162 470	412 583	313 081	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
28	28	SJH0417-CCV2	20.40		1.00	CARBON	9/2/2021 1:07 AM	44.998	0.852	45.850	bl	5 535 420	114 604	13 625	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
29	29	SJH0417-CCB2	512.80		1.00	CARBON	9/2/2021 1:37 AM	0.004	0.000	0.004	bl,C3u,C2u	24 219	1 399	345	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
30	30	21H0321-09	524.90		1.00	CARBON	9/2/2021 2:08 AM	2.237	2.048	4.286	bl	6 364 930	6 378 240	715 512	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
31	31	21H0321-11	377.50		1.00	CARBON	9/2/2021 2:39 AM	0.891	0.623	1.513	bl	1 619 210	1 403 380	421 601	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
32	32	21H0321-13	513.10		1.00	CARBON	9/2/2021 3:10 AM	1.929	1.188	3.117	bl	4 568 090	3 619 720	1 390 500	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
33	33	21H0321-15	554.90		1.00	CARBON	9/2/2021 3:41 AM	1.811	0.233	2.044	bl	5 190 940	776 799	867 539	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
34	34	BJH0805-DUP2	533.60		1.00	CARBON	9/2/2021 4:11 AM	1.269	0.628	1.898	bl	2 884 130	1 997 060	1 196 010	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
35	35	BJH0805-MS2	353.70	0.0111	1.00	CARBON	9/2/2021 4:42 AM	3.202	0.412	3.614	bl	5 911 260	874 764	915 204	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
36	36	BJH0805-MSD2	535.10	0.0097	1.00	CARBON	9/2/2021 5:13 AM	2.133	0.267	2.401	bl	5 768 650	858 105	1 108 370	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
37	37	21H0321-17	526.40		1.00	CARBON	9/2/2021 5:44 AM	0.641	0.375	1.016	bl	1 130 960	1 180 020	907 704	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
38	38	21H0321-19	587.10		1.00	CARBON	9/2/2021 6:15 AM	0.188	0.333	0.521	bl	480 507	1 170 590	202 698	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
39	39	BJH0806-MRL1	522.50		1.00	CARBON	9/2/2021 6:45 AM	0.016	0.000	0.016	bl,C3u,C2u	63 361	6 237	430	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
40	40	SJH0417-CCV3	20.70		1.00	CARBON	9/2/2021 7:16 AM	45.042	0.758	45.800	bl	5 621 860	104 600	13 930	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
41	41	SJH0417-CCB3	525.90		1.00	CARBON	9/2/2021 7:47 AM	0.007	0.000	0.007	bl,C3u,C2u	32 311	986	414	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
42	42	BJH0806-BLK1	549.90		1.00	CARBON	9/2/2021 8:18 AM	0.000	0.000	0.000	bl,C3u,C2u	9 719	1 723	472	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
43	43	BJH0806-BS1	23.10		1.00	CARBON	9/2/2021 8:49 AM	44.876	1.142	46.018	bl	6 243 940	167 834	19 475	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
44	44	21H0321-21	534.10		1.00	CARBON	9/2/2021 9:19 AM	0.619	0.197	0.817	bl	1 255 020	636 223	747 033	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
45	45	21H0321-23	525.50		1.00	CARBON	9/2/2021 9:50 AM	2.656	0.081	2.737	bl	8 028 750	263 291	391 546	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
46	46	21H0321-25	511.80		1.00	CARBON	9/2/2021 10:21 AM	1.308	0.246	1.553	bl	2 463 410	755 802	1 563 360	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
47	47	21H0321-27	560.20		1.00	CARBON	9/2/2021 10:51 AM	1.299	0.239	1.538	bl	2 574 550	805 359	1 799 210	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
48	48	21H0321-29	536.10		1.00	CARBON	9/2/2021 11:22 AM	0.702	0.211	0.912	bl	1 440 650	680 090	833 032	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
49	49	BLANK	1.00		1.00	CARBON	9/2/2021 11:53 AM	0.000	0.000	0.000	bl	52 548	7 479	173	0.9836	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
50	50	Dfactor	22.30		1.00	CARBON	9/2/2021 12:24 PM	44.476	1.093	45.568	bl	6 088 960	155 949	15 641	0.9657	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
51	51	Dfactor	25.50		1.00	CARBON	9/2/2021 12:54 PM	44.491	0.880	45.372	bl	6 906 920	144 593	18 588	0.9733	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
52	52	SJH0417-CCV4	24.90		1.00	CARBON	9/2/2021 1:25 PM	44.121	1.025	45.146	bl	6 709 400	162 761	23 546	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
53	53	SJH0417-CCB4	535.50		1.00	CARBON	9/2/2021 1:56 PM	0.007	0.000	0.007	bl,C3u,C2u	33 017	1 669	575	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
54	54	BJH0806-DUP1	563.60		1.00	CARBON	9/2/2021 2:27 PM	0.622	0.122	0.744	bl	1 111 790	418 885	1 021 670	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
55	55	BJH0806-MS1	582.20	0.0152	1.00	CARBON	9/2/2021 2:58 PM	1.959	0.225	2.184	bl	5 506 470	787 495	1 439 440	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
56	56	BJH0806-MSD1	647.00	0.0136	1.00	CARBON	9/2/2021 3:29 PM	1.412	0.407	1.818	bl	4 998 770	1 568 990	586 039	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
57	57	21H0340-01	543.10		1.00	CARBON	9/2/2021 4:00 PM	2.419	0.310	2.729	bl	4 648 150	1 009 120	3 294 230	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
58	58	BJH0806-DUP2	524.60		1.00	CARBON	9/2/2021 4:30 PM	2.696	0.275	2.971	bl	6 233 690	865 158	2 354 140	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
59	59	BJH0806-MS2	504.50	0.0113	1.00	CARBON	9/2/2021 5:01 PM	4.147	0.122	4.268	bl,C1o	12 428400	375 475	360 884	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
60	60	BJH0806-MSD2	504.50	0.0114	1.00	CARBON	9/2/2021 5:32 PM	3.648	0.218	3.866	bl,C1o	9 900 300	663 513	1 322 580	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
61	61	21H0340-03	633.90		1.00	CARBON	9/2/2021 6:03 PM	0.354	0.082	0.436	bl	915 800	319 228	462 975	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
62	62	21H0340-05	573.70		1.00	CARBON	9/2/2021 6:34 PM	1.200	0.292	1.491	bl	3 304 260	1 002 180	895 014	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
63	63	21H0340-07	561.20		1.00	CARBON	9/2/2021 7:05 PM	1.107	0.168	1.275	bl	2 881 690	569 035	908 510	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
64	64	SJH0417-CCV5	20.90		1.00	CARBON	9/2/2021 7:35 PM	44.804	0.689	45.493	bl	5 728 880	96 951	13 637	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
65	65	SJH0417-CCB5	567.60		1.00	CARBON	9/2/2021 8:06 PM	0.007	0.000	0.007	bl,C3u,C2u	34 359	1 295	395	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
66	66	21H0340-09	506.00		1.00	CARBON	9/2/2021 8:36 PM	1.606	0.260	1.866	bl	3 346 540	789 910	1 590 190	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
67	67	21H0340-11	373.90		1.00	CARBON	9/2/2021 9:07 PM	6.768	0.063	6.832	bl,C1o	15 152 400	151 900	317 720	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
68	68	21H0340-13	358.50		1.00	CARBON	9/2/2021 9:38 PM	0.205	1.054	1.259	bl	412 280	2 249 620	58 443	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
69	69	21H0340-15	607.80		1.00	CARBON	9/2/2021 10:08 PM	0.578	0.106	0.684	bl	1 459 570	392 693	687 016	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
70	70	21H0340-17	152.10		1.00	CARBON	9/2/2021 10:39 PM	7.034	0.085	7.120	bl	6 401 440	88 482	152 338	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
71	71	21H0340-19	239.80		1.00	CARBON	9/2/2021 11:09 PM	5.927	0.078	6.006	bl	8 502 160	122 768	196 781	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
72	72	21H0340-21	317.60		1.00	CARBON	9/2/2021 11:40 PM	1.328	0.177	1.504	bl	2 018 730	343 690	562 736	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
73	73	21H0340-23	533.50		1.00	CARBON	9/3/2021 12:11 AM	4.292	0.041	4.333	bl,C1o	13 859 600	140 789	145 060	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
74	74	21H0340-25	557.00		1.00	CARBON	9/3/2021 12:41 AM	0.452	0.094	0.546	bl	1 110 300	322 102	436 273	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
75	75	21H0340-27	510.00		1.00	CARBON	9/3/2021 1:12 AM	0.544	0.125	0.669	bl	1 116 780	387 741	584 104	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
76	76	SJH0417-CCV6	23.30		1.00	CARBON	9/3/2021 1:42 AM	43.705	1.095	44.800	bl	6 221 630	162 760	21 043	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
77	77	SJH0417-CCB6	524.50		1.00	CARBON	9/3/2021 2:13 AM	0.005	0.000	0.005	bl,C3u,C2u	27 480	516	346	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
78	78	21H0340-29	508.10		1.00	CARBON	9/3/2021 2:43 AM	0.708	0.158	0.865	bl	1 522 420	485 549	676 412	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
79	79	BJH0807-MRL1	515.10		1.00	CARBON	9/3/2021 3:13 AM	0.028	0.000	0.028	bl,C3u,C2u	100 052	6 913	344	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
80	80	BJH0807-BLK1	643.50		1.00	CARBON	9/3/2021 3:44 AM	0.004	0.000	0.004	bl,C3u,C2u	27 276	797	357	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
81	81	BJH0807-BS1	20.40		1.00	CARBON	9/3/2021 4:14 AM	44.064	0.980	45.044	bl	5 496 470	129 990	16 947	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
82	82	21H0340-31	530.50		1.00	CARBON	9/3/2021 4:45 AM	1.511	0.216	1.727	bl	2 233 330	690 590	2 603 960	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
83	83	21H0340-33	529.60		1.00	CARBON	9/3/2021 5:15 AM	2.376	0.242	2.618	bl	4 879 440	770 403	2 743 010	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
84	84	BJH0807-DUP1	504.90		1.00	CARBON	9/3/2021 5:46 AM	2.171	0.274	2.445	bl	3 064 720	829 732	3 542 080	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
85	85	BJH0807-MS1	532.30	0.0093	1.00	CARBON	9/3/2021 6:16 AM	3.077	0.114	3.191	bl,C1o	9 495 300	369 591	516 757	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
86	86	BJH0807-MSD1	536.60	0.0122	1.00	CARBON	9/3/2021 6:47 AM	3.533	0.077	3.610	bl,C1o	11 317 400	257 339	275 317	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
87	87	21H0350-04	488.10		1.00	CARBON	9/3/2021 7:18 AM	2.176	0.300	2.476	bl	5 594 510	878 181	887 492	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
88	88	SJH0417-CCV7	22.40		1.00	CARBON	9/3/2021 7:48 AM	43.450	1.147	44.596	bl	5 949 080	163 742	18 486	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
89	89	SJH0417-CCB7	620.40		1.00	CARBON	9/3/2021 8:19 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	5 063	425	470	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
90	1	21H0350-08	340.00		1.00	CARBON	9/3/2021 8:49 AM	0.857	0.234	1.090	bl	1 323 280	481 919	464 559	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
91	2	BJH0807-DUP2	318.90		1.00	CARBON	9/3/2021 9:20 AM	1.045	0.253	1.298	bl	1 563 210	488 978	481 545	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
92	3	BJH0807-MS2	374.50	0.0140	1.00	CARBON	9/3/2021 9:50 AM	4.031	0.127	4.158	bl,C1o	9 092 430	293 149	147 886	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
93	4	BJH0807-MSD2	387.20	0.0126	1.00	CARBON	9/3/2021 10:21 AM	2.675	0.261	2.936	bl	5 801 620	611 022	530 385	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
94	5	21H0352-01	507.00		1.00	CARBON	9/3/2021 10:52 AM	0.090	0.086	0.177	bl	192 882	270 823	107 095	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
95	6	21H0352-02	509.60		1.00	CARBON	9/3/2021 11:22 AM	0.065	0.103	0.168	bl	123 396	322 075	99 756	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
96	7	21H0352-03	508.00		1.00	CARBON	9/3/2021 11:52 AM	0.225	0.060	0.285	bl	570 878	191 038	146 786	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
97	8	BLANK	1.00		1.00	CARBON	9/3/2021 12:23 PM	0.000	0.000	0.000	bl	13 281	3 010	101	0.9695	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
98	9	Dfactor	21.50		1.00	CARBON	9/3/2021 12:53 PM	0.062	1.117	1.178		0	153 864	19 501	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
99	10	Dfactor	21.40		1.00	CARBON	9/3/2021 1:24 PM	44.552	1.104	45.655	bl	5 680 790	151 525	25 097	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
100	11	SJH0417-CCV8	24.30		1.00	CARBON	9/3/2021 1:55 PM	44.902	1.087	45.988	bl	6 502 360	168 032	24 323	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
101	12	SJH0417-CCB8	577.30		1.00	CARBON	9/3/2021 2:25 PM	0.000	0.000	0.000	bl,C1u,C3u,C2u	2 593	182	600	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
102	13	21H0352-07	502.40		1.00	CARBON	9/3/2021 2:56 PM	0.780	0.203	0.983	bl	1 677 240	614 581	678 381	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
103	14	BJH0807-DUP3	501.90		1.00	CARBON	9/3/2021 3:26 PM	0.645	0.221	0.866	bl	1 415 080	669 466	533 841	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
104	15	BJH0807-MS3	564.90	0.0155	1.00	CARBON	9/3/2021 3:57 PM	2.016	0.216	2.232	bl	6 000 240	735 816	805 479	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
105	16	BJH0807-MSD3	521.10	0.0100	1.00	CARBON	9/3/2021 4:28 PM	1.552	0.207	1.758	bl	4 187 490	650 118	650 615	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
106	17	21H0352-08	525.90		1.00	CARBON	9/3/2021 4:58 PM	1.147	0.217	1.364	bl	3 360 850	686 288	256 996	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
107	18	21H0078-32	505.20		1.00	CARBON	9/3/2021 5:29 PM	1.405	0.154	1.560	bl	3 991 000	473 572	262 050	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
108	19	21H0078-34	503.30		1.00	CARBON	9/3/2021 6:00 PM	1.149	0.178	1.327	bl	2 771 310	542 174	694 723	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
109	20	BJH0434-DUP5	640.30		1.00	CARBON	9/3/2021 6:31 PM	0.202	0.035	0.236	bl	704 426	142 797	88 777	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
110	21	21H0089-02RE1	178.50		1.00	CARBON	9/3/2021 7:02 PM	0.110	1.108	1.219	bl	129 071	1 182 940	8 754	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
111	22	BJH0435-DUP2	506.40		1.00	CARBON	9/3/2021 7:32 PM	0.067	0.191	0.258	bl	199 576	585 675	25 656	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
112	23	SJH0417-CCV9	20.60		1.00	CARBON	9/3/2021 8:03 PM	44.885	0.853	45.739	bl	5 517 480	115 775	16 972	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
113	24	SJH0417-CCB9	542.20		1.00	CARBON	9/3/2021 8:33 PM	0.004	0.000	0.004	bl,C3u,C2u	24 910	589	247	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
114	25	21H0089-11RE1	326.10		1.00	CARBON	9/3/2021 9:04 PM	0.088	0.697	0.785	bl	166 944	1 357 640	26 706	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
115	26	21H0140-09RE1	281.30		1.00	CARBON	9/3/2021 9:34 PM	2.658	0.106	2.764	bl	4 392 200	188 321	87 875	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
116	27	21H0184-16RE1	268.10		1.00	CARBON	9/3/2021 10:05 PM	2.940	0.227	3.167	bl	4 219 730	372 042	498 197	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
117	28	BJH0513-DUP4	557.20		1.00	CARBON	9/3/2021 10:35 PM	0.471	0.072	0.544	bl	1 556 930	250 483	31 935	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
118	29	21H0260-01RE1	87.40		1.00	CARBON	9/3/2021 11:06 PM	9.323	0.436	9.760	bl	4 809 280	237 538	70 533	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
119	30	21H0260-02RE1	63.60		1.00	CARBON	9/3/2021 11:36 PM	17.777	0.688	18.466	bl	6 713 090	270 882	49 004	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
120	31	21H0261-01RE1	72.60		1.00	CARBON	9/4/2021 12:07 AM	14.733	0.515	15.248	bl	6 318 590	232 862	79 747	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
121	32	21H0262-01RE1	68.20		1.00	CARBON	9/4/2021 12:37 AM	2.000	0.313	2.313	bl	767 177	138 246	68 653	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
122	33	BJH0674-DUP2	504.60		1.00	CARBON	9/4/2021 1:08 AM	0.209	0.060	0.269	bl	606 908	190 542	46 291	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
123	34	21H0274-03RE1	201.70		1.00	CARBON	9/4/2021 1:38 AM	3.256	0.026	3.281	bl,C2u	3 925 640	42 303	6 590	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
124	35	SJH0417-CCVA	23.20		1.00	CARBON	9/4/2021 2:09 AM	45.048	0.820	45.868	bl	6 235 010	124 372	17 518	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
125	36	SJH0417-CCBA	555.10		1.00	CARBON	9/4/2021 2:39 AM	0.009	0.000	0.009	bl,C3u,C2u	41 446	2 172	358	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
126	37	21H0275-01RE1	52.60		1.00	CARBON	9/4/2021 3:10 AM	21.405	0.525	21.930	bl	6 706 260	175 202	27 764	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
127	38	21H0275-03RE1	58.50		1.00	CARBON	9/4/2021 3:40 AM	14.961	0.407	15.368	bl	5 198 730	152 749	40 890	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
128	39	21H0275-06RE1	54.60		1.00	CARBON	9/4/2021 4:10 AM	23.200	0.351	23.550	bl	7 561 650	125 020	8 527	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
129	40	21H0224-08RE1	130.60		1.00	CARBON	9/4/2021 4:41 AM	0.842	0.206	1.048	bl	578 148	170 686	100 163	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
130	41	21H0234-01RE1	148.30		1.00	CARBON	9/4/2021 5:11 AM	1.218	2.776	3.994	bl	1 016 790	2 449 230	82 919	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
131	42	BJH0677-DUP3	222.40		1.00	CARBON	9/4/2021 5:42 AM	1.249	0.288	1.538	bl	1 612 950	391 499	65 783	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
132	43	BJH0677-MS3	262.40	0.0118	1.00	CARBON	9/4/2021 6:12 AM	3.403	0.236	3.639	bl	5 258 690	378 093	86 584	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
133	44	BJH0677-MSD3	234.20	0.0140	1.00	CARBON	9/4/2021 6:43 AM	4.011	0.396	4.408	bl	5 522 710	561 441	99 186	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
134	45	BJI0020-MRL1	555.10		1.00	CARBON	9/4/2021 7:13 AM	0.031	0.004	0.035	bl,C2u	113 783	24 431	88	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
135	46	BJI0020-BLK1	590.20		1.00	CARBON	9/4/2021 7:44 AM	0.003	0.000	0.003	bl,C3u,C2u	22 846	2 237	357	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
136	47	SJH0417-CCVB	23.20		1.00	CARBON	9/4/2021 8:14 AM	44.275	1.190	45.465	bl	6 116 640	175 084	28 999	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
137	48	SJH0417-CCBB	671.00		1.00	CARBON	9/4/2021 8:45 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	7 053	3 769	344	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
138	49	BJI0020-BS1	20.80		1.00	CARBON	9/4/2021 9:15 AM	44.997	1.344	46.341	bl	5 579 820	177 218	21 972	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
139	50	21G0404-01	522.30		1.00	CARBON	9/4/2021 9:46 AM	0.173	1.814	1.987	bl	548 547	5 621 650	13 691	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
140	51	BJI0020-DUP1	581.00		1.00	CARBON	9/4/2021 10:16 AM	0.184	1.745	1.929	bl	645 498	6 016 200	13 903	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
141	52	BJI0020-MS1	612.90	0.0111	1.00	CARBON	9/4/2021 10:47 AM	0.979	1.919	2.898	bl	3 292 890	6 974 070	305 999	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
142	53	21G0404-02	525.30		1.00	CARBON	9/4/2021 11:18 AM	0.189	1.243	1.432	bl	598 291	3 878 040	16 854	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
143	54	21G0404-03	639.30		1.00	CARBON	9/4/2021 11:48 AM	0.127	1.583	1.710	bl,C2u	495 307	6 002 960	7 000	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
144	55	21G0404-04	633.10		1.00	CARBON	9/4/2021 12:19 PM	0.122	1.903	2.025	bl	468 750	7 145 870	14 459	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
145	56	BLANK	1.00		1.00	CARBON	9/4/2021 12:49 PM	0.000	0.000	0.000	bl	6 526	3 629	43	0.9934	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
146	57	Dfactor	22.10		1.00	CARBON	9/4/2021 1:20 PM	44.478	1.375	45.853	bl	6 029 760	191 631	15 936	0.9664	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
147	58	Dfactor	21.20		1.00	CARBON	9/4/2021 1:50 PM	44.446	0.812	45.257	bl	5 790 610	113 570	11 430	0.9654	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
148	59	SJH0417-CCVC	22.20		1.00	CARBON	9/4/2021 2:21 PM	45.176	0.686	45.863	bl	6 159 530	101 875	8 921	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
149	60	SJH0417-CCBC	615.10		1.00	CARBON	9/4/2021 2:52 PM	0.002	0.000	0.002	bl,C3u,C2u	19 312	6 926	510	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
150	61	21G0404-05	521.40		1.00	CARBON	9/4/2021 3:22 PM	0.161	2.055	2.216	bl	523 278	6 356 600	13 821	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
151	79	21G0246-01RE1	942.50		1.00	CARBON	9/4/2021 3:53 PM	0.067	0.447	0.514	bl	363 635	2 504 590	46 067	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
152	80	BJH0059-DUP3	941.80		1.00	CARBON	9/4/2021 4:24 PM	0.090	0.306	0.397	bl	467 496	1 719 420	75 580	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
153	81	21G0212-13RE1	222.40		1.00	CARBON	9/4/2021 4:54 PM	1.087	0.245	1.332	bl	1 163 090	334 092	331 194	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
154	65	21G0404-09	552.80		1.00	CARBON	9/4/2021 5:25 PM	0.207	1.534	1.741	bl	712 562	5 033 350	11 887	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
155	66	21G0404-10	620.20		1.00	CARBON	9/4/2021 5:56 PM	0.198	0.817	1.014	bl	763 245	3 010 330	10 658	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
156	67	21G0404-11	546.20		1.00	CARBON	9/4/2021 6:26 PM	0.186	1.213	1.400	bl	633 854	3 935 900	13 681	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
157	68	21G0404-12	633.50		1.00	CARBON	9/4/2021 6:57 PM	0.175	1.427	1.602	bl	685 397	5 364 700	17 550	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
158	69	21G0404-13	637.40		1.00	CARBON	9/4/2021 7:27 PM	0.163	1.473	1.636	bl	643 456	5 569 870	16 083	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
159	70	21G0404-14	710.00		1.00	CARBON	9/4/2021 7:58 PM	0.176	1.453	1.629	bl	765 817	6 121 060	21 081	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
160	71	SJH0417-CCVD	24.20		1.00	CARBON	9/4/2021 8:28 PM	44.639	1.387	46.026	bl	6 619 220	210 384	25 610	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
161	72	SJH0417-CCBD	601.00		1.00	CARBON	9/4/2021 8:59 PM	0.008	0.000	0.008	bl,C3u,C2u	42 640	3 332	353	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
162	73	21G0404-15	677.90		1.00	CARBON	9/4/2021 9:30 PM	0.202	1.241	1.442	bl	834 934	4 991 450	25 967	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
163	74	21G0404-16	663.10		1.00	CARBON	9/4/2021 10:00 PM	0.169	2.297	2.466	bl,C3o	690 940	9 029 690	18 887	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
164	75	21G0404-17	566.00		1.00	CARBON	9/4/2021 10:31 PM	0.150	1.606	1.756	bl	530 918	5 394 360	12 925	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
165	76	21G0404-18	622.30		1.00	CARBON	9/4/2021 11:01 PM	0.153	1.899	2.052	bl	583 694	7 009 080	21 249	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
166	77	21G0404-19	541.80		1.00	CARBON	9/4/2021 11:32 PM	0.162	1.427	1.589	bl	550 013	4 588 350	12 027	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
167	78	21G0404-20	591.30		1.00	CARBON	9/5/2021 12:03 AM	0.160	1.918	2.078	bl	590 136	6 727 000	12 136	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
168	62	21G0404-06	533.50		1.00	CARBON	9/5/2021 12:33 AM	0.179	1.125	1.304	bl	597 419	3 565 740	10 508	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
169	63	21G0404-07	539.20		1.00	CARBON	9/5/2021 1:03 AM	0.191	0.846	1.037	bl	643 913	2 712 040	7 911	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
170	64	21G0404-08	516.70		1.00	CARBON	9/5/2021 1:34 AM	0.183	1.078	1.261	bl,C2u	591 304	3 310 160	6 897	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
171	82	SJH0417-CCVE	20.70		1.00	CARBON	9/5/2021 2:04 AM	44.006	1.526	45.532	bl	5 590 000	198 692	17 093	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
172	83	SJH0417-CCBE	669.30		1.00	CARBON	9/5/2021 2:35 AM	0.000	0.000	0.000	bl,C3u,C2u	9 031	185	277	0.9659	1.0000



Name:

Access: soliTOC superuser

Date: Mon Sep 6 07:32:29 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: from: --.--.-- (modified)

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00065	Instrument:	TOC Cube
Calibration Date:	08/24/2021 17:16		

Compound	Level 01		Level 02		Level 03		Level 04		Level 05		Level 06	
		RF		RF		RF		RF		RF		RF
Total Organic Carbon	0.005112	1267041	0.01624	1156589	0.020451	1208352	0.030375	1027852	0.045412	1355038	0.060149	1226039
Total Carbon	0.005112	1267041	0.01624	1156589	0.020451	1208352	0.030375	1027852	0.045412	1355038	0.060149	1226039
Total Inorganic Carbon	0.005112	1267041	0.01624	1156589	0.020451	1208352	0.030375	1027852	0.045412	1355038	0.060149	1226039
% Soot	0.005112	1267041	0.01624	1156589	0.020451	1208352	0.030375	1027852	0.045412	1355038	0.060149	1226039

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00065	Instrument:	TOC Cube
Calibration Date:	08/24/2021 17:16		

Compound	Level 07		Level 08		Level 09		Level 10		Level 11		Level 12	
		RF		RF		RF		RF		RF		RF
Total Organic Carbon	0.076991	1301360	0.091126	1300200	0.1191	1370840	0.14977	1231288	0.252	1210857	0.336	1231923
Total Carbon	0.076991	1301360	0.091126	1300200	0.1191	1370840	0.14977	1231288	0.252	1210857	0.336	1231923
Total Inorganic Carbon	0.076991	1301360	0.091126	1300200	0.1191	1370840	0.14977	1231288	0.252	1210857	0.336	1231923
% Soot	0.076991	1301360	0.091126	1300200	0.1191	1370840	0.14977	1231288	0.252	1210857	0.336	1231923

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00065	Instrument:	TOC Cube
Calibration Date:	08/24/2021 17:16		

Compound	Level 13		Level 14		Level 15		Level 16		Level 17		Level 18	
		RF		RF		RF		RF		RF		RF
Total Organic Carbon	0.414	1268309	0.582	1278292	0.882	1265125	1.194	1264020	1.518	1271667	1.812	1261887
Total Carbon	0.414	1268309	0.582	1278292	0.882	1265125	1.194	1264020	1.518	1271667	1.812	1261887
Total Inorganic Carbon	0.414	1268309	0.582	1278292	0.882	1265125	1.194	1264020	1.518	1271667	1.812	1261887
% Soot	0.414	1268309	0.582	1278292	0.882	1265125	1.194	1264020	1.518	1271667	1.812	1261887

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00065	Instrument:	TOC Cube
Calibration Date:	08/24/2021 17:16		

Compound	Level 19		Level 20		Level 21		Level 22		Level 23		Level 24	
		RF		RF		RF		RF		RF		RF
Total Organic Carbon	2.4	1255529	2.988	1141805	4.194	1173122	4.818	1173843	5.412	1191617	7.224	1189552
Total Carbon	2.4	1255529	2.988	1141805	4.194	1173122	4.818	1173843	5.412	1191617	7.224	892723
Total Inorganic Carbon	2.4	1255529	2.988	1141805	4.194	1173122	4.818	1173843	5.412	1191617	7.224	892723
% Soot	2.4	1255529	2.988	1141805	4.194	1173122	4.818	1173843	5.412	1191617	7.224	892723

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL CALIBRATION DATA

EPA 9060A m

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Calibration:	EH00065	Instrument:	TOC Cube
Calibration Date:	08/24/2021 17:16		

COMPOUND	Mean RF	RF RSD	Linear COD	Quad COD	COD Limit	Q
Total Organic Carbon	1234256	5.9	0.9993			
Total Carbon	1221888	8.2	0.9742			
Total Inorganic Carbon	1221888	8.2	0.9742			
% Soot	1221888	8.2	0.9742			

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
1	9	BLANK	1.00		1.00	CARBON	8/24/2021 6:00 PM	0.000	0.000	0.000	bl	13 861	33 454	21 567	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
2	10	BLANK	1.00		1.00	CARBON	8/24/2021 6:31 PM	0.000	0.000	0.000	bl	1 643	8	245	1.0000	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
3	11	SEQ-CAL1	200.00	0.0017	1.00	CARBON	8/24/2021 7:03 PM	0.000	0.008	0.008	bl,C1u,C3u,C2u	1 070	6 478	141	1.0000	1.1719



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
4	12	SEQ-CAL2	200.00	0.0054	1.00	CARBON	8/24/2021 7:34 PM	0.000	0.015	0.015	bl,C1u,C2u	660	18 783	85	1.0000	0.9072



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
5	13	SEQ-CAL3	200.00	0.0068	1.00	CARBON	8/24/2021 8:06 PM	0.000	0.022	0.022	bl,C1u,C2u	889	24 712	60	1.0000	1.0307



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
6	14	SEQ-CAL4	200.00	0.0101	1.00	CARBON	8/24/2021 8:38 PM	0.000	0.030	0.030	bl,C1u,C2u	1 503	31 221	84	1.0000	1.1361



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
7	15	SEQ-CAL5	200.00	0.0151	1.00	CARBON	8/24/2021 9:10 PM	0.000	0.045	0.045	bl,C1u,C2u	776	61 535	62	1.0000	0.8900



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
8	16	SEQ-CAL6	200.00	0.0200	1.00	CARBON	8/24/2021 9:41 PM	0.000	0.061	0.061	bl,C1u,C2u	1 086	73 745	55	1.0000	1.0168



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
9	17	SEQ-CAL7	200.00	0.0256	1.00	CARBON	8/24/2021 10:13 PM	0.000	0.075	0.075	bl,C1u,C2u	1 149	100 193	99	1.0000	0.9293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
10	18	SEQ-CAL8	200.00	0.0303	1.00	CARBON	8/24/2021 10:44 PM	0.000	0.091	0.091	bl,C1u,C2u	779	118 482	109	1.0000	0.9492



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
11	19	SEQ-CAL9	200.00	0.0396	1.00	CARBON	8/24/2021 11:16 PM	0.000	0.120	0.120	bl,C1u,C2u	848	163 267	93	1.0000	0.9178



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
12	20	SEQ-CALA	200.00	0.0498	1.00	CARBON	8/24/2021 11:48 PM	0.000	0.151	0.151	bl,C1u,C2u	1 818	184 410	146	1.0000	1.0237



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
13	21	SEQ-CALB	200.00	0.0042	1.00	CARBON	8/25/2021 12:19 AM	0.000	0.258	0.258	bl,C1u,C2u	972	305 136	284	1.0000	1.0636



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
14	22	SEQ-CALC	200.00	0.0056	1.00	CARBON	8/25/2021 12:51 AM	0.000	0.324	0.324	bl,C1u,C2u	925	413 926	393	1.0000	0.9869



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
15	23	SEQ-CALD	200.00	0.0069	1.00	CARBON	8/25/2021 1:22 AM	0.000	0.444	0.444	bl,C1u,C2u	172	525 080	677	1.0000	1.0675



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
16	24	SEQ-CALE	200.00	0.0097	1.00	CARBON	8/25/2021 1:54 AM	0.000	0.600	0.600	bl,C1u,C2u	989	743 966	687	1.0000	1.0196



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
17	25	SEQ-CALF	200.00	0.0147	1.00	CARBON	8/25/2021 2:26 AM	0.000	0.906	0.906	bl,C1u,C2u	925	1 115 840	1 898	1.0000	1.0277



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
18	26	SEQ-CALG	200.00	0.0199	1.00	CARBON	8/25/2021 2:58 AM	0.000	1.206	1.206	bl,C1u,C2u	1 253	1 509 240	2 258	1.0000	1.0121



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
19	27	SEQ-CALH	200.00	0.0253	1.00	CARBON	8/25/2021 3:29 AM	0.000	1.524	1.524	bl,C1u,C2u	1 233	1 930 390	4 311	1.0000	1.0003



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
20	28	SEQ-CALI	200.00	0.0302	1.00	CARBON	8/25/2021 4:01 AM	0.000	1.800	1.800	bl,C1u,C2u	1 600	2 286 540	3 907	1.0000	0.9976



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
21	29	SEQ-CALJ	200.00	0.0400	1.00	CARBON	8/25/2021 4:33 AM	0.000	2.400	2.400	bl,C1u	1 589	**3 013 270**	**9 826**	1.0000	1.0096



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
22	30	SEQ-CALK	200.00	0.0498	1.00	CARBON	8/25/2021 11:41 AM	0.000	3.012	3.012	bl,C1u	2 117	**3 411 713**	**0**	1.0000	1.0310



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
23	31	SEQ-CALL	200.00	0.0699	1.00	CARBON	8/25/2021 11:42 AM	0.000	4.206	4.206	bl,C1u	1 285	**4 920 073**	**0**	1.0000	1.0206



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
24	32	SEQ-CALM	200.00	0.0803	1.00	CARBON	8/25/2021 11:43 AM	0.000	4.812	4.812	bl,C1u	1 537	**5 655 573**	**0**	1.0000	1.0683



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
25	33	SEQ-CALN	200.00	0.0902	1.00	CARBON	8/25/2021 11:45 AM	0.000	5.406	5.406	bl,C1u	1 694	**6 449 031**	**0**	1.0000	1.0610



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
26	34	SEQ-CALO	200.00	0.1204	1.00	CARBON	8/25/2021 11:46 AM	0.000	7.218	7.218	bl,C1u,C3o	1 658	8 593 324	0	1.0000	1.3657



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
27	35	BLANK	1.00		1.00	CARBON	8/25/2021 7:43 AM	0.000	0.000	0.000	bl	708	0	0	1.0000	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
28	36	Dfactor	20.30		1.00	CARBON	8/25/2021 8:15 AM	44.446	0.000	44.446	bl	5 319 150	136 410	24 452	1.0755	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
29	37	Dfactor	21.00		1.00	CARBON	8/25/2021 8:47 AM	44.446	0.000	44.446	bl	5 524 800	134 598	27 280	1.0712	1.0000



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
30	38	SEQ-ICV1	20.50		1.00	CARBON	8/25/2021 9:19 AM	47.154	1.091	48.245	bl	5 328 380	151 538	28 760	1.0733	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Soli TOC Cube, Carbon
Balance: BAL3
Analyst: BF

Analytical Resources, Incorporated
Analytical Chemists and Consultants

	Pos.	Name	Weight [mg]	Memo	Dilut. Factor	Method	Date Time	TOC [%]	TIC900 [%]	TC [%]	Info	TOC400 Area	TIC900 Area	ROC Area	TOC400 Factor	TIC900 Factor
31	39	SEQ-ICB1	599.20		1.00	CARBON	8/25/2021 9:51 AM	0.000	0.000	0.000	bl,C1u,C3u,C2u	172	1 307	338	1.0733	1.0293



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:01 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

elementar
EXCELLENCE IN ELEMENTS

Document: TOC Calibration EH00065 082421BFb from: 8/25/2021 11:47 AM

Calibration parameters TC, Whole range

a	-1.970923e-02
b	+1.688862e-06
c	+0.000000e+00
d	+0.000000e+00
e	+0.000000e+00
r	0.999218
r_old	0.999218
Proc.-SD	115.145985 µg

Calibration graph TC, Whole range



Name:

Access: soliTOC superuser

Date: Wed Aug 25 11:48:57 2021

soliTOC V2.0.2 (31015f9) 2018-11-19
Serial No: 0300.181017
Mode CCC

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INSTRUMENT BLANKS
EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Sequence: SJH0323
Date Analyzed: 08/25/21 09:51

Lab Sample ID	Analyte	Found	MDL	MRL	Units	C
SJH0323-ICB1	Total Organic Carbon	0.00	0.02	0.02	%	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INSTRUMENT BLANKS
EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Sequence: SJH0331
Date Analyzed: 08/25/21 16:40

Lab Sample ID	Analyte	Found	MDL	MRL	Units	C
SJH0331-ICB1	Total Organic Carbon	0.003	0.02	0.02	%	
SJH0331-CCB1	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB2	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB3	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB4	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB5	Total Organic Carbon	0.001	0.02	0.02	%	
SJH0331-CCB6	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB7	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCB8	Total Organic Carbon	0.001	0.02	0.02	%	
SJH0331-CCB9	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBA	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBB	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBC	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBD	Total Organic Carbon	0.004	0.02	0.02	%	
SJH0331-CCBE	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBF	Total Organic Carbon	0.004	0.02	0.02	%	
SJH0331-CCBG	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0331-CCBH	Total Organic Carbon	0.003	0.02	0.02	%	
SJH0331-CCBI	Total Organic Carbon	0.003	0.02	0.02	%	
SJH0331-CCBJ	Total Organic Carbon	0.007	0.02	0.02	%	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INSTRUMENT BLANKS
EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Sequence: SJH0417
Date Analyzed: 09/01/21 13:17

Lab Sample ID	Analyte	Found	MDL	MRL	Units	C
SJH0417-ICB1	Total Organic Carbon	0.005	0.02	0.02	%	
SJH0417-CCB1	Total Organic Carbon	0.01	0.02	0.02	%	
SJH0417-CCB2	Total Organic Carbon	0.004	0.02	0.02	%	
SJH0417-CCB3	Total Organic Carbon	0.007	0.02	0.02	%	
SJH0417-CCB4	Total Organic Carbon	0.007	0.02	0.02	%	
SJH0417-CCB5	Total Organic Carbon	0.007	0.02	0.02	%	
SJH0417-CCB6	Total Organic Carbon	0.005	0.02	0.02	%	
SJH0417-CCB7	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0417-CCB8	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0417-CCB9	Total Organic Carbon	0.004	0.02	0.02	%	
SJH0417-CCBA	Total Organic Carbon	0.009	0.02	0.02	%	
SJH0417-CCBB	Total Organic Carbon	0.00	0.02	0.02	%	
SJH0417-CCBC	Total Organic Carbon	0.002	0.02	0.02	%	
SJH0417-CCBD	Total Organic Carbon	0.008	0.02	0.02	%	
SJH0417-CCBE	Total Organic Carbon	0.00	0.02	0.02	%	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL AND CONTINUING CALIBRATION CHECK

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Control Limt: +/- 10.00%
Sequence: SJH0323

Lab Sample ID	Analyte	True	Found	%R	Units	Method
SJH0323-ICV1	Total Organic Carbon	44.446	47.2	106	%	EPA 9060A m
	Total Carbon	44.446	48.2	109	%	EPA 9060A m
	Total Inorganic Carbon	0.0000	1.09		%	EPA 9060A m
	% Soot	0.0000	0.14		%	EPA 9060A m

* Values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL AND CONTINUING CALIBRATION CHECK

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Control Limt: +/- 10.00%
Sequence: SJH0331

Lab Sample ID	Analyte	True	Found	%R	Units	Method
SJH0331-ICV1	Total Organic Carbon	44.446	43.9	98.7	%	EPA 9060A m
SJH0331-CCV1	Total Organic Carbon	44.446	43.8	98.4	%	EPA 9060A m
SJH0331-CCV2	Total Organic Carbon	44.446	44.4	100	%	EPA 9060A m
SJH0331-CCV3	Total Organic Carbon	44.446	44.4	100	%	EPA 9060A m
SJH0331-CCV4	Total Organic Carbon	44.446	45.1	101	%	EPA 9060A m
SJH0331-CCV5	Total Organic Carbon	44.446	44.7	100	%	EPA 9060A m
SJH0331-CCV6	Total Organic Carbon	44.446	44.0	99.1	%	EPA 9060A m
SJH0331-CCV7	Total Organic Carbon	44.446	44.8	101	%	EPA 9060A m
SJH0331-CCV8	Total Organic Carbon	44.446	45.6	103	%	EPA 9060A m
SJH0331-CCV9	Total Organic Carbon	44.446	43.2	97.1	%	EPA 9060A m
SJH0331-CCVA	Total Organic Carbon	44.446	45.2	102	%	EPA 9060A m
SJH0331-CCVB	Total Organic Carbon	44.446	44.6	100	%	EPA 9060A m
SJH0331-CCVC	Total Organic Carbon	44.446	44.7	101	%	EPA 9060A m
SJH0331-CCVD	Total Organic Carbon	44.446	45.6	103	%	EPA 9060A m
SJH0331-CCVE	Total Organic Carbon	44.446	43.5	97.9	%	EPA 9060A m
SJH0331-CCVF	Total Organic Carbon	44.446	44.8	101	%	EPA 9060A m
SJH0331-CCVG	Total Organic Carbon	44.446	45.4	102	%	EPA 9060A m
SJH0331-CCVH	Total Organic Carbon	44.446	44.5	100	%	EPA 9060A m
SJH0331-CCVI	Total Organic Carbon	44.446	44.0	99.0	%	EPA 9060A m
SJH0331-CCVJ	Total Organic Carbon	44.446	45.5	102	%	EPA 9060A m

* Values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

INITIAL AND CONTINUING CALIBRATION CHECK

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Instrument ID: TOC Cube
Calibration: EH00065
Control Limt: +/- 10.00%
Sequence: SJH0417

Lab Sample ID	Analyte	True	Found	%R	Units	Method
SJH0417-ICV1	Total Organic Carbon	44.446	45.0	101	%	EPA 9060A m
SJH0417-CCV1	Total Organic Carbon	44.446	45.0	101	%	EPA 9060A m
SJH0417-CCV2	Total Organic Carbon	44.446	45.0	101	%	EPA 9060A m
SJH0417-CCV3	Total Organic Carbon	44.446	45.0	101	%	EPA 9060A m
SJH0417-CCV4	Total Organic Carbon	44.446	44.1	99.3	%	EPA 9060A m
SJH0417-CCV5	Total Organic Carbon	44.446	44.8	101	%	EPA 9060A m
SJH0417-CCV6	Total Organic Carbon	44.446	43.7	98.3	%	EPA 9060A m
SJH0417-CCV7	Total Organic Carbon	44.446	43.5	97.8	%	EPA 9060A m
SJH0417-CCV8	Total Organic Carbon	44.446	44.9	101	%	EPA 9060A m
SJH0417-CCV9	Total Organic Carbon	44.446	44.9	101	%	EPA 9060A m
SJH0417-CCVA	Total Organic Carbon	44.446	45.0	101	%	EPA 9060A m
SJH0417-CCVB	Total Organic Carbon	44.446	44.3	99.6	%	EPA 9060A m
SJH0417-CCVC	Total Organic Carbon	44.446	45.2	102	%	EPA 9060A m
SJH0417-CCVD	Total Organic Carbon	44.446	44.6	100	%	EPA 9060A m
SJH0417-CCVE	Total Organic Carbon	44.446	44.0	99.0	%	EPA 9060A m

* Values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

STANDARD REFERENCE MATERIAL RECOVERY

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Laboratory ID: BJH0434-SRM1
Batch: BJH0434
Initial/Final: 0.04 g / 0.04 mL
Preparation: PSEP 1986 (modified)
Analyzed: 08/28/2021 16:50
Standard ID: H003424
Expires: 12/31/2079
Standard Lot#: 1941b
Description: 1941B- Organics in Marine Sediment (Conv)

ANALYTE	TRUE (% wet)	FOUND (% wet)	MDL	MRL	Q	SRM % REC.	QC LIMITS REC.
Total Organic Carbon	2.9900	2.60	0.02	0.02		87.0	80 - 120

* Values outside of QC limits

Analytical Resources, Incorporated
Analytical Chemists and Consultants

HOLDING TIME SUMMARY

Analysis: EPA 9060A m

Laboratory: Analytical Resources, Inc. SDG: 21G0330

Client: Anchor QEA, LLC Project: Lower Duwamish AOC4

Sample Name	Date Collected	Date Received	Date Prepared	Days to Prep	Max Days to Prep	Date Analyzed	Days to Analysis	Max Days to Analysis	Q
LDW21-IT701B 21G0330-01	07/26/21 18:10	07/27/21 11:54	08/17/21 13:15	21	180	08/25/21 21:57			
LDW21-IT701C 21G0330-02	07/26/21 18:10	07/27/21 11:54	08/17/21 13:15	21	180	08/26/21 00:36			
LDW21-IT701E 21G0330-03	07/26/21 18:10	07/27/21 11:54	08/17/21 13:15	21	180	08/26/21 01:07			
Duplicate BJH0434-DUP5	07/26/21 18:10	07/27/21 11:54	08/17/21 13:15	21	180	09/03/21 18:31			
Matrix Spike BJH0434-MS4	07/26/21 18:10	07/27/21 11:54	08/17/21 13:15	21	180	08/26/21 00:04			

* Indicates hold time exceedance.

Analytical Resources, Incorporated
Analytical Chemists and Consultants

METHOD DETECTION AND REPORTING LIMITS

EPA 9060A m

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Instrument: TOC Cube

Analyte	MDL	RL	Units
Total Organic Carbon	0.02	0.02	%

H001822

MP Biomedicals, LLC
29525 Fountain Parkway
Solon, Ohio 44139
Telephone: 440/337-1200
Toll Free: 800/854-0530
Fax: 440/337-1180
web: www.mpbio.com

Certificate of Analysis

Product Description: Microcrystalline Cellulose Powder
Catalog Number: 191499
Lot: Q9483

Formula: $(C_6H_{10}O_5)n$
CAS #: 9004-34-6
Physical Description: White Powder

Formula Weight: N/A
Storage: 15 - 30°C

Test	Specification	Result
Identity Test	Passes	Passes
Purity	97.0 - 102.0%	97.0 - 102.0%
Moisture	<5.0%	3.4%
Particle Size/Mesh +60 mesh +200 mesh	Wt % <8% >45%	 <1% 55%
pH	5 - 7	6.73
Residue on Ignition	<0.05%	<0.05%
Water Soluble Substances	<12.0 mg/5 g	4.5 mg/5 g
Heavy Metals	<10 ppm	<10 ppm

Identification A & B: Passes
Bulk Density: 0.29 g/ml
Bulk Density (graduated cylinder): 0.31 g/ml
Conductivity: 18 µS/cm
Starch: Negative
Ether Soluble Substances: 0.01%
Total Aerobic microbial Count: 100 cfu/g
Total Mold and Yeast Count: 20 cfu/g
Staphylococcus aureus: Absent/1 g
Pseudomonas aeruginosa: Absent/1 g
E. coli: Absent/1 g
Salmonella: Absent/10 g
Particle size:
- 450 mesh: 77%
- d10: 37 um
- d50: 139 um
- d90: 271 um
TUP: <9/600 cm^2
Degree of brightness: >88%
Powder flow-angle of repose: <42°
Recommended Retest Date: 11/30/2022

07/26/2018 - John Huang, PhD
MP Biomedicals, LLC.
Quality Control Manager

This is an electronically generated document
mailto:biotech@mpbio.com
http://www.mpbio.com
Online Ordering, MSDSs, certificates of analysis and data sheets now available on our web site
Technical Service: 1-800-279-5490 (440-337-1200) Customer Service: 1-800-854-0530 (440-337-1200)

National Institute of Standards & Technology

Certificate of Analysis

Standard Reference Material® 1941b

Organics in Marine Sediment

This Standard Reference Material (SRM) is marine sediment collected at the mouth of the Baltimore (MD) Harbor. SRM 1941b is intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, and chlorinated pesticides in marine sediment and similar matrices. Information values are also provided for total organic carbon (TOC), total carbon, hydrogen, and nitrogen. All of the constituents for which certified, reference, and information values are provided in SRM 1941b were naturally present in the sediment before processing. A unit of SRM 1941b consists of a bottle containing 50 g of radiation-sterilized, freeze-dried sediment.

Certified Mass Fraction Values: Certified mass fraction values for PAHs, PCB congeners, and chlorinated pesticides are provided in Table 1 through Table 3. The certified values for the PAHs, PCB congeners, and chlorinated pesticides are based on the agreement of results obtained at NIST from two or more chemically independent analytical techniques along with results from an interlaboratory comparison study [1]. A NIST certified value is a value for which NIST has the highest confidence in its accuracy in that all known or suspected sources of bias have been investigated or taken into account [1].

Reference Mass Fraction Values: Reference mass fraction values for additional PAHs (some in combination), additional PCB congeners, and additional chlorinated pesticides are provided in Table 4 through Table 7. Reference values for alkylated PAH groups are provided in Table 8 and for selected hopanes and steranes in Table 9. A reference value for total organic carbon is provided in Table 10. Reference values are noncertified values that are the best estimate of the true value; however, the values do not meet the NIST criteria for certification and are provided with associated uncertainties that may reflect only measurement precision, may not include all sources of uncertainty, or may reflect a lack of sufficient statistical agreement among multiple analytical methods [1].

Information Mass Fraction Values: Information mass fraction values are provided in Table 11 for carbon, hydrogen, and nitrogen. An information value is considered to be a value that will be of use to the SRM user, but insufficient information is available to assess the uncertainty associated with the value [1]. Information values cannot be used to establish metrological traceability.

Expiration of Certification: The certification of **SRM 1941b** is valid, within the measurement uncertainty specified, until **01 October 2020**, provided the SRM is handled and stored in accordance with the instructions given in this certificate (see "Instructions for Handling, Storage, and Use"). This certification is nullified if the SRM is damaged, contaminated, or otherwise modified.

Maintenance of SRM Certification: NIST will monitor this SRM over the period of its certification. If substantive technical changes occur that affect the certification before the expiration of this certificate, NIST will notify the purchaser. Registration (see attached sheet or register online) will facilitate notification.

Coordination of the technical measurements leading to the certification of this material was under the leadership of M.M. Schantz and S.A. Wise of the NIST Chemical Sciences Division.

Analytical measurements for the certification of SRM 1941b were performed at NIST by J.R. Kucklick, B.J. Porter, D.L. Poster, M.M. Schantz, P. Schubert, S. Tutschku, and L.L. Yu of the NIST Chemical Sciences Division.

Carlos A. Gonzalez, Chief
Chemical Sciences Division

Robert L. Watters, Jr., Director
Office of Reference Materials

Gaithersburg, MD 20899
Certificate Issue Date: 16 January 2015

Measurements for TOC were provided by a commercial laboratory and T.L. Wade of the Geochemical and Environmental Research Group, Texas A&M University (College Station, TX). The carbon, hydrogen, and nitrogen data were provided by a commercial laboratory. Results for the PAHs, PCBs, and chlorinated pesticides from 38 laboratories (see Appendix A) that participated in an interlaboratory comparison exercise coordinated by NIST were used. Results for the alkylated PAH groups, hopanes, and steranes from 33 laboratories (see Appendix B) that participated in another interlaboratory comparison exercise coordinated by NIST were also used.

Collection and preparation of SRM 1941b were performed by M.P. Cronise and C.N. Fales of the NIST Office of Reference Materials and B.J. Porter and M.M. Schantz of the NIST Chemical Sciences Division. The sediment material was collected with the assistance of G.G. Lauenstein, J. Collier, and J. Lewis (National Oceanic and Atmospheric Administration, Silver Spring, MD).

Consultation on the statistical design of the experimental work and evaluation of the data were provided by S.D. Leigh and J.H. Yen of the NIST Statistical Engineering Division.

Support aspects involved in the issuance of this SRM were coordinated through the NIST Office of Reference Materials.

INSTRUCTIONS FOR HANDLING, STORAGE, AND USE

Handling: This material is naturally occurring marine sediment from an urban area and may contain constituents of unknown toxicities; therefore, caution and care should be exercised during its handling and use.

Storage: SRM 1941b must be stored in its original bottle at temperatures less than 30 °C and away from direct sunlight.

Use: Prior to removal of subsamples for analysis, the contents of the bottle should be mixed. The mass fractions of constituents in SRM 1941b are reported on a dry-mass basis. The SRM, as received, contains a mass fraction of approximately 2.4 % moisture (see "Conversion to Dry-Mass Basis"). The sediment sample should be dried to a constant mass before weighing for analysis; or a separate subsample of the sediment should be removed from the bottle at the time of analysis and dried to determine the mass fraction on a dry-mass basis. If the constituents of interest are volatile, then the moisture must be determined with a separate subsample.

PREPARATION AND ANALYSIS[1]

Sample Collection and Preparation: The sediment used to prepare this SRM was collected from the Chesapeake Bay at the mouth of the Baltimore (MD) Harbor near the Francis Scott Key Bridge (39°12.3'N and 76°31.4'W). This location is very near the site where SRM 1941 and SRM 1941a were collected. The sediment was collected using a Kynar-coated modified Van Veen-type grab sampler. A total of approximately 3300 kg of wet sediment was collected from the site. The sediment was freeze-dried, sieved at 150 µm (100 % passing), homogenized in a cone blender, radiation sterilized (^{60}Co), and then packaged in screw-capped amber glass bottles each containing approximately 50 g.

Conversion to Dry-Mass Basis: The results for the constituents in SRM 1941b are reported on a dry-mass basis; however, the material "as received" contains residual moisture. The amount of moisture in SRM 1941b was determined by measuring the mass loss after freeze-drying subsamples of 1.1 g to 1.3 g for four days at 1 Pa with a –10 °C shelf temperature and a –50 °C condenser temperature. The moisture content in SRM 1941b at the time of the certification analyses was 2.39 % ± 0.08 % (95 % confidence level). Analytical results for the organic constituents were determined on an as-received basis and then converted to a dry-mass basis by dividing by the conversion factor of 0.9761 (gram dry mass per gram as-received mass).

Polycyclic Aromatic Hydrocarbons: The general approach used for the value assignment of the PAHs in SRM 1941b was similar to that reported in detail elsewhere [2]. The approach consisted of combining results from analyses using various combinations of different extraction techniques and solvents, clean-up/isolation procedures, and chromatographic separation and detection techniques: Soxhlet extraction and pressurized-fluid extraction (PFE) using dichloromethane (DCM) or a hexane/acetone mixture, cleanup of the extracts using solid-phase extraction (SPE) or normal-phase liquid chromatography (LC), followed by analysis using the following techniques: (1) reversed-phase liquid chromatography with fluorescence detection (LC-FL) analysis of the total PAH fraction, (2) reversed-phase

[1] Certain commercial equipment, instruments or materials are identified in this certificate to adequately specify the experimental procedure. Such identification does not imply recommendation or endorsement by the National Institute of Standards

LC-FL analysis of isomeric PAH fractions isolated by normal-phase LC (i.e., multidimensional LC), (3) gas chromatography/mass spectrometry (GC/MS) analysis of the PAH fraction on three stationary phases of different selectivity, i.e., a 5 % (all column compositions are given as mole fractions in %) phenyl-substituted methylpolysiloxane phase, a 50 % phenyl-substituted methylpolysiloxane phase, and a relatively non-polar proprietary phase.

Three sets of GC/MS results, designated as GC/MS (I), GC/MS (II), and GC/MS (III), were obtained using three columns with different selectivities for the separation of PAHs. For GC/MS (I) analyses, duplicate subsamples of approximately 1 g from ten bottles of SRM 1941b were extracted using PFE with DCM. Copper powder was added to the extract to remove elemental sulfur. The concentrated extract was passed through an aminopropyl SPE cartridge and eluted with 2 % DCM in hexane (all solvent concentrations are given as volume fractions in %). The processed extract was then analyzed by GC/MS using a 0.25 mm i.d. × 60 m fused silica capillary column with a 5 % phenyl-substituted methylpolysiloxane phase (0.25 µm film thickness; DB-5 MS, J&W Scientific, Folsom, CA). The GC/MS (II) analyses were performed using 5 g subsamples from six bottles of SRM 1941b. These samples were extracted using PFE with DCM. The high molecular mass compounds were removed from the extracts using size exclusion chromatography (SEC) with a preparative-scale divinylbenzene-polystyrene column (10 µm particle size with 10 nm diameter pores), and the sulfur was removed from the extracts by adding copper powder. The concentrated extract was passed through an aminopropyl SPE cartridge and eluted with 10 % DCM in hexane. The analysis was by GC/MS using a 0.25 mm i.d. × 60 m fused silica capillary column with a 50 % phenyl-substituted methylpolysiloxane phase (0.25 µm film thickness; DB-17 MS, J&W Scientific). For the GC/MS (III), 9 g subsamples from six bottles of SRM 1941b were Soxhlet-extracted for 18 h with 250 mL of a mixture of 50 % hexane/50 % acetone. Copper powder was added to the extract to remove elemental sulfur, and the concentrated extract was passed through a silica SPE cartridge and eluted with 10 % DCM in hexane. The processed extract was then analyzed by GC/MS using a 0.25 mm i.d. × 60 m fused silica capillary column with a relatively non-polar proprietary phase (0.25 µm film thickness; DB-XLB, J&W Scientific).

Two sets of LC-FL results, designated as LC-FL (total) and LC-FL (isomer), were used in the certification process. For the LC-FL (total), subsamples of approximately 1 g from six bottles of SRM 1941b were extracted using PFE with a mixture of 50 % hexane/50 % acetone. The extracts were concentrated and then processed through an aminopropylsilane SPE cartridge using 2 % DCM in hexane to obtain the total PAH fraction. For the LC-FL (isomer), a 5 g subsample from the six bottles was extracted using PFE with DCM and processed through an aminopropylsilane SPE cartridge using 10 % DCM in hexane; the PAH fraction was then fractionated further on a semi-preparative aminopropylsilane column (µBondapak NH_2, 9 mm i.d. × 30 cm, Waters Associates, Milford, MA) to isolate isomeric PAH fractions as described previously [3–6]. The total PAH fraction and the isomeric PAH fractions were analyzed using a 5 µm particle-size polymeric octadecylsilane (C_{18}) column (4.6 mm i.d. × 25 cm, Hypersil-PAH, Keystone Scientific, Inc., Bellefonte, PA) with wavelength-programmed fluorescence detection [4,5].

For the GC/MS and LC-FL measurements described above, selected perdeuterated PAHs were added to the sediment prior to solvent extraction for use as internal standards for quantification purposes.

In addition to the analyses performed at NIST, SRM 1941b was used in an interlaboratory comparison exercise in 1999 as part of the NIST Intercomparison Exercise Program for Organic Contaminants in the Marine Environment [7]. Results from 38 laboratories that participated in this exercise were used as the sixth data set in the determination of the certified values for PAHs in SRM 1941b. The laboratories participating in this exercise used the analytical procedures routinely used in their laboratories to measure the analytes of interest.

Homogeneity Assessment for PAHs: The homogeneity of SRM 1941b was assessed by analyzing duplicate samples of approximately 1 g from ten bottles selected by stratified random sampling. Samples were extracted, processed, and analyzed as described above for GC/MS (I). No statistically significant differences among bottles were observed for the PAHs at this sample size.

PAH Isomers of Molecular Mass 300 and 302: For the determination of the molecular mass 300 and 302 isomers, three subsamples of approximately 5 g each were extracted using PFE with DCM. The extracts were then concentrated with a solvent change to hexane and passed through an aminopropyl SPE cartridge and eluted with 10 % DCM in hexane. The processed extract was then analyzed by GC/MS using a 0.25 mm i.d. × 60 m fused silica capillary column with a 50 % phenyl-substituted methylpolysiloxane phase (0.25 µm film thickness; DB-17MS, J&W Scientific). Perdeuterated dibenzo[*a,i*]pyrene was added to the sediment prior to extraction for use as an internal standard [8].

PCBs and Chlorinated Pesticides: The general approach used for the determination of PCBs and chlorinated pesticides in SRM 1941b consisted of combining results from analyses using various combinations of different extraction techniques and solvents, cleanup/isolation procedures, and chromatographic separation and detection techniques. Techniques and solvents included Soxhlet extraction and PFE using DCM or a hexane/acetone mixture,

clean-up/isolation using SPE or LC, followed by analysis using GC/MS and gas chromatography with electron capture detection (GC-ECD) on two columns with different selectivity for the separation of PCBs and chlorinated pesticides. The analytical methods are described in detail elsewhere [2].

Six sets of results were obtained and designated as GC-ECD (I) A and B, GC/MS (I) A and B, GC/MS (II), and Interlaboratory Comparison Exercise. For the GC-ECD (I) analyses, approximately 10 g subsamples from six bottles of SRM 1941b were extracted using PFE with DCM. Copper powder was added to the extract to remove elemental sulfur, and SEC, as described above, was used to remove the high molecular mass compounds. The concentrated extract was then fractionated on a semi-preparative aminopropylsilane column to isolate two fractions containing: (1) the PCBs and lower-polarity pesticides and (2) the more polar pesticides. GC-ECD analyses of the two fractions were performed on two columns of different selectivities for PCB separations: 0.25 mm × 60 m fused silica capillary column with a 5 % phenyl-substituted methylpolysiloxane phase (0.25 μm film thickness; DB-5, J&W Scientific), and a 0.25 mm × 60 m fused silica capillary column with a non-polar proprietary phase (0.25 μm film thickness; DB-XLB, J&W Scientific). The results from the 5 % phenyl phase are designated as GC-ECD (IA) and the results from the proprietary phase are designated as GC-ECD (IB). For the GC-ECD analyses, two PCB congeners that are not significantly present in the sediment extract (PCB 103 and PCB 198 [9,10]) and endosulfan I-d_4, 4,4'-DDE-d_8, 4,4'-DD-d_8, and 4,4'-DDT-d_8 were added to the sediment prior to extraction for use as internal standards for quantification purposes.

Two sets of results were obtained by GC/MS. For GC/MS (I), approximately 9 g subsamples from six bottles were Soxhlet- extracted with a mixture of 50 % hexane/50 % acetone for approximately 18 h. Copper powder was added to the extract to remove elemental sulfur, and the concentrated extract was passed through a silica SPE cartridge and eluted with 10 % DCM in hexane. The processed extract was then analyzed by GC/MS with two ionization modes, electron impact (EI) and negative ion chemical ionization (NICI). The GC/MS EI method, GC/MS (IA), used a 0.25 mm i.d. × 60 m fused silica capillary column with a relatively non-polar proprietary phase (0.25 μm film thickness; DB-XLB, J&W Scientific). The GC/MS NICI method, GC/MS (IB), used a 0.25 mm i.d. × 60 m fused silica capillary column with a 5 % phenyl-substituted methylpolysiloxane phase (0.25 μm film thickness; DB-5MS, J&W Scientific). The GC/MS (II) results were obtained in the same manner as the GC/MS (IA) analyses except that three subsamples were Soxhlet-extracted with DCM for approximately 18 h. For the GC/MS analyses, selected carbon-13 labeled PCB congeners and chlorinated pesticides were added to the sediment prior to extraction for use as internal standards for quantification purposes.

In addition to the analyses performed at NIST, SRM 1941b was used in an interlaboratory comparison exercise in 1999 as part of the NIST Intercomparison Exercise Program for Organic Contaminants in the Marine Environment [7]. Results from 38 laboratories that participated in this exercise were used as the sixth data set in the determination of the certified values for PCB congeners and chlorinated pesticides in SRM 1941b. The laboratories participating in this exercise used the analytical procedures routinely used in their laboratories to measure the analytes of interest.

The reference value for PCB 77 was determined from a separate fraction. The samples were extracted and processed as for GC-ECD (I) above. The first (PCB and lower-polarity pesticide) fraction from the semi-preparative aminopropylsilane column was further fractionated using a Cosmosil PYE (pyrenylethyl group bonded) column (5 μm particle size, 4.6 mm i.d. × 25 cm ; Phenomenex, Torrance, CA) [11]. Three fractions were collected: the first fraction contained the pesticides and multi-*ortho* PCBs, the second fraction contained the polychlorinated naphthalenes, non-*ortho* PCB congeners, and some mono-*ortho* PCB congeners, and the third fraction removed the residual planar compounds from the column. The second fraction was analyzed by GC/MS NICI using the same column as GC/MS (IB) above. Carbon-13 labeled PCB 77 was used as an internal standard for quantification purposes.

Alkylated PAH Groups, Hopanes, and Steranes: SRM 1941b was used in an interlaboratory comparison exercise in 2011 [12]. Results from 33 laboratories that participated in this exercise were used in the determination of the reference values for alkylated PAH groups, hopanes, and steranes in SRM 1941b. Note that not all laboratories returned data for each analyte. The laboratories participating in this exercise used the analytical procedures routinely used in their laboratories to measure the analytes of interest. For the alkylated PAHs, the majority of the laboratories (>90 %) used the parent PAH for determination of the response factor for the corresponding alkylated group.

Total Organic Carbon (TOC): Two laboratories provided results for TOC using similar procedures. Briefly, subsamples of approximately 200 mg were reacted with 6 mol/L hydrochloric acid and rinsed with deionized water prior to combustion in a gas fusion furnace. The carbon monoxide and carbon dioxide produced were measured and compared to a blank for calculation of the percent TOC. Each laboratory analyzed subsamples from three bottles of SRM 1941b. One of the laboratories also analyzed three subsamples from three bottles of SRM 1941b for carbon, hydrogen, and nitrogen.

Table 1. Certified Mass Fraction Values for PAHs in SRM 1941b

PAHs	Mass Fractions[a] (µg/kg)		
Naphthalene[b,c,d,e,f,g]	848	±	95[h]
Fluorene[b,c,d,e,f,g]	85	±	15[h]
Phenanthrene[b,c,d,e,f,g]	406	±	44[h]
Anthracene[b,c,d,e,f,g]	184	±	18[h]
3-Methylphenanthrene[b,c,d]	105	±	13[h]
2-Methylphenathrene[b,c,d]	128	±	14[h]
1-Methylphenanthrene[b,c,d,g]	73.2	±	5.9[h]
Fluoranthene[b,c,d,e,f,g]	651	±	50[h]
Pyrene[b,c,d,e,f,g]	581	±	39[h]
Benz[*a*]anthracene[b,c,d,e,f,g]	335	±	25[h]
Chrysene[d,f]	291	±	31[h]
Triphenylene[d,f]	108	±	5[i]
Benzo[*b*]fluoranthene[c,e]	453	±	21[h]
Benzo[*k*]fluoranthene[b,c,d,e]	225	±	18[h]
Benzo[*e*]pyrene[b,c,d,g]	325	±	25[h]
Benzo[*a*]pyrene[b,c,d,f,g]	358	±	17[h]
Perylene[b,c,d,f,g]	397	±	45[h]
Benzo[*ghi*]perylene[b,c,d,f,g]	307	±	45[h]
Indeno[1,2,3-*cd*]pyrene[b,c,d,f,g]	341	±	57[h]
Dibenz[*a,j*]anthracene[b,c,d,f]	48.9	±	4.6[h]
Dibenz[*a,c*]anthracene[c,f]	36.7	±	5.2[h]
Dibenz[*a,h*]anthracene[c,f]	53	±	10[h]
Benzo[*b*]chrysene[b,c,d,f]	53	±	12[h]
Picene[b,c,d]	46.6	±	4.7[h]

[a] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.
[b] GC/MS (I) on 5 % phenyl-substituted methylpolysiloxane phase after PFE with DCM.
[c] GC/MS (II) on 50 % phenyl-substituted methylpolysiloxane phase after PFE with DCM.
[d] GC/MS (III) on a relatively non-polar proprietary phase after Soxhlet extraction with 50 % hexane/50 % acetone mixture.
[e] LC-FL (total) of total PAH fraction after PFE with DCM.
[f] LC-FL (isomer) of isomeric PAH fractions after PFE with DCM.
[g] 1999 Interlaboratory Comparison Study [7] with 21 to 29 laboratories submitting data for each PAH.
[h] Certified values are weighted means of the results from two to six analytical methods [13]. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2 (approximately 95 % confidence), calculated by combining a between-method variance incorporating inter-method bias with a pooled within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the constituent listed and the values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.
[i] The certified value is an unweighted mean of the results from two analytical methods. The uncertainty listed with the value is an expanded uncertainty about the mean, with coverage factor 2, calculated by combining a between-method variance [16] with a pooled, within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the constituent listed and the value is metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

Table 2. Certified Mass Fraction Values for PCB Congeners[a] in SRM 1941b

PCB Congeners			Mass Fractions[b] (µg/kg)		
PCB	8	(2,4'-Dichlorobiphenyl)[c,d,e,f,g]	1.65	±	0.19[h]
PCB	18	(2,2',5-Trichlorobiphenyl)[c,d,e,f,g]	2.39	±	0.29[h]
PCB	28	(2,4,4'-Trichlorobiphenyl)[c,d,e,f,g]	4.52	±	0.57[h]
PCB	31	(2,4',5-Trichlorobiphenyl)[c,e,f]	3.18	±	0.41[h]
PCB	44	(2,2'3,5'-Tetrachlorobiphenyl)[c,d,e,f,g]	3.85	±	0.20[i]
PCB	49	(2,2'4,5'-Tetrachlorobiphenyl)[c,d,e,f]	4.34	±	0.28[i]
PCB	52	(2,2',5,5'-Tetrachlorobiphenyl)[c,d,e,f,g]	5.24	±	0.28[i]
PCB	66	(2,3',4,4'-Tetrachlorobiphenyl)[c,e,f,g,j]	4.96	±	0.53[i]
PCB	87	(2,2',3,4,5'-Pentachlorobiphenyl)[c,d,f,j]	1.14	±	0.16[h]
PCB	95	(2,2',3,5',6-Pentachlorobiphenyl)[c,e,f,g]	3.93	±	0.62[i]
PCB	99	(2,2',4,4',5-Pentachlorobiphenyl)[c,d,e,f,g]	2.90	±	0.36[i]
PCB	101	(2,2',4,5,5'-Pentachlorobiphenyl)[c,e,f,g,j]	5.11	±	0.34[i]
PCB	105	(2,3,3',4,4'-Pentachlorobiphenyl)[c,d,e,f,g,j]	1.43	±	0.10[i]
PCB	110	(2,3,3',4',6-Pentachlorobiphenyl)[c,e,f,j]	4.62	±	0.36[i]
PCB	118	(2,3',4,4',5-Pentachlorobiphenyl)[c,d,e,f,g,j]	4.23	±	0.19[i]
PCB	128	(2,2',3,3',4,4'-Hexachlorobiphenyl)[c,d,e,f,g,j]	0.696	±	0.044[i]
PCB	138	(2,2',3,4,4',5'-Hexachlorobiphenyl)[c,e,f,j]	3.60	±	0.28[i]
PCB	149	(2,2',3,4',5',6-Hexachlorobiphenyl)[c,d,e,j]	4.35	±	0.26[h]
PCB	153	(2,2',4,4',5,5'-Hexachlorobiphenyl)[c,d,e,f,g,j]	5.47	±	0.32[i]
PCB	156	(2,3,3',4,4',5-Hexachlorobiphenyl)[c,d,e,f,j]	0.507	±	0.090[h]
PCB	170	(2,2',3,3',4,4',5-Heptachlorobiphenyl)[c,d,e,f,g,j]	1.35	±	0.09[i]
PCB	180	(2,2',3,4,4',5,5'-Heptachlorobiphenyl)[c,d,e,f,g,j]	3.24	±	0.51[i]
PCB	183	(2,2',3,4,4',5',6-Heptachlorobiphenyl)[c,d,e,j]	0.979	±	0.087[h]
PCB	187	(2,2',3,4',5,5',6-Heptachlorobiphenyl)[c,d,e,f,g,j]	2.17	±	0.22[i]
PCB	194	(2,2',3,3',4,4',5,5'-Octachlorobiphenyl)[c,d,e,j]	1.04	±	0.06[h]
PCB	195	(2,2',3,3',4,4',5,6-Octachlorbiphenyl)[c,e,g,j]	0.645	±	0.060[i]
PCB	201	(2,2',3,3',4,5',6,6'-Octachlorobiphenyl)[c,e,j]	0.777	±	0.034[h]
PCB	206	(2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl)[c,e,f,g,j]	2.42	±	0.19[i]
PCB	209	Decachlorobiphenyl[c,d,e,f,g,j]	4.86	±	0.45[i]

[a] PCB congeners are numbered according to the scheme proposed by Ballschmiter and Zell [9] and later revised by Schulte and Malisch [10] to conform to IUPAC rules, except PCB 201. Under the Ballschmiter and Zell numbering system, the IUPAC PCB 201 is listed as PCB 200.

[b] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.

[c] GC/MS (IA) on a relatively non-polar proprietary phase after Soxhlet extraction with 50 % hexane/50 % acetone mixture.

[d] GC-ECD (IA) on 5 % phenyl-substituted methylpolysiloxane phase after PFE extraction with DCM.

[e] GC-ECD (IB) on a relatively non-polar proprietary phase; same extracts analyzed as in GC-ECD (IA).

[f] GC/MS (II) on a relatively non-polar proprietary phase after Soxhlet extraction with DCM.

[g] 1999 Interlaboratory Comparison Study [7] with 13 to 31 laboratories submitting data for each PCB congener.

[h] Certified values are unweighted means of the results from three to five analytical methods. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2, calculated by combining a between-method variance [16] with a pooled, within method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the constituent listed and the values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

[i] Certified values are weighted means of the results from three to six analytical methods [13]. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2 (approximately 95 % confidence), calculated by combining a between-method variance incorporating inter-method bias with a pooled within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the constituent listed and the values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

[j] GC/MS (IB) on 5 % phenyl-substituted methylpolysiloxane phase; same extracts analyzed as in GC/MS (IA).

Table 3. Certified Mass Fraction Values for Chlorinated Pesticides in SRM 1941b

Chlorinated Pesticides	Mass Fractions[a] (µg/kg)
Hexachlorobenzene[b,c,d,e]	5.83 ± 0.38[f]
cis-Chlordane[b,c,d,e,g]	0.85 ± 0.11[h]
trans-Chlordane[b,c,e]	0.566 ± 0.093[f]
cis-Nonachlor[b,e,g]	0.378 ± 0.053[h]
trans-Nonachlor[b,c,d,e,g]	0.438 ± 0.073[f]
4,4'-DDE[b,d,e,g]	3.22 ± 0.28[h]
4,4'-DDD[b,d,e,g]	4.66 ± 0.46[h]

[a] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.
[b] GC/MS (IA) on a relatively non-polar proprietary phase after Soxhlet extraction with 50 % hexane/50 % acetone mixture.
[c] GC/MS (IB) on 5 % phenyl-substituted methylpolysiloxane phase; same extracts analyzed as in GC/MS (IA).
[d] GC/MS (II) on a relatively non-polar proprietary phase after Soxhlet extraction with DCM.
[e] 1999 Interlaboratory Comparison Study [7] with 13 to 31 laboratories submitting data for each pesticide.
[f] Certified values are unweighted means of the results from three to five analytical methods. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2, calculated by combining a between-method variance [16] with a pooled, within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the constituent listed and the values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.
[g] GC-ECD (IA) on 5 % phenyl-substituted methylpolysiloxane phase after PFE extraction with DCM.
[h] Certified values are weighted means of the results from three to five analytical methods [13]. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2 (approximately 95 % confidence), calculated by combining a between-method variance incorporating inter-method bias with a pooled within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the chlorinated pesticides listed and the values listed are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

Table 4. Reference Mass Fraction Values for PAHs in SRM 1941b

PAHs	Mass Fractions[a] (µg/kg)		
1-Methylnaphthalene[b,c,d,e]	127	±	14[f]
2-Methylnaphthalene[b,c,d,e]	276	±	53[f]
2,6-Dimethylnaphthalene[b,c,d,e]	75.9	±	4.5[f]
2,3,5-Trimethylnaphthalene[b,c,d,e]	25.5	±	5.1[f]
Biphenyl[b,c,d,e]	74.0	±	8.0[f]
Acenaphthylene[b,c,d,e]	53.3	±	6.4[f]
Acenaphthene[b,c,d,e]	38.4	±	5.2[f]
9-Methylphenanthrene[c]	63.5	±	2.5[g]
4-Methylphenanthrene and 9-Methylphenanthrene[b,d]	80.1	±	4.8[f]
2-Methylanthracene[c,d]	36	±	15[f]
8-Methylfluoranthene[b]	49.5	±	2.7[g]
7-Methylfluoranthene[b]	45.4	±	1.5[g]
1-Methylfluoranthene[b]	42.4	±	2.1[g]
3-Methylfluoranthene[b]	28.8	±	1.3[g]
2-Methylpyrene[b]	78.7	±	4.0[g]
4-Methylpyrene[b]	66.4	±	2.6[g]
1-Methylpyrene[b]	52.5	±	2.3[g]
Acephenanthrene[d]	30.5	±	1.9[g]
Benzo[*c*]phenanthrene[b,c,d]	58	±	15[f]
Benzo[*a*]fluoranthene[b,c,d]	73	±	18[f]
Benzo[*j*]fluoranthene[c]	217	±	5[g]
Indeno[1,2,3-*cd*]fluoranthene[d]	9.63	±	0.34[g]
Pentaphene[d]	25.3	±	1.0[g]

[a] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.
[b] GC/MS (I) on 5 % phenyl-substituted methylpolysiloxane phase after PFE with DCM.
[c] GC/MS (II) on 50 % phenyl-substituted methylpolysiloxane phase after PFE with DCM.
[d] GC/MS (III) on a relatively non-polar proprietary phase after Soxhlet extraction with 50 % hexane/50 % acetone mixture.
[e] 1999 Interlaboratory Comparison Study [7] with 14 to 26 laboratories submitting data for each PAH.
[f] Reference values are weighted means of the results from two to four analytical methods [13]. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2 (approximately 95 % confidence), calculated by combining a between-method variance incorporating inter-method bias with a pooled within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of PAHs listed as determined by the methods indicted. The values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.
[g] Reference values are the means of results obtained by NIST using one analytical technique. The expanded uncertainty, U, is calculated as $U = ku_c$, where u_c is one standard deviation of the analyte mean, and the coverage factor, k, is determined from the Student's t-distribution for the associated degrees of freedom (19 for footnote b and 5 for footnotes c and d) and 95 % confidence level for each analyte. The measurand is the total mass fraction of the PAHs listed as determined by the method indicted. The values listed are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

Table 5. Reference Mass Fraction Values for PAHs of Molecular Mass 300 and 302 in SRM 1941b

PAHs of Molecular Mass 300 and 302	Mass Fractions[a,b,c] (µg/kg)		
Coronene	72.6	±	4.7
Dibenzo[*b,e*]fluoranthene	10.3	±	0.3
Naphtho[1,2-*b*]fluoranthene	91.0	±	3.1
Naphtho[1,2-*k*]fluoranthene and Naphtho[2,3-*j*]fluoranthene	79.8	±	2.5
Naphtho[2,3-*b*]fluoranthene	23.5	±	0.3
Dibenzo[*b,k*]fluoranthene	95.6	±	3.1
Dibenzo[*a,k*]fluoranthene	26.6	±	0.4
Dibenzo[*j,l*]fluoranthene	63.8	±	1.8
Dibenzo[*a,l*]pyrene	11.1	±	1.0
Naphtho[2,3-*k*]fluoranthene	10.7	±	0.6
Naphtho[1,2-*a*]pyrene	16.7	±	1.4
Naphtho[2,3-*e*]pyrene	33.2	±	2.3
Dibenzo[*a,e*]pyrene	76.1	±	3.6
Naphtho[2,1-*a*]pyrene	59.2	±	1.8
Dibenzo[*e,i*]pyrene	35.0	±	2.4
Naphtho[2,3-*a*]pyrene	16.5	±	0.6
Benzo[*b*]perylene	38.2	±	1.2
Dibenzo[*a,i*]pyrene	25.5	±	1.0
Dibenzo[*a,h*]pyrene	6.94	±	0.29

[a] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.

[b] Reference values are the means of results obtained by NIST using one analytical technique. The expanded uncertainty, U, is calculated as $U = ku_c$, where u_c is one standard deviation of the analyte mean, and the coverage factor, k, is determined from the Student's t-distribution for two degrees of freedom and 95 % confidence level for each analyte. The measurand is the total mass fraction of the constituent listed as determined by the method indicted. The values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.

[c] GC/MS on 50 % phenyl-substituted methylpolysiloxane phase after PFE with DCM [8].

Table 6. Reference Mass Fraction Values for PCB Congeners[a] in SRM 1941b

PCB Congeners			Mass Fractions[b,c] (µg/kg)		
PCB	45	(2,2',3,6-Tetrachlorobiphenyl)[d,e]	0.73	±	0.12
PCB	56	(2,3,3',4'-Tetrachlorobiphenyl)[d,f,g]	1.21	±	0.11
PCB	63	(2,3,4',5-Tetrachlorobiphenyl)[e,f,g]	0.213	±	0.040
PCB	70	(2,3',4',5-Tetrachlorobiphenyl)[e,f,g]	4.99	±	0.29
PCB	74	(2,4,4',5-Tetrachlorobiphenyl)[e,f,g]	2.04	±	0.15
PCB	77	(3,3',4,4'-Tetrachlorobiphenyl)[h]	0.31	±	0.03
PCB	107	(2,3,3',4',5-Pentachlorobiphenyl)[d,e,f,g]	0.628	±	0.028
PCB	132	(2,2',3,3',4,6'-Hexachlorobiphenyl)[d,f,g]	1.28	±	0.27
PCB	146	(2,2',3,4',5,5'-Hexachlorobiphenyl)[e,f,g]	1.22	±	0.12
PCB	158	(2,3,3',4,4',6-Hexachlorobiphenyl)[d,e,f,g]	0.65	±	0.15
PCB	163	(2,3,3',4',5,6-Hexachlorobiphenyl)[e,f,g]	1.28	±	0.06
PCB	174	(2,2',3,3',4,5,6'-Heptachlorobiphenyl)[d,e,f,g]	1.51	±	0.39
PCB	193	(2,3,3',4',5,5',6-Heptachlorobiphenyl)[d,e,f,g]	0.292	±	0.075

[a] PCB congeners are numbered according to the scheme proposed by Ballschmiter and Zell [9] and later revised by Schulte and Malisch [10] to conform with IUPAC rules, except PCB 107. Under the Ballschmiter and Zell numbering system, the IUPAC PCB 107 is listed as PCB 108.

[b] Mass fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.

[c] For these PCB congeners except PCB 77, the reference values are unweighted means of the results from two to four analytical methods. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2, calculated by combining a between-method variance [16] with a pooled within-method variance following the ISO/JCGM Guide [14,15]. For PCB 77, the reference value is the mean of results obtained by NIST using one analytical technique. The expanded uncertainty, U, is calculated as $U = ku_c$, where u_c is one standard deviation of the analyte mean, and the coverage factor, k, is determined from the Student's t-distribution corresponding to two degrees of freedom and 95 % confidence level for PCB 77. The measurand is the total mass fraction of the PCB Congeners listed as determined by the method or methods indicted. The values listed are metrologically traceable to the SI unit of mass, expressed as microgram per kilogram on a dry-mass basis.

[d] GC-ECD (IA) on 5 % phenyl-substituted methylpolysiloxane phase after PFE extraction with DCM.

[e] GC-ECD (IB) on a relatively non-polar proprietary phase; same extracts analyzed as in GC-ECD (IA).

[f] GC/MS (IA) on a relatively non-polar proprietary phase after Soxhlet extraction with 50 % hexane/50 % acetone mixture.

[g] GC/MS (IB) on 5 % phenyl-substituted methylpolysiloxane phase; same extracts analyzed as in GC/MS (IA).

[h] GC/MS NICI on a 5 % phenyl-substituted methylpolysiloxane phase; same extracts analyzed as in GC-ECD (I) fractionated using a PYE column.

Table 7. Reference Mass Fraction Values for Selected Chlorinated Pesticides in SRM 1941b

Chlorinated Pesticides	Mass Fractions[a,b] (µg/kg)		
2,4'-DDE[c,d]	0.38	±	0.12
4,4'-DDT[e,f]	1.12	±	0.42

[a] Mass Fractions reported on dry-mass basis; material as received contains approximately 2.4 % moisture.
[b] The reference values are unweighted means of the results from two analytical methods. The uncertainty listed with each value is an expanded uncertainty about the mean, with coverage factor 2, calculated by combining a between-method variance [16] with a pooled, within-method variance following the ISO/JCGM Guide [14,15]. The measurand is the total mass fraction of the chlorinated pesticides listed as determined by the methods indicted. The values listed are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.
[c] GC/MS (IB) on 5 % phenyl-substituted methylpolysiloxane phase; same extracts analyzed as in GC/MS (IA).
[d] GC-ECD (IB) on a relatively non-polar proprietary phase; same extracts analyzed as in GC-ECD (IA).
[e] GC/MS (II) on a relatively non-polar proprietary phase after Soxhlet extraction with DCM.
[f] 1999 Interlaboratory Comparison Study [7] with 10 laboratories submitting data for 4,4'-DDT.

Table 8. Reference Mass Fraction Values for Alkylated PAH Groups in SRM 1941b

Alkylated PAH Group	Mass Fraction[a,b] (µg/kg)		
C2-decalins	18	±	5
C4-decalins	41	±	4
C2-naphthalenes	187	±	53
C3-naphthalenes	158	±	42
C1-benzothiophenes	25	±	14
C2-benzothiophenes	20	±	11
C3-benzothiophenes	22	±	13
C4-benzothiophenes	18	±	5
C1-fluorenes	57	±	18
C2-fluorenes	122	±	43
C3-fluorenes	128	±	31
C1-phenanthrenes/anthracenes	313	±	99
C2-phenanthrenes/anthracenes	247	±	62
C3-phenanthrenes/anthracenes	165	±	46
C4-phenanthrenes/anthracenes	87	±	36
C1-dibenzothiophenes	54	±	13
C2-dibenzothiophenes	91	±	18
C3-dibenzothiophenes	84	±	15
C4-dibenzothiophenes	57	±	13
C1-fluoranthenes/pyrenes	252	±	48
C2-fluoranthenes/pyrenes	205	±	38
C3-fluoranthenes/pyrenes	102	±	22
C4-fluoranthenes/pyrenes	121	±	59
C1-benzanthraces/chrysenes/triphenylenes	208	±	43
C2-benzanthraces/chrysenes/triphenylenes	120	±	24
C3-benzanthraces/chrysenes/triphenylenes	73	±	31
C4-benzanthraces/chrysenes/triphenylenes	41	±	11

[a] The reference mass fraction value reported on a dry-mass basis is the median of results using one analytical technique. The expanded uncertainty, U, is calculated as $U = ku_c$, where u_c is one standard deviation of the median, and the coverage factor, $k = 2$. The measurand is the total mass fraction of the alkylated PAH groups listed as determined by the interlaboratory study methods. The values listed are metrologically traceable to the SI unit of mass fraction, expressed as micrograms per kilogram on a dry-mass basis.
[b] Data from the interlaboratory study [12].

Table 9. Reference Mass Fraction Values for Hopanes and Steranes in SRM 1941b

Hopane or Sterane	Mass Fraction[a,b] (µg/kg)		
17α(H)-22,29,30-Trisnorhopane	54	±	18
17α(H)-21β(H)-30-Norhopane	137	±	21
17α(H)-21β(H)-30-Hopane	215	±	44
17α(H)-21β(H)-22R-Homohopane	44	±	10
17α(H)-21β(H)-22S-Homohopane	48	±	13
5α(H)-14α(H),17α(H)-Cholestane 20R	41	±	11
5α(H)-14β(H),17β(H)-Cholestane 20R	27	±	6
5α(H)-14β(H),17β(H)-24-Methylcholestane 20R	21	±	8
5α(H)-14α(H),17α(H)-24-Ethylcholestane 20R	19	±	5
5α(H)-14β(H),17β(H)-24-Ethylcholestane 20R	41	±	9

[a] The reference mass fraction value reported on a dry-mass basis is the median of results using one analytical technique. The expanded uncertainty, U, is calculated as $U = ku_c$, where u_c is one standard deviation of the median, and the coverage factor, $k = 2$. The measurand is the total mass fraction of the constituent listed as determined by the methods used during the interlaboratory study. The values are metrologically traceable to the SI unit of mass, expressed as micrograms per kilogram on a dry-mass basis.
[b] Data from the interlaboratory study [12].

Table 10. Reference Mass Fraction Value for Total Organic Carbon in SRM 1941b

Total Organic Carbon (TOC)	2.99 % ± 0.24 %[a,b]

[a] Mass fraction is reported on a dry-mass basis; material as received contains approximately 2.4 % moisture.
[b] The reference value for total organic carbon is a weighted mean value from routine measurements made by two laboratories [21]. The uncertainty listed is an expanded uncertainty about the mean, with coverage factor 2 (approximately 95 % confidence), calculated by combining a between-method variance incorporating inter-method bias with a pooled within-method variance. The reporting follows the ISO/JCGM Guides [2]. The measurand is the total mass fraction of TOC listed as determined by the methods indicted. The values listed are metrologically traceable to the SI unit of mass, expressed as a percent on a dry-mass basis.

Table 11. Information Mass Fraction Values for Carbon, Hydrogen, and Nitrogen in SRM 1941b

Elements	Mass Fractions[a] (%)
Carbon	3.3
Hydrogen	1.2
Nitrogen	<0.5

[a] Mass fraction is reported on a dry-mass basis; material as received contains approximately 2.4 % moisture.

REFERENCES

[1] May, W.E.; Parris, R.M.; Beck II, C.M.; Fassett, J.D.; Greenberg, R.R.; Guenther, F.R.; Kramer, G.W.; Wise, S.A.; Gills, T.E.; Colbert, J.C.; Gettings, R.J.; MacDonald, B.R.; *Definition of Terms and Modes Used at NIST for Value-Assignment of Reference Materials for Chemical Measurements*; NIST Special Publication 260-136 (2000); available at http://www.nist.gov/srm/publications.cfm (accessed Jan 2015).

[2] Wise, S.A.; Poster, D.L.; Schantz, M.M.; Kucklick, J.R.; Sander, L.C.; Lopez de Alda, M.; Schubert, P.; Parris, R.M.; Porter, B.J.; *Two New Marine Sediment Standard Reference Materials (SRMs) for the Determination of Organic Contaminants*; Anal. Bioanal. Chem., Vol. 378, pp. 1251–1264 (2004).

[3] Wise, S.A.; Chesler, S.N.; Hertz, H.S.; Hilpert, L.R.; May, W.E.; *Chemically-Bonded Aminosilane Stationary Phase for the High Performance Liquid Chromatographic Separation of Polynuclear Aromatic Hydrocarbons*; Anal. Chem., Vol. 49, pp. 2306–2310 (1977).

[4] May, W.E.; Wise, S.A.; *Liquid Chromatographic Determination of Polycyclic Aromatic Hydrocarbons in Air Particulate Extracts*; Anal. Chem., Vol. 56, pp. 225–232 (1984).

[5] Wise, S.A.; Benner, B.A.; Byrd, G.D.; Chesler, S.N.; Rebbert, R.E.; Schantz, M.M.; *Determination of Polycyclic Aromatic Hydrocarbons in a Coal Tar Standard Reference Material*; Anal. Chem., Vol. 60, pp. 887-894 (1988).

[6] Wise, S.A.; Deissler, A.; Sander, L.C.; *Liquid Chromatographic Determination of Polycyclic Aromatic Hydrocarbon Isomers of Molecular Weight 278 and 302 in Environmental Standard Reference Materials*; Polycyclic Aromat. Compd., Vol. 3, pp. 169–184 (1993).

[7] Schantz, M.M.; Parris, R.M.; Wise, S.A.; *NIST/NOAA Intercomparison Exercise Program for Organic Contaminants in the Marine Environment: Description and Results of 1999 Organic Intercomparison Exercises*; NOAA Technical Memorandum NOS NCCOS CCMA 146, Silver Spring, MD (2000).

[8] Schubert, P.; Schantz, M.M.; Sander, L.C.; Wise, S.A.; *Determination of Polycyclic Aromatic Hydrocarbons with Molecular Mass 300 and 302 in Environmental-Matrix Standard Reference Materials by Gas Chromatography-Mass Spectrometry*; Anal. Chem., Vol. 75, pp. 234–246 (2003).

[9] Ballschmiter, K.; Zell, M.; *Analysis of Polychlorinated Biphenyls (PCB) by Glass Capillary Gas Chromatography - Composition of Technical Aroclor- and Clophen-PCB Mixtures*; Fresenius' Z. Anal. Chem., Vol. 302, pp. 20–31 (1980).

[10] Schulte, E.; Malisch, R.; *Calculation of the Real PCB Content in Environmental Samples. I. Investigation of the Composition of Two Technical PCB Mixtures*; Fresenius' Z. Anal. Chem., Vol. 314, pp. 545–551 (1983).

[11] Brubaker, W.W., Jr.; Schantz, M.M.; Wise, S.A.; *Determination of Non-ortho Polychlorinated Biphenyls in Environmental Standard Reference Materials*; Fresenius' J. Anal. Chem., Vol. 367, pp. 401–406 (2000).

[12] Schantz, M.M.; Kucklick, J.R..; *NIST Interlaboratory Analytical Comparison Study to Support Deepwater Horizon Natural Resource Damage Assessment: Description and Results for Crude Oil QA10OIL01*; NISTIR 7793 (2011).

[13] Ruhkin, A.L.; Vangel, M.G.; *Estimation of a Common Mean and Weighted Means Statistics*; J. Am. Statist. Assoc., Vol. 93, pp. 303–308 (1998).

[14] JCGM 100:2008; *Evaluation of Measurement Data — Guide to the Expression of Uncertainty in Measurement* (GUM 1995 with Minor Corrections); Joint Committee for Guides in Metrology (2008); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_100_2008_E.pdf (accessed Jan 2015); see also Taylor, B.N.; Kuyatt, C.E.; *Guidelines for Evaluating and Expressing the Uncertainty of NIST Measurement Results*; NIST Technical Note 1297; U.S. Government Printing Office: Washington, DC (1994); available at http://www.nist.gov/pml/pubs/tn1297/index.cfm (accessed Jan 2015).

[15] JCGM 101:2008; *Evaluation of measurement data – Supplement 1 to the "Guide to the expression of uncertainty in measurement" - Propagation of distributions using a Monte Carlo method*; JCGM (2008); available at http://www.bipm.org/utils/common/documents/jcgm/JCGM_101_2008_E.pdf (accessed Jan 2015).

[16] Levenson, M.S.; Banks, D.L.; Eberhardt, K.R.; Gill, L.M.; Guthrie, W.F.; Liu, H.-K.; Vangel, M.G.; Yen, J.H.; Zhang, N.F.; *An Approach to Combining Results from Multiple Methods Motivated by the ISO GUM*; J. Res. Natl. Inst. Stand. Technol., Vol. 105, pp. 571–579 (2000).

Certificate Revision History: 16 January 2015 (Corrected IUPAC name for PCB-56 and PCB-107; editorial changes); 10 June 2014 (Units corrected from mg/kg to µg/kg in Tables 8 and 9; editorial changes); 10 April 2012 (Reference value added for alkylated PAH groups, hopanes, and steranes; extension of certification period; editorial changes); 16 August 2004 (Reference values for the butyl tins removed; editorial changes); 15 July 2002 (Original certificate date).

Users of this SRM should ensure that the Certificate of Analysis in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srminfo@nist.gov; or via the Internet at http://www.nist.gov/srm.

APPENDIX A

The laboratories listed below performed measurements that contributed to the certification of PAHs, PCBs, and chlorinated pesticides in SRM 1941b Organics in Marine Sediment.

Arthur D. Little, Inc; Cambridge, MA
Axys Analytical Services; Sidney, BC, Canada
B & B Laboratories; College Station, TX
Battelle Ocean Sciences; Duxbury, MA
Bedford Institute of Oceanography; Dartmouth, NS, Canada
California Department of Fish and Game; Rancho Cordova, CA
Central Contra Costa Sanitary District; Martinez, CA
Chesapeake Biological Laboratory; Solomons, MD
Centro de Investigacionies Energeticas Medioambientales y Tecnologicas; Madrid, Spain
City of Los Angeles Environmental Monitoring Division; Playa del Rey, CA
City of San Jose Environmental Services Department; San Jose, CA
Columbia Analytical Services; Kelso, WA
East Bay Municipal Utility District; Oakland, CA
Florida Department of Environmental Protection; Tallahassee, FL
Manchester Environmental Laboratory; Port Orchard, WA
Murray State University; Murray, KY
Massachusetts Water Resources Authority Central Lab; Winthrop, MA
National Research Council of Canada; Ottawa, Ontario, Canada
National Oceanic and Atmospheric Association (NOAA), National Marine Fisheries Service (NMFS), Auke Bay Laboratory; Juneau, AK
NOAA, National Ocean Service/Center for Coastal Environmental Health and Biomolecular Research; Charleston, SC
NOAA, NMFS, Sandy Hook Marine Laboratory; Highlands, NJ
NOAA, NMFS, Northwest Fisheries Science Center; Seattle, WA
Orange County Sanitation District; Fountain Valley, CA
Philip Analytical Services; Burlington, Ontario, Canada
Serv de Hidrografia Naval; Buenos Aires, Argentina
Skidaway Institute of Technology; Savannah, GA
Southwest Laboratory of Oklahoma; Broken Arrow, OK
Severn Trent Knoxville Laboratory; Knoxville, TN
Texas A&M University, Geochemical and Environmental Research Group; College Station, TX
Texas Parks and Wildlife Department; San Marcos, TX
University of California at Los Angeles, Institute of Geophysics and Planetary Physics; Los Angeles, CA
University of Connecticut, Environmental Research Institute; Storrs, CT
University of Rhode Island, Graduate School of Oceanography; Narragansett, RI
US Department of Agriculture, Environmental Chemistry Laboratory; Beltsville, MD
US Environmental Protection Agency, Atlantic Ecology Division; Narragansett, RI
US Geological Survey, National Water Quality Laboratory; Denver, CO
Woods Hole Group Environmental Lab; Raynham, MA
Wright State University; Dayton, OH

APPENDIX B

The laboratories listed below performed measurements that contributed to the certification of alkylated PAH groups, hopanes, and steranes in SRM 1941b Organics in Marine Sediment.

Alpha Analytical, Inc.; Mansfield, MA
Analytical Resources, Inc.; Tukwila, WA
Axys Analytical Services; Sydney, BC, Canada
Battelle Analytical & Environmental Chemistry Laboratory; Duxbury, MA
Center for Laboratory Sciences; Pasco, WA
Columbia Analytical Services; Jacksonville, FL
Columbia Analytical Services; Rochester, NY
Columbia Analytical Services, Kelso, WA
Florida Department of Environmental Protection; Tallahassee, FL
Florida International University; North Miami, FL
Michigan Department of Natural Resources and Environment; Lansing, MI
Mississippi State Chemical Laboratory; Mississippi State, MS
NIST; Charleston, SC
NIST; Gaithersburg, MD
NOAA/NCCOS/NOS; Charleston, SC
NOAA/NMFS/Alaska Fisheries Science Center; Juneau, AK
NY State Department of Health; Albany, NY
Pace Analytical Services, Inc. Minneapolis; Minneapolis, MN
RJ Lee Group, Inc; Monroeville, PA
TDI/B&B Laboratories, Inc.; College Station, TX
TestAmerica Laboratories; Mobile, AL
TestAmerica Laboratories; West Sacramento, CA
TestAmerica Laboratories; University Park, IL
TestAmerica Laboratories; Schriever, LA
TestAmerica Laboratories; Edison, NJ
TestAmerica Laboratories; Knoxville, TN
TestAmerica Laboratories; Pittsburgh, PA
TestAmerica Laboratories; South Burlington, VT
TestAmerica Laboratories; Tacoma, WA
US Army Engineer Research and Development Center; Vicksburg, MS
USGS Columbia Environmental Research Center; Columbia, MO
University of Iowa, State Hygienic Laboratory; Iowa City, IO
Washington State Public Health Laboratories; Shoreline, WA

NIST

Date of Issue:
31 March 2014

SAFETY DATA SHEET

1. Substance and Source Identification

Product Identifier

SRM Number: 1941b
SRM Name: Organics in Marine Sediment
Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is marine sediment collected at the mouth of the Baltimore (MD) Harbor. SRM 1941b is intended for use in evaluating analytical methods for the determination of selected polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, and chlorinated pesticides in marine sediment and similar matrices. All of the constituents for which certified, reference, and information values are provided in SRM 1941b were naturally present in the sediment before processing. A unit of SRM 1941b consists of a bottle containing 50 g of radiation-sterilized, freeze-dried sediment.

Company Information

National Institute of Standards and Technology
Standard Reference Materials Program
100 Bureau Drive, Stop 2300
Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200
FAX: 301-948-3730
E-mail: SRMMSDS@nist.gov
Website: http://www.nist.gov/srm

Emergency Telephone ChemTrec:
1-800-424-9300 (North America)
+1-703-527-3887 (International)

2. Hazards Identification

Classification

Physical Hazard: Not classified.
Health Hazard: Not classified.

Label Elements
Symbol
No Symbol/Pictogram

Signal Word
Not applicable.

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. Composition and Information on Hazardous Ingredients

Substance: Marine sediment

Other Designations: Sediment.

This material is naturally occurring marine sediment from an urban area. The material contains trace amounts of polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyl (PCB) congeners, and should be handled with care. Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Marine Sediment	Not available	Not available	100

4. First Aid Measures

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If adverse effects occur after ingestion, seek medical treatment.

Most Important Symptoms/Effects, Acute and Delayed: May cause irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. Fire Fighting Measures

Fire and Explosion Hazards: Negligible fire hazard. Avoid generating dust. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:
Suitable: Use extinguishing media appropriate for surrounding fire.
Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Any accumulated material on surfaces should be removed and properly disposed of. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.

7. Handling and Storage

Safe Handling Precautions: Minimize dust generation and accumulation on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handling in accordance with all current regulations and standards.

8. Exposure Controls and Personal Protection

Exposure Limits: No occupational exposure limits have been established for marine sediment. This material is a particulate matter and adequate inhalation/respiratory protection should be used to minimize exposure. The exposure limits for Particulates Not Otherwise Regulated (PNOR) are applicable.

OSHA (PEL): 15 mg/m^3 (TWA, total particulates not otherwise regulated)
OSHA (PEL) 5 mg/m^3 (TWA, respirable particulates not otherwise regulated)

NIOSH (REL): 10 mg/m^3 (TWA, total particulates not otherwise regulated, 8 h)
NIOSH (REL): 5 mg/m^3 (TWA, respirable particulates not otherwise regulated)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. Physical and Chemical Properties

Descriptive Properties:

Appearance (physical state, color, etc.):	amorphous powder
Molecular Formula:	not applicable
Molar Mass (g/mol):	not applicable
Odor:	not available
Odor threshold:	not available
pH:	not available
Evaporation rate:	not applicable
Melting point/freezing point (°C):	not available
Specific Gravity (water=1)	not available
Vapor Pressure (mmHg):	not applicable
Vapor Density (air = 1):	not applicable
Viscosity (cP):	not applicable
Solubility(ies):	not available
Partition coefficient (n-octanol/water):	not available
Particle Size:	<150 µm

Thermal Stability Properties:

Autoignition Temperature (°C):	not available
Thermal Decomposition (°C):	not available
Initial boiling point and boiling range (°C):	not available
Explosive Limits, LEL (Volume %):	not available
Explosive Limits, UEL (Volume %):	not available
Flash Point (°C):	not available
Flammability (solid, gas):	not available

10. Stability and Reactivity

Reactivity: Stable at normal temperatures and pressure.

Stability: X Stable _____ Unstable

Possible Hazardous Reactions: None listed.

Conditions to Avoid: Avoid generating dust.

Incompatible Materials: None listed.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

Hazardous Decomposition: Thermal decomposition will produce oxides of carbon.

Hazardous Polymerization: _____ Will Occur X Will Not Occur

11. TOXICOLOGICAL INFORMATION

Route of Exposure: X Inhalation X Skin _____ Ingestion

Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Generated dust may cause irritation if inhaled.

Potential Health Effects (Acute, Chronic and Delayed):

Inhalation: Generated dust may cause irritation.

Skin Contact: May cause mechanical irritation.

Eye Contact: May cause mechanical irritation.

Ingestion: No data available.

Numerical Measures of Toxicity:

Acute Toxicity: Not classified; no data available.

Skin Corrosion/Irritation: Not classified; no data available.

Serious Eye damage/ Eye irritation: Not classified; no data available.

Respiratory Sensitization: Not classified; no data available.

Skin Sensitization: Not classified; no data available.

Germ Cell Mutagenicity: Not classified; no data available.

Carcinogenicity: Not classified.

Listed as a Carcinogen/Potential Carcinogen _____ Yes X No
Marine sediment is not listed by NTP, IARC or OSHA as a carcinogen.

Reproductive Toxicity: Not classified; no data available.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.

Aspiration Hazard: Not classified; no data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH:	No.
CHRONIC HEALTH:	No.
FIRE:	No.
REACTIVE:	No.
PRESSURE:	No.

State Regulations:
California Proposition 65: Not listed.

U.S. TSCA Inventory: Not listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:
WHMIS Information: Not provided for this material.

16. OTHER INFORMATION

Issue Date: 31 March 2014

Sources: 29 CFR Occupational Health and Safety Office (OSHA) 1910.1000, *Limits for Air Contaminants*, Table Z-1; available at http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9992 (accessed Mar 2014).

Center for Disease Control (CDC) NIOSH Pocket Guide to Chemical Hazards, *Particulates not otherwise regulated*; available at http://www.cdc.gov/niosh/npg/npgd0480.html (accessed Mar 2014).

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act	PEL	Permissible Exposure Limit
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical Substances	RQ	Reportable Quantity
EPCRA	Emergency Planning and Community Right-to-Know Act	RTECS	Registry of Toxic Effects of Chemical Substances
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

Bill to: 68455	Ship to: 68456
DAVE MITCHELL ANALYTICAL RESOURCES INC 4611 S 134TH PLACE SUITE 100 TUKWILA, WA 98168-3240 1 (206)695-6205	DAVE MITCHELL ANALYTICAL RESOURCES INC 4611 S 134TH PLACE SUITE 100 TUKWILA, WA 98168-3240 1 (206)695-6205

21G0330 CLPLIKE (Rev0) - Page 1038 of 1065

Ship via	UPS Ground	Description		Ship from	
Salesmen	MCMIDM2	Instructions		Blanket	
Contact	DAVE MITCHELL	Pro#		Truck#	

Order discrepancies (other than back ordered items) must be reported to our Customer Relations Department at 301-975-6776 within 5 days of receipt of shipment or this order will be considered complete. NIST SRMs/RMs are generally not returnable - with the exception of defective goods or shipments made in error by NIST. To return a SRM/RM, please call for instructions and a Return SRM/RM Authorization Number before shipment. Returns WILL NOT BE ACCEPTED without prior authorization.

Order	UOM	Ship	UOM	B/O	UOM	Item	Description
1	EACH	1	EACH	0	EACH	1941B	Organics in Marine Sediment
						Total qty:	1 / EACH
							NOT FOR HUMAN CONSUMPTION, LABORATORY USE ONLY.

9/21/16
04:04 PM

Picked by	
Packed by	
# of pieces	
Weight	

1700101

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
SM 2540 G-97

LDW21-IT701B

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-01 C	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/02/21 16:49	File ID:	
% Solids:	78.24	Preparation:	No Prep Wet Chem	Analyzed:	08/02/21 16:51
Batch:	BJH0028	Sequence:		Initial/Final:	5 g Wet / 5 g
Instrument:	BAL2			Calibration:	

CAS NO.	Analyte	Concentration (%)	Dilution Factor	MDL	MRL	Q
	Total Solids	78.24	1	0.04	0.04	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
SM 2540 G-97

LDW21-IT701C

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-02 C	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/02/21 16:49	File ID:	
% Solids:	78.20	Preparation:	No Prep Wet Chem	Analyzed:	08/02/21 16:51
Batch:	BJH0028	Sequence:		Initial/Final:	5 g Wet / 5 g
Instrument:	BAL2			Calibration:	

CAS NO.	Analyte	Concentration (%)	Dilution Factor	MDL	MRL	Q
	Total Solids	78.20	1	0.04	0.04	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I
INORGANIC ANALYSIS DATA SHEET
SM 2540 G-97

LDW21-IT701E

Laboratory:	Analytical Resources, Inc.				
Client:	Anchor QEA, LLC				
Project:	Lower Duwamish AOC4				
Matrix:	Sediment	Laboratory ID:	21G0330-03 C	SDG:	21G0330
Sampled:	07/26/21 18:10	Prepared:	08/02/21 16:49	File ID:	
% Solids:	76.17	Preparation:	No Prep Wet Chem	Analyzed:	08/02/21 16:51
Batch:	BJH0028	Sequence:		Initial/Final:	5 g Wet / 5 g
Instrument:	BAL2			Calibration:	

CAS NO.	Analyte	Concentration (%)	Dilution Factor	MDL	MRL	Q
	Total Solids	76.17	1	0.04	0.04	

Analytical Resources, Incorporated
Analytical Chemists and Consultants

PREPARATION BATCH SUMMARY

SM 2540 G-97

Laboratory:	Analytical Resources, Inc.	SDG:	21G0330
Client:	Anchor QEA, LLC	Project:	Lower Duwamish AOC4
Batch:	BJH0028 Batch Matrix: Solid	Preparation:	No Prep Wet Chem

SAMPLE NAME	LAB SAMPLE ID	LAB FILE ID	DATE PREPARED	OBSERVATIONS
LDW21-IT701B	21G0330-01		08/02/21 16:49	
LDW21-IT701C	21G0330-02		08/02/21 16:49	
LDW21-IT701E	21G0330-03		08/02/21 16:49	
Blank	BJH0028-BLK1		08/02/21 16:49	
LDW21-IT701B	BJH0028-DUP1		08/02/21 16:49	

TOTAL SOLIDS/VOLATILE SOLIDS (TS / TVS) BENCHSHEET for Solid samples

Method: PSEP 1986, SM2540, EPA 160.1

(dry at 104 (12-24 hr) then combust at 550 (30 min))

Batch:	BJH0028
Date:	8/2/2021 16:51
Analyst:	DOE

Instrumentation

Drying Ovens:	12	**Analytical Balance:**	BAL2
Muffle Furnace:	2		

Batch drying time				**Oven Temps, °C**	
record times as mm/dd/yy hh:mm			TS (%) calculated as:	Start Temp	105
date/time in oven:	8/2/2021 17:05		Final dry wt (g) = (Dry Wt - Tare Wt)	Dry Cycle 1	105
date/time out:	8/3/2021 10:15		TS = (Final Dry Wt)/ (grams Sample-Tare)	Dry Cycle 2	
elapsed hrs =	17.2	OK		Dry Cycle 3	

TVS (mg/kg dry wt) calculated as:
Final ash wt (g) = (min ash wt - tare wt)
TVS (mg/kg) = [(Dry wt-Ash wt)/ (dry weight)] *1,000,000
if ash wt > dry wt, "Chk for Err"
if dry wt-ash wt < 0.001 g, "< (1/dry wt)*1,000,000

Balance Calibration Check

Record weights to 4 places										
Cal Weight ID:		CV-02	CV-02	CV-02	CV-02	CV-02	CV-02	CV-02	CV-02
Date & Time:		8/2/21 16:55	8/2/21 17:00	8/3/21 10:35					
Cal Wt (g):	10.0000	10.0000	9.9999	9.9999					
		Cal OK!	Cal OK!	Cal OK!					

Sample ID	Dish #	Tare Wt. (g)	Dish & Sample (g)	Dry Wt 104C (grams) 1	2	3	dry Wt (g)	TS (%)	Notes	ASH WT 550C (grams) 1	2	3	Ash Wt (g)	TVS (mg/kg)	(%)	Notes
BJH0028-BLK1	1	0.7972	0.0000	0.7971			-0.0001	0.01%								
21G0330-01	2	0.8066	5.0181	4.1016			3.2950	78.24%								
BJH0028-DUP1	3	0.7972	4.9453	4.0626			3.2654	78.72%	RPD=0.6							
21G0330-02	4	0.8057	6.3360	5.1306			4.3249	78.20%								
21G0330-03	5	0.8043	5.3720	4.2834			3.4791	76.17%								
21G0382-01	6	0.8188	2.0566	1.1549			0.3361	27.15%								

Analytical Resources, Incorporated
Analytical Chemists and Consultants

Form I

METHOD BLANK DATA SHEET

SM 2540 G-97

TotalAnalytes

Blank

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Batch: BJH0028
Laboratory ID: BJH0028-BLK1
Prepared: 08/02/21 16:49
Matrix: Solid
Preparation: No Prep Wet Chem
Analyzed: 08/02/21 16:51
Sequence:
Calibration:
Instrument: BAL2

CAS NO.	Analyte	Concentration (%)	Dilution Factor	MDL	MRL	Q
	Total Solids	ND	1	0.04	0.04	U

Analytical Resources, Incorporated
Analytical Chemists and Consultants

LDW21-IT701B

DUPLICATES
SM 2540 G-97

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Laboratory ID: BJH0028-DUP1
Batch: BJH0028
Lab Source ID: 21G0330-01
Preparation: No Prep Wet Chem
Initial/Final: 5 g / 5 g
Source Sample Name: LDW21-IT701B
% Solids: 78.24

ANALYTE	CONTROL LIMIT	SAMPLE CONCENTRATION	DUPLICATE CONCENTRATION	RPD %	Q
Total Solids	20	78.24	78.72	0.614	

*: Values outside of QC limits
L: Analyte concentration is <=5 times the reporting limit and the replicate control limit defaults to Dup = +/- RL instead of 20% RPD

Analytical Resources, Incorporated
Analytical Chemists and Consultants

HOLDING TIME SUMMARY

Analysis: SM 2540 G-97

Laboratory: Analytical Resources, Inc. SDG: 21G0330

Client: Anchor QEA, LLC Project: Lower Duwamish AOC4

Sample Name	Date Collected	Date Received	Date Prepared	Days to Prep	Max Days to Prep	Date Analyzed	Days to Analysis	Max Days to Analysis	Q
LDW21-IT701B 21G0330-01	07/26/21 18:10	07/27/21 11:54	08/02/21 16:49	6	180	08/02/21 16:51	7	180	
LDW21-IT701C 21G0330-02	07/26/21 18:10	07/27/21 11:54	08/02/21 16:49	6	180	08/02/21 16:51	7	180	
LDW21-IT701E 21G0330-03	07/26/21 18:10	07/27/21 11:54	08/02/21 16:49	6	180	08/02/21 16:51	7	180	
Duplicate BJH0028-DUP1	07/26/21 18:10	07/27/21 11:54	08/02/21 16:49	6	180	08/02/21 16:51	7	180	

* Indicates hold time exceedance.

Analytical Resources, Incorporated
Analytical Chemists and Consultants

METHOD DETECTION AND REPORTING LIMITS

SM 2540 G-97

Laboratory: Analytical Resources, Inc.
SDG: 21G0330
Client: Anchor QEA, LLC
Project: Lower Duwamish AOC4
Matrix: Solid
Instrument:

Analyte	MDL	RL	Units
Total Solids	0.04	0.04	%